according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987 date of compilation: 22.11.2016 Version: 2.0 en

Revision: 12.04.2022

Replaces version of: 22.11.2016

Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Multi-Element ICP - Standard Solution

ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

Article number 9987

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1A	Carc. 1A	H350i

Page 1 / 29 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
-------------	--------

Pictograms

GHS05, GHS07, GHS08







Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H340	May cause genetic defects (if exposed)
H350i	May cause cancer by inhalation
H360FD	May damage fertility. May damage the unborn child (if exposed)
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid ...% [C \leq 70 %], Cadmi-

um

Malta (en) Page 2 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







Causes severe skin burns and eye damage. H314 May cause an allergic skin reaction. May cause genetic defects (if exposed). H317 H340 H350i

May cause cancer by inhalation.
May damage fertility. May damage the unborn child (if exposed). H360FD

H412 Harmful to aquatic life with long lasting effects.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

EUH071 Corrosive to the respiratory tract.

contains: Nickel dinitrate, Nitric acid ...% [C ≤ 70 %], Cadmium

Other hazards 2.3

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
copper dinitrate	CAS No 3251-23-8 EC No 221-838-5	0,1 - < 1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<u>(!)</u>	
arsenic	CAS No 7440-38-2 EC No 231-148-6 Index No 033-001-00-X	0,1 - < 1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
Cadmium	CAS No 7440-43-9 EC No 231-152-8 Index No 048-002-00-0	0,1 - < 1	Acute Tox. 2 / H330 Muta. 2 / H341 Carc. 1B / H350 Repr. 2 / H361fd STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	1	GHS-HC IARC: 1 IOELV RoC "Known"

Malta (en) Page 3 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Selenium	CAS No 7782-49-2	0,1 - < 1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 STOT RE 2 / H373		GHS-HC
	EC No 231-957-4		Aquatic Chronic 4 / H413		
	Index No 034-001-00-2				
Molybdenum (VI) ox- ide	CAS No 1313-27-5	0,15	Eye Irrit. 2 / H319 Carc. 2 / H351 STOT SE 3 / H335	<u>(!)</u>	GHS-HC IARC: 2B
	EC No 215-204-7		3.0.3237.1333		
	Index No 042-001-00-9				
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	0,01 - < 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Antimony	Antimony CAS No 0,1 7440-36-0		Carc. 2 / H351 STOT RE 2 / H373		
	EC No 231-146-5			×	

Notes

B(a): The classification refers to an aqueous solution
GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)
IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

IARC: 1: IARC: 2B:

Substance with a community indicative occupational exposure limit value NTP-RoC: Known To Be A Human Carcinogen

IOELV: RoC "Known"

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS NO 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _I /4h	inhalation: va- pour

Malta (en) Page 4 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
nickel dinitrate	CAS No 13138-45-9	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 %	-	1.620 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 236-068-5	STOT RE 2; H373: 0,1 % ≤ C < 1 %			IIIISC
	Index No 028-012-00-1				
copper dinitrate	CAS No 3251-23-8	-	-	794 ^{mg} / _{kg}	oral
	EC No 221-838-5				
arsenic	CAS No 7440-38-2	-	-	763 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 231-148-6				IIIISC
	Index No 033-001-00-X				
Cadmium	CAS No 7440-43-9	-	M-factor (acute) = 10.0	0,05 ^{mg} / _l /4h	inhalation: dust/ mist
	EC No 231-152-8				
	Index No 048-002-00-0				
Selenium	CAS No 7782-49-2	-	-	100 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 231-957-4				IIIISC
	Index No 034-001-00-2				

Substance of Very High Concern (SVHC)

Name of substance	Name of substance Name acc. to invent- ory		EC No	Listed in	Remarks	
Cadmium	cadmium	7440-43-9	231-152-8	Candidate list	Carc. A57a STOT-re A57(f)-HH	

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV list

Carc. A57a STOT-re A57(f)-HH

Carcinogenic (article 57a) Specific target organ toxicity - repeated exposure (article 57(f) - human health)

For full text of abbreviations: see SECTION 16

Malta (en) Page 5 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

Malta (en) Page 6 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

Malta (en) Page 7 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	cadmium	7440-43- 9	IOELV		0,001					i, Cd- limit	2019/ 983/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
MT	nitric acid	7697-37- 2	OELV			1	2,6				CAP. 424

Notation

Cd-limit Ceiling-C Limit value 0,004 mg/m3 until 11 July 2027 Ceiling value is a limit value above which exposure should not occur Inhalable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	S No End- point Threshol d level		Protection goal, route of exposure	Used in	Exposure time
Molybdenum (VI) oxide	1313-27-5	DNEL	16,76 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Molybdenum (VI) oxide	1313-27-5	DNEL	3 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Antimony	7440-36-0	DNEL	0,263 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Antimony	7440-36-0	DNEL	56,4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cadmium	7440-43-9	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Molybdenum (VI) oxide	1313-27-5	PNEC	19,05 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Molybdenum (VI) oxide	1313-27-5	PNEC	3,42 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	

Malta (en) Page 8 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % $\rm HNO_3$ - 1 000 mg/l

article number: 9987

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Molybdenum (VI) oxide	1313-27-5	PNEC	32,55 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	33.900 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	3.555 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (singl instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	14,25 ^{mg} /	terrestrial organ- isms	soil	short-term (singl instance)
Antimony	7440-36-0	PNEC	0,113 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)
Antimony	7440-36-0	PNEC	0,011 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)
Antimony	7440-36-0	PNEC	2,55 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)
Antimony	7440-36-0	PNEC	11,2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)
Antimony	7440-36-0	PNEC	2,24 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (singl instance)
Antimony	7440-36-0	PNEC	37 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (singl instance)
Cadmium	7440-43-9	PNEC	0,19 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)
Cadmium	7440-43-9	PNEC	1,14 ^{µg} / _l	aquatic organ- isms	marine water	short-term (singl instance)
Cadmium	7440-43-9	PNEC	20 ^{µg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)
Cadmium	7440-43-9	PNEC	1,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)
Cadmium	7440-43-9	PNEC	0,64 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Cadmium	7440-43-9	PNEC	0,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)
Eye/face protection



Use safety goggle with side protection. Wear face protection.

Malta (en) Page 9 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour stinging

Melting point/freezing point ~0 °C at 1.013 mPa

Boiling point or initial boiling point and boiling

range

~100 °C at 1.013 mPa

Flammability non-combustible

Lower and upper explosion limit not determined

Malta (en) Page 10 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) <2

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $1,05 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

Malta (en) Page 11 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h
nickel dinitrate	13138-45-9	oral	1.620 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 ^{mg} / _l /4h
copper dinitrate	3251-23-8	oral	794 ^{mg} / _{kg}
arsenic	7440-38-2	oral	763 ^{mg} / _{kg}
arsenic	7440-38-2	inhalation: dust/mist	0,5 ^{mg} / _l /4h
Cadmium	7440-43-9	inhalation: dust/mist	0,05 ^{mg} / _l /4h
Selenium	7782-49-2	oral	100 ^{mg} / _{kg}
Selenium	7782-49-2	inhalation: dust/mist	0,5 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 ^{mg} / _{kg}	rat
copper dinitrate	3251-23-8	oral	LD50	794 ^{mg} / _{kg}	rat
Molybdenum (VI) oxide	1313-27-5	oral	LD50	4.233 ^{mg} / _{kg}	rat
Molybdenum (VI) oxide	1313-27-5	inhalation: dust/mist	LC50	>5,1 ^{mg} / _I /4h	rat

Malta (en) Page 12 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



rat

Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	Endpoint	Value	Species		
Molybdenum (VI) oxide	1313-27-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rat		
Antimony	7440-36-0	oral	LD50	7.000 ^{mg} / _{kg}	rat		
Antimony	7440-36-0	inhalation: dust/mist	LC50	>5,2 ^{mg} / _l /4h	rat		
Antimony	7440-36-0	dermal	LD50	>8.300 ^{mg} / _{kg}	rabbit		
arsenic	7440-38-2	oral	LD50	763 ^{mg} / _{kg}	rat		

oral

LD50

2.330 mg/kg

Skin corrosion/irritation

Cadmium

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

May cause genetic defects (if exposed).

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child (if exposed). May damage fertility (if exposed).

7440-43-9

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

Malta (en) Page 13 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Molybdenum (VI) ox- ide	1313-27-5	LC50	577 ^{mg} / _l	fish	96 h
Antimony	7440-36-0	LC50	6,9 ^{mg} / _l	fish	96 h
Antimony	7440-36-0	ErC50	>36,6 ^{mg} / _l	algae	72 h
arsenic	7440-38-2	EC50	3,8 ^{mg} / _l	daphnia magna	48 h
arsenic	7440-38-2	LC50	9,9 ^{mg} / _l	Pimephales promelas	96 h
Cadmium	7440-43-9	LC50	58,16 ^{µg} / _l	aquatic invertebrates	48 h
Cadmium	7440-43-9	EC50	1.900 ^{µg} / _l	aquatic invertebrates	24 h
Cadmium	7440-43-9	ErC50	120 ^{µg} / _I	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Molybdenum (VI) ox- ide	1313-27-5	EC50	1.100 ^{mg} / _l	microorganisms	30 min
Antimony	7440-36-0	EC50	3,82 ^{mg} / _l	aquatic invertebrates	21 d
Cadmium	7440-43-9	LC50	1.500 ^{µg} / _l	fish	4 d
Cadmium	7440-43-9	EC50	8,1 ^{µg} / _l	fish	100 d
Selenium	7782-49-2	EC50	>3.200 ^{mg} / _l	microorganisms	3 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Malta (en) Page 14 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Selenium	7782-49-2		5	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

14.2 UN proper shipping name

ADR	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Malta (en) Page 15 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Nitric acid% [C ≤ 70 %], Arsenic
14.3	Transport hazard class(es)	
	ADR	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid% [C \leq 70 %], arsenic), 8, II, (E)
Classification code	C1
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80

Malta (en) Page 16 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

International Maritime Dangerous Goods Code (IMDG) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

Particulars in the shipper's declaration UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN-

IC, N.O.S., (contains: Nitric acid ...% [C \leq 70 %], arsenic), 8, II

Marine pollutant

Danger label(s) 8



274 Special provisions (SP)

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category В

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

Particulars in the shipper's declaration UN3264, Corrosive liquid, acidic, inorganic, n.o.s.,

(contains: Nitric acid ...% [C ≤ 70 %], arsenic), 8, II

Danger label(s)



А3 Special provisions (SP) Excepted quantities (EQ) E2 Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Multi-Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Molybdenum (VI) oxide	substances in tattoo inks and permanent make-up		R75	75
nickel dinitrate	carcinogenic		R28-30	28

Page 17 / 29 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
nickel dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	nickel compounds	nickel compounds		27
arsenic	arsenic	7440-38-2	R72	72
Cadmium	carcinogenic		R28-30	28
Cadmium	substances in tattoo inks and permanent make-up		R75	75
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and permanent make-up		R75	75

Legend

R27

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 µg/cm2/week (migration limit); (b) in articles intended to come into direct and prolonged contact with the skin such as:

earrings,
 necklaces, bracelets and chains, anklets, finger rings,

- wrist-watch cases, watch straps and tighteners,

rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,

if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is

greater than 0,5 µg/cm2/week. (c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm2/week for a period of at least two years of normal use of the article.

2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the requirements set out in that paragraph.

The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for

demonstrating the conformity of articles to paragraphs 1 and 2. 1. Shall not be placed on the market, or used, R28-30

- as substances

- as constituents of other substances, or,

- in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,

- the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

- motor fuels which are covered by Directive 98/70/EC,
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
(f) devices covered by Regulation (EU) 2017/745.

Page 18 / 29 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- reitchs and jokes,
 tricks and jokes,
 games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

- can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.

 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).

 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black oppositions of the state of the state of the supply to the general public are packaged in black oppositions of the state of the supply to the general public are packaged in black oppositions.
- opaque containers not exceeding 1 litre by 1 December 2010.'; 1. Shall not be placed on the market after 1 November 2020 in any of the following: (a) clothing or related accessories;

R72

(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;

- (c) footwear; if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.

 2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between
- 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.

3. Paragraph 1 shall not apply to:

(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of (a) testing, related accessories of footwear, or parts of clothing, related accessories of natural leather, fur or hide;
(b) non-textile fasteners and non-textile decorative attachments;
(c) second-hand clothing, related accessories, textiles other than clothing or footwear
(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.

- 4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).

 5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
- 6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.
 7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.
- (*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51). (**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

Page 19 / 29 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;
(ii) 0,01 % by weight, in all other cases;
(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Pierse off products":

(ii) "Rinse-off products";
(iii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of

making a mark or design on his or her body

making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such

stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para-

plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "PH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph. graph.

Page 20 / 29 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)						
Name acc. to invent- ory	CAS No	Listed in	Remarks	Latest application date	Sunset date	Date of in- clusion
cadmium	7440- 43-9	Candidate list	Carc. A57a STOT-re A57(f)-HH			20.06.2013

Legend

candidate list
Carc. A57a
Carcinogenic (article 57a)
Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV
Carc. A57a
Carcinogenic (article 57a)

STOT-re A57(f)-Specific target organ toxicity - repeated exposure (article 57(f) - human health)

Seveso Directive

2012/	18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Deco-Paint Directive

VOC content	0 % 0 ⁹ / ₁

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Hazardous substances in electrical and electronic equipment (RoHS)					
Name acc. to inventory Maximum concentration values tolerated by weight in homogeneous materials					
cadmium	0,01 % Cd				

Page 21 / 29 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
arsenic	7440-38-2	(8)	20
Cadmium	7440-43-9	(8)	10

Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Molybdenum (VI) oxide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Molybdenum (VI) oxide	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	
copper dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
copper dinitrate	Metals and their compounds		a)	
Antimony	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

Malta (en) Page 22 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
arsenic	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
arsenic	Arsenic and its compounds		a)	
Cadmium	cadmium	7440-43-9	b)	HAZ
Cadmium	cadmium compounds		b)	HAZ
Cadmium	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	
Cadmium	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium	Metals and their compounds		a)	
Cadmium	<u> </u>			a)

Legend

Indicative list of the main pollutants

Selenium

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

Metals and their compounds

a)

A) B) C) HAZ

Regulation on the marketing and use of explosives precursors

olosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

Legend

annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Malta (en) Page 23 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Cadmium	cadmium	7440-43-9	i(1)	sr

Legend

i(1) sr

Sub-category: i(1) - industrial chemical for professional use Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Chemical Substances AICS Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory CICR CSCL-ENCS

DSL

National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances

Taiwan Chemical Substance Inventory

Page 24 / 29 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Legend

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: nickel dinitrate, ammonium dichromate, Nitric acid, arsenic acid	Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid% [C ≤ 70 %], Cad- mium	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate, Ammonium dichromate, Nitric acid, Arsenic acid	contains: Nickel dinitrate, Nitric acid% [C ≤ 70 %], Cad- mium	yes

Malta (en) Page 25 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % $\rm HNO_3$ - 1 000 mg/l

article number: 9987

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control

Malta (en) Page 26 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % $\rm HNO_3$ - 1 000 mg/l

article number: 9987

Abbr.	Descriptions of used abbreviations
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

Malta (en) Page 27 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Abbr.	Descriptions of used abbreviations
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects (if exposed).
H341	Suspected of causing genetic defects (if exposed).

Malta (en) Page 28 / 29

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO $_3$ - 1 000 mg/l

article number: 9987

Code	Text
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H351	Suspected of causing cancer.
H360D	May damage the unborn child (if exposed).
H360FD	May damage fertility. May damage the unborn child (if exposed).
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if exposed).
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 29 / 29