
acc. to Regulation (EC) No. 1907/2006 (REACH)

### Nickel(II)-oxide $\geq$ 99%, p.a, 325 mesh, green

article number: 9996 Version: 3.0 en Revision: 2024-03-03

Replaces version of: 2022-01-14

Version: (2)



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

Article number 9996

Index No (GB CLP) 028-003-00-2 EC number 215-215-7 CAS number 1313-99-1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

> with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### **Emergency telephone number** 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**


#### Classification of the substance or mixture 2.1

United Kingdom (en) Page 1 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 **Label elements**

#### Labelling

Signal word **Danger** 

## **Pictograms**

**GHS07, GHS08** 





#### **Hazard statements**

H317 May cause an allergic skin reaction May cause cancer by inhalation H350i

H372 Causes damage to organs through prolonged or repeated exposure

H413 May cause long lasting harmful effects to aquatic life

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P260 Do not breathe dust

P280 Wear protective gloves/eye protection

### **Precautionary statements - response**

IF ON SKIN: Wash with plenty of water P302+P352

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

#### 2.3 Other hazards

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 2 / 15



## Classification acc. to GHS

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Nickel(II)-oxide

Molecular formula NiO

Molar mass 74,69 9/<sub>mol</sub>
CAS No 1313-99-1
EC No 215-215-7
Index No (GB CLP) 028-003-00-2

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!

United Kingdom (en) Page 3 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996

water, foam, dry extinguishing powder, ABC-powder

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. Avoid dust formation.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

United Kingdom (en) Page 4 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nickel compounds	1313-99-1	IOELV	0,1			i	2022/431/ EU
GB	nickel, inorganic com- pounds	1313-99-1	WEL	0,1			Ni	EH40/2005
GB	nickel, insoluble com- pounds	1313-99-1	WEL	0,5			Ni	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Calculated as Ni (nickel)

Ni STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

#### **Human health values**

#### **Relevant DNELs and other threshold levels**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	18,9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

#### **Environmental values**

#### **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	7,1 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	8,6 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	0,33 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	109 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)

United Kingdom (en) Page 5 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



#### Relevant PNECs and other threshold levels **Threshold** End-**Organism Environmental com-Exposure time** point level partment 109 mg/kg **PNEC** aquatic organisms marine sediment short-term (single instance) **PNEC** 29,9 mg/kg terrestrial organisms soil short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection.

## Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**






Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

United Kingdom (en) Page 6 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour dark green
Odour odourless

Melting point/freezing point 1.955 °C (ECHA) Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible

Lower and upper explosion limit 0 vol% (LEL) - 0 vol% (UEL)

Flash point not applicable
Auto-ignition temperature >400 °C (ECHA)
Decomposition temperature not relevant
pH (value) not applicable
Kinematic viscosity not relevant

Solubility(ies)

Water solubility 0 g/<sub>I</sub> at 20 °C (practically insoluble) (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density  $6,72 \, \mathrm{g}_{\mathrm{cm}^3}$ 

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

United Kingdom (en) Page 7 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996

Other safety characteristics:



There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Fluorine, Iodine, Hydrogen peroxide

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if inhaled.

#### **Acute toxicity Exposure route** Method **Endpoint Value Species Source** 8.796 <sup>mg</sup>/<sub>kg</sub> oral LD50 rat **ECHA** inhalation: dust/ LC50 >5,08 <sup>mg</sup>/<sub>I</sub>/4h **ECHA** rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

May cause cancer by inhalation.

United Kingdom (en) Page 8 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Shall not be classified as presenting an aspiration hazard.

#### If swallowed

Data are not available.

#### If inhaled

Data are not available.

#### If on skin

May produce an allergic reaction, pruritis, localised redness

none

## 11.2 Endocrine disrupting properties

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Data are not available.

## 12.3 Bioaccumulative potential

BCF	45 (ECHA)
-----	-----------

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

United Kingdom (en) Page 9 / 15



Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### **Aspiration hazard**

## Symptoms related to the physical, chemical and toxicological characteristics

### • If in eyes

Data are not available.

#### Other information

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

May cause long lasting harmful effects to aquatic life.

### 12.2 Persistence and degradability

Does not significantly accumulate in organisms.

DCE	4E (ECUA)
BCF	45 (ECHA)

#### 12.4 Mobility in soil

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide $\geq$ 99%, p.a, 325 mesh, green

article number: 9996

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

**HP 7** carcinogenic

HP 13 sensitising HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# SECTION 14: Transport information

14.1 UN number or ID number	not subject to transport regulations
-----------------------------	--------------------------------------

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

United Kingdom (en) Page 10 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes				
11	nickel compounds in inhalable powder form	1					

#### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### **Water Framework Directive (WFD)**

## List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Nickel(II)-oxide	nickel compounds		b)	
Nickel(II)-oxide	nickel compounds	7440-02-0	c)	
Nickel(II)-oxide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Nickel(II)-oxide	Metals and their compounds		a)	

#### Legend

a) b)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

## Regulation on the marketing and use of explosives precursors


not listed

United Kingdom (en) Page 11 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

### Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Nickel(II)-oxide	Nickel compounds		27
Nickel(II)-oxide	carcinogenic		28

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

United Kingdom (en) Page 12 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996

Legend

DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information:  Not subject to ADR, RID and ADN.		yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes

United Kingdom (en) Page 13 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval

United Kingdom (en) Page 14 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Nickel(II)-oxide ≥ 99%, p.a, 325 mesh, green

article number: 9996



Abbr.	Descriptions of used abbreviations
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H317	May cause an allergic skin reaction.
H350i	May cause cancer by inhalation.
H372	Causes damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 15 / 15