
acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130 Version: **4.0 en** 

Replaces version of: 2021-10-26

Version: (3)



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Carbolic fuchsine solution, for microscopy

Article number A130

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

## Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.5	Germ cell mutagenicity	2	Muta. 2	H341

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 1 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

#### Labelling

Signal word Danger

## **Pictograms**

GHS05, GHS08



#### **Hazard statements**

H314 Causes severe skin burns and eye damage H341 Suspected of causing genetic defects

#### **Precautionary statements**

## **Precautionary statements - prevention**

P202 Do not handle until all safety precautions have been read and understood

P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

For professional users only

Hazardous ingredients for labelling: Phenol

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

United Kingdom (en) Page 2 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5	< 10	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	<u>(4)</u>	GHS-HC
	EC No 200-578-6				
	Index No 603-002-00-5				
Phenol	CAS No 108-95-2	< 5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331		GHS-HC IOELV
	EC No 203-632-7		Skin Corr. 1B / H314 Eye Dam. 1 / H318 Muta. 2 / H341		
	Index No 604-001-00-2		STOT RE 2 / H373 Aquatic Chronic 2 / H411		
Fuchsine	CAS No 632-99-5	<1	Carc. 2 / H351		IARC: 2B
	EC No 211-189-6			•	

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)
IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer) IARC:

2B: IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Phenol	CAS No 108-95-2 EC No 203-632-7	Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	-	100 <sup>mg</sup> / <sub>kg</sub> 630 <sup>mg</sup> / <sub>kg</sub> 0,5 <sup>mg</sup> / <sub>I</sub> /4h	oral dermal inhalation: dust/ mist

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

United Kingdom (en) Page 3 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Gastric perforation, Risk of serious damage to eyes

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

United Kingdom (en) Page 4 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution , for microscopy

article number: A130



#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

**Consideration of other advice:** 

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	phenol	108-95-2	IOELV	2	8	4	16			Н	2009/ 161/EU
GB	phenol	108-95-2	WEL	2	7,8	4	16				EH40/ 2005
GB	ethanol	64-17-5	WEL	1.00	1.920						EH40/ 2005

**Notation** 

Ceiling-C Ceiling value is a limit value above which exposure should not occur

United Kingdom (en) Page 5 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130

Notation

Absorbed through the skin

H STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture Name of sub-**CAS No** End-**Threshol Used** in **Exposure time Protection** d level goal, route of stance point exposure human, inhalat-Phenol 108-95-2 DNEL 8 mg/m<sup>3</sup> chronic - systemic worker (industry) effects orv Phenol 108-95-2 DNEL 16 mg/m<sup>3</sup> human, inhalatacute - local efworker (industry) fects ory 108-95-2 DNEL human, dermal Phenol worker (industry) chronic - systemic 1,23 mg/kg bw/day effects

#### Relevant PNECs of components of the mixture Name of sub-**CAS No Threshol Organism Environmental Exposure time** Endstance point d level compartment 0,008 <sup>mg</sup>/ı Phenol 108-95-2 **PNEC** aquatic organfreshwater short-term (single isms instance) 0,001 <sup>mg</sup>/<sub>I</sub> aquatic organ-Phenol 108-95-2 **PNEC** marine water short-term (single instance) isms 2,1 <sup>mg</sup>/<sub>l</sub> Phenol 108-95-2 **PNEC** aquatic organsewage treatment short-term (single isms plant (STP) instance) Phenol 108-95-2 **PNEC** 0,091 mg/ aquatic organfreshwater sedishort-term (single ment instance) isms kg 0,009 mg/ aquatic organ-Phenol 108-95-2 **PNEC** marine sediment short-term (single instance) isms kq Phenol 108-95-2 **PNEC** 0,136 mg/ terrestrial organsoil short-term (single instance) isms kg

#### 8.2 **Exposure controls**

**Individual protection measures (personal protective equipment)** 

**Eve/face protection** 





Use safety goggle with side protection. Wear face protection.

Skin protection



United Kingdom (en) Page 6 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

0,4 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour dark violet

Odour faintly perceptible

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling >85 °C

range

Flammability

Lower and upper explosion limit

Flash point

Auto-ignition temperature

Decomposition temperature

pH (value)

not determined

not relevant

4-5 (20 °C)

Kinematic viscosity

not determined

United Kingdom (en) Page 7 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130

Water solubility miscible in any proportion

this information is not available

Vapour pressure

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

none

9.2 Other information

classes:

Miscibility

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There is no additional information.

Hazardous combustion products: see section 5.

United Kingdom (en) Page 8 / 20



#### Solubility(ies)

## Partition coefficient

Partition coefficient n-octanol/water (log value):

23 hPa at 20 °C

#### Density and/or relative density

Density

0,98 g/cm3 at 20 °C

# Oxidising properties

Information with regard to physical hazard

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

completely miscible with water

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

#### 10.6 Hazardous decomposition products

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Phenol	108-95-2	oral	100 <sup>mg</sup> / <sub>kg</sub>
Phenol	108-95-2	dermal	630 <sup>mg</sup> / <sub>kg</sub>
Phenol	108-95-2	inhalation: dust/mist	0,5 <sup>mg</sup> / <sub>l</sub> /4h

### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethanol	64-17-5	oral	LD50	10.470 <sup>mg</sup> / <sub>kg</sub>	rat
Ethanol	64-17-5	inhalation: va- pour	LC50	124,7 <sup>mg</sup> / <sub>l</sub> /4h	rat
Phenol	108-95-2	oral	LD50	317 <sup>mg</sup> / <sub>kg</sub>	rat
Phenol	108-95-2	dermal	LD50	630 <sup>mg</sup> / <sub>kg</sub>	rabbit
Fuchsine	632-99-5	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	monkey

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United Kingdom (en) Page 9 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution , for microscopy

article number: A130



#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### If inhaled

irritant effects

#### • If on skin

causes severe burns, causes poorly healing wounds

#### Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
Ethanol	64-17-5	LC50	15.400 <sup>mg</sup> / <sub>l</sub>	fish	96 h			
Ethanol	64-17-5	EC50	>10.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h			
Ethanol	64-17-5	ErC50	22.000 <sup>mg</sup> / <sub>l</sub>	algae	96 h			
Phenol	108-95-2	LC50	8,9 <sup>mg</sup> / <sub>l</sub>	fish	96 h			
Phenol	108-95-2	EC50	3,1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h			
Fuchsine	632-99-5	LC50	6,8 <sup>mg</sup> / <sub>l</sub>	fish	24 h			

United Kingdom (en) Page 10 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



Aquatic toxicity (chronic) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
Ethanol	64-17-5	LC50	1.806 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	10 d			
Ethanol	64-17-5	ErC50	675 <sup>mg</sup> / <sub>l</sub>	algae	4 d			
Phenol	108-95-2	LC50	21,93 <sup>mg</sup> / <sub>l</sub>	fish	14 d			
Phenol	108-95-2	EC50	10 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	16 d			

### 12.2 Persistence and degradability

Degradability of components of the mixture									
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source			
Ethanol	64-17-5	biotic/abiotic	94 %	d					
Ethanol	64-17-5	oxygen deple- tion	69 %	5 d		ECHA			
Ethanol	64-17-5	oxygen deple- tion	84 %	10 d		ECHA			
Ethanol	64-17-5	oxygen deple- tion	97 %	20 d		ECHA			
Phenol	108-95-2	biotic/abiotic	85 %	14 d					
Phenol	108-95-2	carbon dioxide generation	45,5 %	3 d		ECHA			
Phenol	108-95-2	oxygen deple- tion	96 %	20 d		ECHA			

## 12.3 Bioaccumulative potential

Data are not available.

Bloaccumulative potential of components of the mixture								
Name of substance	CAS No	BCF	Log KOW	BOD5/COD				
Ethanol	64-17-5		-0,31	0,6211				
Phenol	108-95-2	17,5	1,47 (30 °C)					
Fuchsine	632-99-5		1,632 (pH value: 6,3, 25 °C)					

### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 11 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 4** irritant - skin irritation and eye damage

**HP 6** acute toxicity

HP 11 mutagenic

**HP 14** ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID	UN 1760
IMDG-Code	UN 1760
ICAO-TI	UN 1760

#### 14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, N.O.S.
IMDG-Code	CORROSIVE LIQUID, N.O.S.
ICAO-TI	Corrosive liquid, n.o.s.

Technical name (hazardous ingredients) Ethanol, Phenol

# 14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

#### 14.4 Packing group

ADRRID	II
IMDG-Code	II

United Kingdom (en) Page 12 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130

ICAO-TI II

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name CORROSIVE LIQUID, N.O.S.

Particulars in the transport document UN1760, CORROSIVE LIQUID, N.O.S., (contains:

Ethanol, Phenol), 8, II, (E)

Classification code C9
Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) E

Hazard identification No 80

Emergency Action Code 2X

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C9
Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Hazard identification No 80

United Kingdom (en) Page 13 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



## International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, N.O.S.

Particulars in the shipper's declaration UN1760, CORROSIVE LIQUID, N.O.S., (contains:

Ethanol, Phenol), 8, II

Marine pollutant -

Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category B

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, n.o.s.

Particulars in the shipper's declaration UN1760, Corrosive liquid, n.o.s., (contains: Ethan-

ol, Phenol), 8, II

Danger label(s) 8



Special provisions (SP) A3
Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### **Deco-Paint Directive**

United Kingdom (en) Page 14 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Carbolic fuchsine solution , for microscopy

article number: A130



VOC content	11,5 %
VOC content (Water content was discounted)	831,9 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	11,5 %
VOC content (Water content was discounted)	831,9 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### **Water Framework Directive (WFD)**

## List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Phenol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Fuchsine	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	
Fuchsine	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

#### Legend

A) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors


none of the ingredients are listed

United Kingdom (en) Page 15 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution , for microscopy

article number: A130



none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

# Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Carbolic fuchsine solution	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Ethanol	flammable / pyrophoric		40

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"

United Kingdom (en) Page 16 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130

Legend

AIIC CICR CSCL-ENCS Australian Inventory of Industrial Chemicals

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS
DSL
Domestic Substances List (DSL)
ECSI ECSI ECS Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
REACH registered substances
TCSI Taiwan Chemical Substance Inventory
Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Phenol		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: C9	yes
14.8		Danger label(s): 8	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 274	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 L	yes

United Kingdom (en) Page 17 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Carbolic fuchsine solution, for microscopy

article number: A130



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 80	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed.		yes
15.1	VOC content: 11,5 % , 831,9 <sup>g</sup> / <sub>l</sub>	VOC content: 11,5 %	yes
15.1		VOC content (Water content was discounted): 831,9 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)

United Kingdom (en) Page 18 / 20

# **Safety data sheet Safety data sheet** acc. to Regulation (EC) No. 1907/2006 (REACH)

# Carbolic fuchsine solution , for microscopy

article number: A130



Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

Page 19 / 20 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Carbolic fuchsine solution, for microscopy

article number: A130



Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20