

article number: **A156** Version: **3.0 en** Replaces version of: 14.04.2021 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Registration number (REACH)

ROTI®-Phenol/Chloroform/Isoamyl alcohol, ready-to-use, for extraction of nucleic acids

Article number

not relevant (mixture)

A156

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.5	Germ cell mutagenicity	2	Muta. 2	H341



date of compilation: 02.02.2018 Revision: 08.12.2021

according to Regulation (EC) No. 1907/2006 (REACH)



${\tt ROTI} \circledast\-{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: A156

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

H301+H331	Toxic if swallowed or if inhaled
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P201	Obtain special instructions before use
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/eye protection/face protection

Precautionary statements - response

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

Hazardous ingredients for labelling:

Trichloromethane, Phenol, Isoamyl alcohol

ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

Labelling of packages where the contents do not exceed 125 ml

article number: A156



jer
Toxic if swallowed or if inhaled. Causes severe skin burns and eye damage. Suspected of causing genetic defects. Suspected of causing cancer. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure.
Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Trichloromethane, Phenol, Isoamyl alcohol

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Trichloromethane	CAS No 67-66-3 EC No 200-663-8 Index No 602-006-00-4 REACH Reg. No 01-2119486657- 20-xxxx	50 - < 60	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d STOT RE 1 / H372		GHS-HC IARC: 2B IOELV
Phenol	CAS No 108-95-2 EC No 203-632-7 Index No 604-001-00-2 REACH Reg. No 01-2119882293- 32-xxxx	32,4 - < 50	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Muta. 2 / H341 STOT RE 2 / H373 Aquatic Chronic 2 / H411		GHS-HC IOELV

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol, ready-to-use, for extraction of nucleic acids

article number: A156

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Isoamyl alcohol	CAS No 123-51-3 EC No 204-633-5 Index No 603-006-00-7 REACH Reg. No 01-2119493725- 26-xxxx	1-<5	Flam. Liq. 3 / H226 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335 EUH066		C(a) GHS-HC IOELV

Notes

C(a): Mixture of isomers
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
 IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B: IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Trichlorometh- ane	CAS No 67-66-3	-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: va-
	EC No 200-663-8				pour
	Index No 602-006-00-4				
Phenol	CAS No 108-95-2	Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Dam. 1; H318: C ≥ 3 %	-	100 ^{mg} / _{kg} 630 ^{mg} / _{kg} 0,5 ^{mg} / _ا /4h	oral dermal inhalation: dust/
	EC No 203-632-7	Eye Irrit. 2; H319: $1 \% \le C < 3 \%$		0,0 - 1	mist
	Index No 604-001-00-2				
Isoamyl alcohol	CAS No 123-51-3	-	-	11 ^{mg} /ı/4h	inhalation: va- pour
	EC No 204-633-5				
	Index No 603-006-00-7				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

Description of first aid measures 4.1



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.



${\tt ROTI} \circledast\-{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: A156

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastric perforation, Vomiting, Risk of serious damage to eyes, Risk of blindness, Breathing difficulties, Headache, Vertigo, Dizziness, Unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO $_2$)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a cool place. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:



ROTI®-Phenol/Chloroform/Isoamyl alcohol, ready-to-use, for extraction of nucleic acids

article number: A156

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	phenol	108-95-2	IOELV	2	8	4	16				2009/ 161/EU
EU	isoamylalcohol	123-51-3	IOELV	5	18	10	37				2019/ 1831/EU
EU	chloroform	67-66-3	IOELV	2	10						2000/39/ EC
MT	phenol	108-95-2	OELV	2	8	4	16				CAP. 424
MT	chloroform	67-66-3	OELV	2	10						CAP. 424

Notation Ceiling-C STEL

TWA

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Trichloromethane	67-66-3	DNEL	333 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects			
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Trichloromethane	67-66-3	DNEL	0,94 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Phenol	108-95-2	DNEL	8 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			

® §ROTH

ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Phenol	108-95-2	DNEL	16 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects			
Phenol	108-95-2	DNEL	1,23 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Isoamyl alcohol	123-51-3	DNEL	73,16 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Isoamyl alcohol	123-51-3	DNEL	292 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects			
Isoamyl alcohol	123-51-3	DNEL	73,16 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Isoamyl alcohol	123-51-3	DNEL	292 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects			

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Trichloromethane	67-66-3	PNEC	0,146 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,015 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)
Trichloromethane	67-66-3	PNEC	0,048 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)
Trichloromethane	67-66-3	PNEC	0,45 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)
Trichloromethane	67-66-3	PNEC	0,09 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (singl instance)
Trichloromethane	67-66-3	PNEC	0,56 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (singl instance)
Phenol	108-95-2	PNEC	0,008 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)
Phenol	108-95-2	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)
Phenol	108-95-2	PNEC	2,1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)
Phenol	108-95-2	PNEC	0,091 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)
Phenol	108-95-2	PNEC	0,009 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (singl instance)
Phenol	108-95-2	PNEC	0,136 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (singl instance)
Isoamyl alcohol	123-51-3	PNEC	0,12 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)



${\tt ROTI} \circledast\mbox{-Phenol/Chloroform/Isoamyl alcohol}$, ready-to-use, for extraction of nucleic acids

article number: A156

Relevant PNECs	Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Isoamyl alcohol	123-51-3	PNEC	0,012 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Isoamyl alcohol	123-51-3	PNEC	37 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Isoamyl alcohol	123-51-3	PNEC	0,496 ^{mg} / ^{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Isoamyl alcohol	123-51-3	PNEC	0,05 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Isoamyl alcohol	123-51-3	PNEC	0,029 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM (fluoro rubber)

material thickness

≥0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - light brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>61 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	>80 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	7,5 – 8 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	(partially soluble)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined
Density and/or relative density	
Density	1,2 – 1,3 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Other safety parameters

Oxidising properties

9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

none

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetone, Aldehydes, Amines, Ammonia (NH3), Alkaline earth metal, Metal powder, Mineral acids, Nitro compound, Peroxides, Strong alkali, Strong acid

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat.

10.5 Incompatible materials

different plastics, Rubber articles, metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Harmful in contact with skin. Toxic if inhaled.





${\tt ROTI} \circledast\-{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: A156

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Trichloromethane	67-66-3	oral	908 ^{mg} / _{kg}
Trichloromethane	67-66-3	inhalation: vapour	3 ^{mg} / _l /4h
Phenol	108-95-2	oral	100 ^{mg} / _{kg}
Phenol	108-95-2	dermal	630 ^{mg} / _{kg}
Phenol	108-95-2	inhalation: dust/mist	0,5 ^{mg} / _l /4h
Isoamyl alcohol	123-51-3	inhalation: vapour	11 ^{mg} /ı/4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Trichloromethane	67-66-3	oral	LD50	908 ^{mg} / _{kg}	rat
Phenol	108-95-2	oral	LD50	317 ^{mg} / _{kg}	rat
Phenol	108-95-2	dermal	LD50	630 ^{mg} / _{kg}	rabbit
Isoamyl alcohol	123-51-3	oral	LD50	>5.000 ^{mg} / _{kg}	rat
Isoamyl alcohol	123-51-3	dermal	LD50	3.216 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



${\tt ROTI} \circledast\-{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: **A156**

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

vertigo, headache, breathing difficulties, dizziness, unconsciousness

• If on skin

causes severe burns, causes poorly healing wounds

Other information

Other adverse effects: Liver and kidney damage, Cardiac arrhythmias

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Trichloromethane	67-66-3	EC50	152,5 ^{mg} / _l	aquatic invertebrates	48 h
Trichloromethane	67-66-3	ErC50	13,3 ^{mg} / _l	algae	72 h
Phenol	108-95-2	LC50	8,9 ^{mg} / _l	fish	96 h
Phenol	108-95-2	EC50	3,1 ^{mg} / _l	aquatic invertebrates	48 h
Isoamyl alcohol	123-51-3	LC50	700 ^{mg} /l	fish	96 h
Isoamyl alcohol	123-51-3	EC50	255 ^{mg} /l	aquatic invertebrates	48 h
Isoamyl alcohol	123-51-3	ErC50	>500 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Trichloromethane	67-66-3	EC50	0,48 ^{mg} / _l	microorganisms	24 h
Phenol	108-95-2	LC50	21,93 ^{mg} / _l	fish	14 d
Phenol	108-95-2	EC50	10 ^{mg} / _l	aquatic invertebrates	16 d

® ROTH

${\tt ROTI} \circledast\mbox{-Phenol/Chloroform/Isoamyl alcohol}$, ready-to-use, for extraction of nucleic acids

article number: A156

Aquatic toxicity (chronic) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Isoamyl alcohol	123-51-3	EC50	320 ^{mg} / _l	aquatic invertebrates	24 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Trichlorometh- ane	67-66-3	biotic/abiotic	0 %	14 d		
Phenol	108-95-2	biotic/abiotic	85 %	14 d		
Phenol	108-95-2	carbon dioxide generation	45,5 %	3 d		ECHA
Phenol	108-95-2	oxygen deple- tion	96 %	20 d		ECHA
Isoamyl alco- hol	123-51-3	biotic/abiotic	84 %	27 d		
Isoamyl alco- hol	123-51-3	oxygen deple- tion	84 %	27 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Trichloromethane	67-66-3		1,97 (25 °C)	
Phenol	108-95-2	17,5	1,47 (30 °C)	
Isoamyl alcohol	123-51-3		1,35 (pH value: ~6,5)	

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR/RID/ADN	UN 2810
	IMDG-Code	UN 2810
	ICAO-TI	UN 2810
14.2	UN proper shipping name	
	ADR/RID/ADN	TOXIC LIQUID, ORGANIC, N.O.S.
	IMDG-Code	TOXIC LIQUID, ORGANIC, N.O.S.
	ICAO-TI	Toxic liquid, organic, n.o.s.
	Technical name (hazardous ingredients)	Trichloromethane, Phenol
14.3	Transport hazard class(es)	
	ADR/RID/ADN	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment



${\tt ROTI} \circledast\mbox{-}{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: A156

Environmentally hazardous substance (aquatic Phenol environment):

- **14.6** Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.
- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
Particulars in the transport document	UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (con- tains: Trichloromethane, Phenol), 6.1, III, (E), en- vironmentally hazardous
Classification code	T1
Danger label(s)	6.1, "Fish and tree"
Environmental hazards	Yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 614, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	60
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
Particulars in the shipper's declaration	UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (con- tains: Trichloromethane, Phenol), 6.1, III, MARINE POLLUTANT
Marine pollutant	YES (hazardous to the aquatic environment), (Phenol)
Danger label(s)	6.1, "Fish and tree"
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A

- - - - -



ROTI®-Phenol/Chloroform/Isoamyl alcohol, ready-to-use, for extraction of nucleic acids

article number: A156

International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Toxic liquid, organic, n.o.s.
Particulars in the shipper's declaration	UN2810, Toxic liquid, organic, n.o.s., (contains: Trichloromethane, Phenol), 6.1, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	6.1
Special provisions (SP)	A3, A4, A137
Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
ROTI®-Phenol/Chloroform/Isoamyl al- cohol	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Isoamyl alcohol	flammable / pyrophoric		R40	40
Trichloromethane	chloroform	67-66-3	R32-38	32
Trichloromethane	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and

 present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-

aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not exceeding 1 litre by 1 December 2010;

opaque containers not exceeding 1 litre by 1 December 2010.';

ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156


Legen	
R32-38	1. Shall not be placed on the market, or used,
	- as substances,
	- as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight,
	where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applica-
	tions such as in surface cleaning and cleaning of fabrics.
	2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of
	substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such sub-
	stances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and
	indelibly marked as follows:
	'For use in industrial installations only'.
	By way of derogation this provision shall not apply to:
	 (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC.
R40	1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended
1(40	for supply to the general public for entertainment and decorative purposes such as the following:
	- metallic glitter intended mainly for decoration,
	- artificial snow and frost,
	- 'whoopee' cushions,
	- silly string aerosols,
	- imitation excrement,
	- horns for parties,
	- decorative flakes and foams,
	- artificial cobwebs,
	- stink bombs.
	2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of
	substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred
	to above is marked visibly, legibly and indelibly with:
	'For professional users only'.

'For professional users only'. 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2). 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156





® §ROTH

${\tt ROTI} \circledast\-{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: A156

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	gories Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes		
H2 acute toxic (cat. 2 + cat. 3, inhal.)		50	200	41)		

Notation

41) - Category 2, all exposure routes

- category 3, inhalation exposure route

Deco-Paint Directive

Industrial Emissions Directive (IED)

VOC content	95,78 %
VOC content	1.300 ^g / _l
VOC content Water content was discounted	1.318 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)				
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)	
Trichloromethane	67-66-3		500	

ROTI®-Phenol/Chloroform/Isoamyl alcohol, ready-to-use, for extraction of nucleic acids

article number: A156

Water Framework Directive (WFD)					
List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Phenol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)		
Trichloromethane	trichloromethane (chloroform)	67-66-3	B)		
Trichloromethane	trichloromethane	67-66-3	C)		
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)		
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)		

Legend

A) B) C)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Trichloromethane	chloroform	67-66-3	i(2)	b

Legend b i(2)

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation Sub-category: i(2) - industrial chemical for public use

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed



${\tt ROTI} \circledast\mbox{-}{\tt Phenol/Chloroform/Isoamyl alcohol}$, ready-to-use, for extraction of nucleic acids

article number: A156

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Legena	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

according to Regulation (EC) No. 1907/2006 (REACH)



${\tt ROTI} \circledast\-{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: A156

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
2019/1831/EU	Commission Directive establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

according to Regulation (EC) No. 1907/2006 (REACH)



${\tt ROTI} \circledast\mbox{-}{\tt Phenol/Chloroform/Isoamyl}$ alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin



${\tt ROTI} \circledast\-{\tt Phenol/Chloroform/Isoamyl}\ {\tt alcohol}\ ,\ {\tt ready-to-use},\ {\tt for}\ {\tt extraction}\ {\tt of}\ {\tt nucleic}\ {\tt acids}$

article number: A156

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Code	Text
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.