

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**  
Version: **4.0 en**  
Replaces version of: 2022-03-24  
Version: (3)

date of compilation: 2015-11-18  
Revision: 2022-07-18

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

|                                 |  |
|---------------------------------|--|
| Identification of the substance | <b>ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free</b> |
| Article number                  | A516   |
| Registration number (REACH)     | not relevant (mixture)   |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                           |   |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical<br>Laboratory and analytical use  |
| Uses advised against:     | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). |

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

#### 1.4 Emergency telephone number

| Name   | Street        | Postal code/city | Telephone   | Website   |
|--|---------------|------------------|-------------|---|
| National Poisons Information Centre<br>Beaumont Hospital | Beaumont Road | Dublin 9         | 01 809 2166 | <a href="https://www.poisons.ie/">https://www.poisons.ie/</a> |

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

| Section | Hazard class                                       | Cat-egory | Hazard class and category | Hazard statement |
|---------|--|-----------|---------------------------|------------------|
| 3.10    | Acute toxicity (oral)                              | 3         | Acute Tox. 3              | H301             |
| 3.1I    | Acute toxicity (inhal.)                            | 4         | Acute Tox. 4              | H332             |
| 3.2     | Skin corrosion/irritation                          | 2         | Skin Irrit. 2             | H315             |
| 3.3     | Serious eye damage/eye irritation                  | 2         | Eye Irrit. 2              | H319             |
| 3.4S    | Skin sensitisation                                 | 1         | Skin Sens. 1              | H317             |
| 3.5     | Germ cell mutagenicity                             | 1B        | Muta. 1B                  | H340             |
| 3.6     | Carcinogenicity                                    | 1B        | Carc. 1B                  | H350             |
| 3.7     | Reproductive toxicity                              | 2         | Repr. 2                   | H361f            |
| 3.9     | Specific target organ toxicity - repeated exposure | 1         | STOT RE 1                 | H372             |

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS06, GHS08



#### Hazard statements

|       |  |
|-------|--|
| H301  | Toxic if swallowed   |
| H315  | Causes skin irritation   |
| H317  | May cause an allergic skin reaction                            |
| H319  | Causes serious eye irritation                                  |
| H332  | Harmful if inhaled   |
| H340  | May cause genetic defects                                      |
| H350  | May cause cancer   |
| H361f | Suspected of damaging fertility (if swallowed)                 |
| H372  | Causes damage to organs through prolonged or repeated exposure |

#### Precautionary statements

##### Precautionary statements - prevention

|      |   |
|------|---|
| P201 | Obtain special instructions before use                                    |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor  
P302+P352 IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

**Hazardous ingredients for labelling:** Acrylamide, N,N'-Methylene bisacrylamide

### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H301 Toxic if swallowed.  
H317 May cause an allergic skin reaction.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H361f Suspected of damaging fertility (if swallowed).  
H372 Causes damage to organs through prolonged or repeated exposure.  
P201 Obtain special instructions before use.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
contains: Acrylamide, N,N'-Methylene bisacrylamide

## 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

| Name of substance | Identifier  | Wt%     | Classification acc. to GHS   | Pictograms | Notes                |
|-------------------|---|---------|--|------------|----------------------|
| Acrylamide        | CAS No<br>79-06-1<br><br>EC No<br>201-173-7<br><br>Index No<br>616-003-00-0<br><br>REACH Reg. No<br>01-2119463260-<br>48-xxxx | 30 – 40 | Acute Tox. 3 / H301<br>Acute Tox. 4 / H312<br>Acute Tox. 4 / H332<br>Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Skin Sens. 1 / H317<br>Muta. 1B / H340<br>Carc. 1B / H350<br>Repr. 2 / H361f<br>STOT RE 1 / H372 |            | D<br>GHS-HC<br>IOELV |



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

| Name of substance            | Identifier   | Wt%     | Classification acc. to GHS  | Pictograms  | Notes |
|------------------------------|--|---------|---|---|-------|
| N,N'-Methylene bisacrylamide | CAS No<br>110-26-9<br><br>EC No<br>203-750-9<br><br>REACH Reg. No<br>01-2120745928-<br>38-xxxx | 1 – 2,5 | Acute Tox. 3 / H301<br>Acute Tox. 4 / H312<br>Acute Tox. 4 / H332<br>Muta. 1B / H340<br>Carc. 1B / H350<br>Repr. 2 / H361fd<br>STOT RE 1 / H372 |   |       |

### Notes

D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

| Name of substance            | Identifier  | Specific Conc. Limits | M-Factors | ATE                                       | Exposure route                              |
|------------------------------|---|-----------------------|-----------|---|---|
| Acrylamide                   | CAS No<br>79-06-1<br><br>EC No<br>201-173-7<br><br>Index No<br>616-003-00-0 | -                     | -         | 100 mg/kg<br>1,141 mg/kg<br>1,5 mg/l/4h   | oral<br>dermal<br>inhalation: dust/<br>mist |
| N,N'-Methylene bisacrylamide | CAS No<br>110-26-9<br><br>EC No<br>203-750-9                                | -                     | -         | 100 mg/kg<br>1,141 mg/kg<br>3,025 mg/l/4h | oral<br>dermal<br>inhalation: dust/<br>mist |

### Substance of Very High Concern (SVHC)

| Name of substance | Name acc. to inventory | CAS No  | EC No     | Listed in      | Remarks                  |
|-------------------|------------------------|---------|-----------|----------------|--------------------------|
| Acrylamide        | acrylamide             | 79-06-1 | 201-173-7 | Candidate list | Carc. A57a<br>Muta. A57b |

### Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list

Carc. A57a Carcinogenic (article 57a)

Muta. A57b Mutagenic (article 57b)

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

### Following ingestion

Rinse mouth immediately and drink plenty of water. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## 4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Irritation, Allergic reactions

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provide adequate ventilation as well as local exhaust at critical locations. Use extractor hood (laboratory). Avoid exposure. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly. Do not dry up the product. Measures to prevent aerosol and dust generation.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Protect against external exposure, such as

high temperatures, UV-radiation/sunlight

#### Consideration of other advice:

Store locked up.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

### 7.3 Specific end use(s)

No information available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free**

article number: **A516**

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No  | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source               |
|---------|---------------|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|----------------------|
| EU      | acrylamide    | 79-06-1 | IOELV      |           | 0,1                      |            |                           |                 |                                |          | 2017/2398/EU         |
| IE      | acrylamide    | 79-06-1 | OELV       |           | 0,1                      |            |                           |                 |                                | H        | S.I. No. 619 of 2001 |

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H Absorbed through the skin

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture

| Name of substance            | CAS No   | End-point | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time            |
|------------------------------|----------|-----------|-----------------------|------------------------------------|-------------------|--------------------------|
| Acrylamide                   | 79-06-1  | DNEL      | 120 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - systemic effects |
| Acrylamide                   | 79-06-1  | DNEL      | 120 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - local effects    |
| Acrylamide                   | 79-06-1  | DNEL      | 3 mg/kg bw/day        | human, dermal                      | worker (industry) | acute - systemic effects |
| N,N'-Methylene bisacrylamide | 110-26-9 | DNEL      | 3 mg/kg bw/day        | human, dermal                      | worker (industry) | acute - systemic effects |

#### Relevant PNECs of components of the mixture

| Name of substance | CAS No  | End-point | Threshold level | Organism          | Environmental compartment    | Exposure time                |
|-------------------|---------|-----------|-----------------|-------------------|------------------------------|------------------------------|
| Acrylamide        | 79-06-1 | PNEC      | 0,032 mg/l      | aquatic organisms | freshwater                   | short-term (single instance) |
| Acrylamide        | 79-06-1 | PNEC      | 2 µg/l          | aquatic organisms | marine water                 | short-term (single instance) |
| Acrylamide        | 79-06-1 | PNEC      | 0,2 mg/l        | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: A516

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

>0,3 mm


##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

##### Environmental exposure controls

Keep away from drains, surface and ground water.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state   | liquid  |
| Colour   | clear - colourless  |
| Odour  | characteristic  |
| Melting point/freezing point                             | not determined  |
| Boiling point or initial boiling point and boiling range | ~100 °C   |
| Flammability   | non-combustible   |
| Lower and upper explosion limit                          | not determined  |
| Flash point  | not determined  |
| Auto-ignition temperature                                | not determined  |
| Decomposition temperature                                | not relevant  |
| pH (value)   | 5 – 7 (20 °C)   |
| Kinematic viscosity                                      | not determined  |
| <u>Solubility(ies)</u>                                   |   |
| Water solubility   | miscible in any proportion                                  |
| <u>Partition coefficient</u>                             |   |
| Partition coefficient n-octanol/water (log value):       | this information is not available                           |
| Vapour pressure  | not determined  |
| <u>Density and/or relative density</u>                   |   |
| Density  | 1,03 g/cm <sup>3</sup> at 20 °C                             |
| Relative vapour density                                  | information on this property is not available               |
| Particle characteristics                                 | not relevant (liquid)                                       |
| <u>Other safety parameters</u>                           |   |
| Oxidising properties                                     | none  |
| <b>9.2 Other information</b>                             |   |
| Information with regard to physical hazard classes:      | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics:                            |   |
| Miscibility  | completely miscible with water                              |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free**

article number: **A516**

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Unstabilized product can polymerize spontaneously.

#### If heated

Danger of polymerisation.

#### If exposed to light

Danger of polymerisation.

### 10.2 Chemical stability

Reactivity if exposed to light. Reactivity if heated.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Peroxides, Reducing agents, Acids, Caustic solutions

### 10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Toxic if swallowed. Harmful if inhaled.

| Acute toxicity estimate (ATE) of components of the mixture |          |                       |               |
|--|----------|-----------------------|---------------|
| Name of substance  | CAS No   | Exposure route        | ATE           |
| Acrylamide   | 79-06-1  | oral                  | 100 mg/kg     |
| Acrylamide   | 79-06-1  | dermal                | 1.141 mg/kg   |
| Acrylamide   | 79-06-1  | inhalation: dust/mist | 1,5 mg/l/4h   |
| N,N'-Methylene bisacrylamide                               | 110-26-9 | oral                  | 100 mg/kg     |
| N,N'-Methylene bisacrylamide                               | 110-26-9 | dermal                | 1.141 mg/kg   |
| N,N'-Methylene bisacrylamide                               | 110-26-9 | inhalation: dust/mist | 3,025 mg/l/4h |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

| Acute toxicity of components of the mixture |          |                          |          |              |         |
|---|----------|--------------------------|----------|--------------|---------|
| Name of substance                           | CAS No   | Exposure route           | Endpoint | Value        | Species |
| Acrylamide                                  | 79-06-1  | oral                     | LD50     | 354 mg/kg    | rat     |
| Acrylamide                                  | 79-06-1  | dermal                   | LD50     | 1.141 mg/kg  | rabbit  |
| N,N'-Methylene bisacrylamide                | 110-26-9 | oral                     | LD50     | 390 mg/kg    | rat     |
| N,N'-Methylene bisacrylamide                | 110-26-9 | dermal                   | LD50     | 1.141 mg/kg  | rabbit  |
| N,N'-Methylene bisacrylamide                | 110-26-9 | inhalation:<br>dust/mist | LC50     | 12,1 mg/l/1h | rat     |

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

May cause genetic defects.

### Carcinogenicity

May cause cancer.

### Reproductive toxicity

Suspected of damaging fertility (if swallowed).

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

| Hazard category | Target organ              | Exposure route |
|-----------------|---------------------------|----------------|
| 2               | peripheral nervous system | if swallowed   |

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, nausea

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Data are not available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

### • Other information

Loss of righting reflex, and ataxia, Disorientation, Impaired memory function

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) of components of the mixture |          |          |           |                       |               |
|---|----------|----------|-----------|-----------------------|---------------|
| Name of substance                                     | CAS No   | Endpoint | Value     | Species               | Exposure time |
| Acrylamide  | 79-06-1  | EC50     | 98 mg/l   | aquatic invertebrates | 48 h          |
| N,N'-Methylene bisacrylamide                          | 110-26-9 | LC50     | 835 mg/l  | aquatic invertebrates | 48 h          |
| N,N'-Methylene bisacrylamide                          | 110-26-9 | ErC50    | >100 mg/l | algae                 | 72 h          |

### Biodegradation

Data are not available.

### 12.2 Process of degradability

| Degradability of components of the mixture |          |                  |                  |      |                      |        |
|--|----------|------------------|------------------|------|----------------------|--------|
| Name of substance                          | CAS No   | Process          | Degradation rate | Time | Method               | Source |
| Acrylamide                                 | 79-06-1  | biotic/abiotic   | 100 %            | 28 d | geschlossene Flasche |        |
| Acrylamide                                 | 79-06-1  | oxygen depletion | 7,4 %            | 5 d  |                      | ECHA   |
| N,N'-Methylene bisacrylamide               | 110-26-9 | oxygen depletion | 2,1 %            | 28 d |                      | ECHA   |

### 12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components of the mixture |          |     |                            |          |
|--|----------|-----|----------------------------|----------|
| Name of substance                                      | CAS No   | BCF | Log KOW                    | BOD5/COD |
| Acrylamide   | 79-06-1  |     | -0,9 (pH value: ~7, 20 °C) |          |
| N,N'-Methylene bisacrylamide                           | 110-26-9 |     | -0,08 (24 °C)              |          |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number or ID number

|           |         |
|-----------|---------|
| ADRRID    | UN 3426 |
| IMDG-Code | UN 3426 |
| ICAO-TI   | UN 3426 |

### 14.2 UN proper shipping name

|           |                     |
|-----------|---------------------|
| ADRRID    | ACRYLAMIDE SOLUTION |
| IMDG-Code | ACRYLAMIDE SOLUTION |
| ICAO-TI   | Acrylamide solution |

### 14.3 Transport hazard class(es)

|           |     |
|-----------|-----|
| ADRRID    | 6.1 |
| IMDG-Code | 6.1 |

# Safety data sheet



according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

---

|  |   |
|--|---|
| ICAO-TI  | 6.1   |
| <b>14.4 Packing group</b>  |   |
| ADRRID   | III   |
| IMDG-Code  | III   |
| ICAO-TI  | III   |
| <b>14.5 Environmental hazards</b>  | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>   |   |
| Provisions for dangerous goods (ADR) should be complied within the premises.                                     |   |
| <b>14.7 Maritime transport in bulk according to IMO instruments</b>  |   |
| The cargo is not intended to be carried in bulk.   |   |
| <b>14.8 Information for each of the UN Model Regulations</b>   |   |
| <b>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information</b>     |   |
| Proper shipping name   | ACRYLAMIDE SOLUTION   |
| Particulars in the transport document  | UN3426, ACRYLAMIDE SOLUTION, 6.1, III, (E)                            |
| Classification code  | T1  |
| Danger label(s)  | 6.1   |
|                               |   |
| Excepted quantities (EQ)   | E1  |
| Limited quantities (LQ)  | 5 L   |
| Transport category (TC)  | 2   |
| Tunnel restriction code (TRC)  | E   |
| Hazard identification No   | 60  |
| <b>Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information</b> |   |
| <b>Classification code</b>   | T1  |
| <b>Danger label(s)</b>   | 6.1   |
|                               |   |
| <b>Excepted quantities (EQ)</b>  | E1  |
| <b>Limited quantities (LQ)</b>   | 5 L   |
| <b>Transport category (TC)</b>   | 2   |
| <b>Hazard identification No</b>  | 60  |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### International Maritime Dangerous Goods Code (IMDG) - Additional information

|  |                                       |
|--|---------------------------------------|
| Proper shipping name                     | ACRYLAMIDE SOLUTION                   |
| Particulars in the shipper's declaration | UN3426, ACRYLAMIDE SOLUTION, 6.1, III |
| Marine pollutant                         | -                                     |
| Danger label(s)                          | 6.1                                   |



|                          |          |
|--------------------------|----------|
| Special provisions (SP)  | 223      |
| Excepted quantities (EQ) | E1       |
| Limited quantities (LQ)  | 5 L      |
| EmS                      | F-A, S-A |
| Stowage category         | A        |

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

|  |                                       |
|--|---------------------------------------|
| Proper shipping name                     | Acrylamide solution                   |
| Particulars in the shipper's declaration | UN3426, Acrylamide solution, 6.1, III |
| Danger label(s)                          | 6.1                                   |



|                          |     |
|--------------------------|-----|
| Special provisions (SP)  | A3  |
| Excepted quantities (EQ) | E1  |
| Limited quantities (LQ)  | 2 L |

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) |  |         |             |    |
|--|--|---------|-------------|----|
| Name of substance  | Name acc. to inventory   | CAS No  | Restriction | No |
| ROTIPHORESE®NF-Acrylamide/Bis-solution 40                  | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC |         | R3          | 3  |
| N,N'-Methylene bisacrylamide                               | substances in tattoo inks and permanent make-up  |         | R75         | 75 |
| Acrylamide   | acrylamide   | 79-06-1 | R60         | 60 |
| Acrylamide   | carcinogenic   |         | R28-30      | 28 |
| Acrylamide   | germ cell mutagenic (mutagenic)  |         | R28-30      | 29 |
| Acrylamide   | substances in tattoo inks and permanent make-up  |         | R75         | 75 |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

---

### Legend

- R28-30 1. Shall not be placed on the market, or used,  
- as substances,  
- as constituents of other substances, or,  
- in mixtures,  
for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:  
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,  
- the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.  
Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:  
'Restricted to professional users'.  
2. By way of derogation, paragraph 1 shall not apply to:  
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;  
(b) cosmetic products as defined by Directive 76/768/EEC;  
(c) the following fuels and oil products:  
- motor fuels which are covered by Directive 98/70/EC,  
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,  
- fuels sold in closed systems (e.g. liquid gas bottles);  
(d) artists' paints covered by Regulation (EC) No 1272/2008;  
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;  
(f) devices covered by Regulation (EU) 2017/745.
- R3 1. Shall not be used in:  
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  
- tricks and jokes,  
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,  
2. Articles not complying with paragraph 1 shall not be placed on the market.  
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  
— can be used as fuel in decorative oil lamps for supply to the general public, and  
— present an aspiration hazard and are labelled with H304.  
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";  
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';  
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R60 Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
    - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
      - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
      - (ii) 0,01 % by weight, in all other cases;
    - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
      - (i) "Rinse-off products";
      - (ii) "Not to be used in products applied on mucous membranes";
      - (iii) "Not to be used in eye products";
    - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
    - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
  2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
  3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
  4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
    - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
    - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
  5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
  6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
  7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
    - (a) the statement "Mixture for use in tattoos or permanent make-up";
    - (b) a reference number to uniquely identify the batch;
    - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
    - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
    - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
    - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
    - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.  
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.  
Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.  
Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

| Substance of Very High Concern (SVHC) |         |                |                          |                         |             |                   |
|---------------------------------------|---------|----------------|--------------------------|-------------------------|-------------|-------------------|
| Name acc. to inventory                | CAS No  | Listed in      | Remarks                  | Latest application date | Sunset date | Date of inclusion |
| acrylamide                            | 79-06-1 | Candidate list | Carc. A57a<br>Muta. A57b |                         |             | 2010-03-30        |

### Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a)

Muta. A57b Mutagenic (article 57b)

### Seveso Directive

| 2012/18/EU (Seveso III) |                                       |   |       |
|-------------------------|---------------------------------------|---|-------|
| No                      | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
|                         | not assigned                          |   |       |

### Deco-Paint Directive

|             |                        |
|-------------|------------------------|
| VOC content | 25 - 40 %<br>1.118 g/l |
|-------------|------------------------|

### Industrial Emissions Directive (IED)

|  |       |
|--|-------|
| VOC content                                | 0 %   |
| VOC content (Water content was discounted) | 0 g/l |

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: A516

### Water Framework Directive (WFD)

| List of pollutants (WFD)     |   |        |           |         |
|------------------------------|---|--------|-----------|---------|
| Name of substance            | Name acc. to inventory  | CAS No | Listed in | Remarks |
| N,N'-Methylene bisacrylamide | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment |        | a)        |         |
| Acrylamide                   | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment |        | a)        |         |

#### Legend

A) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

### Regulation on drug precursors

none of the ingredients are listed

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

| Country | Inventory  | Status                     |
|---------|------------|----------------------------|
| AU      | AIIC       | all ingredients are listed |
| CA      | DSL        | all ingredients are listed |
| CN      | IECSC      | all ingredients are listed |
| EU      | ECSI       | all ingredients are listed |
| EU      | REACH Reg. | all ingredients are listed |
| JP      | CSCL-ENCS  | all ingredients are listed |
| KR      | KECI       | all ingredients are listed |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

| Country | Inventory | Status                         |
|---------|-----------|--------------------------------|
| MX      | INSQ      | all ingredients are listed     |
| NZ      | NZIoC     | all ingredients are listed     |
| PH      | PICCS     | all ingredients are listed     |
| TR      | CICR      | not all ingredients are listed |
| TW      | TCSI      | all ingredients are listed     |
| US      | TSCA      | all ingredients are listed     |

### Legend

|            |   |
|------------|---|
| AIIC       | Australian Inventory of Industrial Chemicals                            |
| CICR       | Chemical Inventory and Control Regulation                               |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
| 2.2     |   | Hazard statements:<br>change in the listing (table)   | yes             |
| 2.2     |   | Precautionary statements - prevention:<br>change in the listing (table)                         | yes             |
| 2.2     | Hazardous ingredients for labelling:<br>Acrylamide prop-2-enamide, N,N'-Methylene bisacrylamide | Hazardous ingredients for labelling:<br>Acrylamide, N,N'-Methylene bisacrylamide                | yes             |
| 2.2     |   | Labelling of packages where the contents do not exceed 125 ml:<br>change in the listing (table) | yes             |
| 2.2     |   | Labelling of packages where the contents do not exceed 125 ml:<br>change in the listing (table) | yes             |
| 2.2     | contains:<br>Acrylamide prop-2-enamide, N,N'-Methylene bisacrylamide                            | contains:<br>Acrylamide, N,N'-Methylene bisacrylamide   | yes             |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### Abbreviations and acronyms

| Abbr.        | Descriptions of used abbreviations  |
|--------------|---|
| 2017/2398/EU | Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work                              |
| Acute Tox.   | Acute toxicity  |
| ADN          | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR          | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)   |
| ATE          | Acute Toxicity Estimate   |
| BCF          | Bioconcentration factor   |
| BOD          | Biochemical Oxygen Demand   |
| Carc.        | Carcinogenicity   |
| CAS          | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C    | Ceiling value   |
| CLP          | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  |
| COD          | Chemical oxygen demand  |
| DGR          | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL         | Derived No-Effect Level   |
| EC50         | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval                                      |
| EC No        | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)                                     |
| EINECS       | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS       | European List of Notified Chemical Substances   |
| EmS          | Emergency Schedule  |
| ErC50        | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control  |
| Eye Dam.     | Seriously damaging to the eye   |
| Eye Irrit.   | Irritant to the eye   |
| GHS          | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA         | International Air Transport Association   |
| IATA/DGR     | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO         | International Civil Aviation Organization   |
| ICAO-TI      | Technical instructions for the safe transport of dangerous goods by air   |
| IMDG         | International Maritime Dangerous Goods Code   |
| IMDG-Code    | International Maritime Dangerous Goods Code   |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

| Abbr.                | Descriptions of used abbreviations  |
|----------------------|---|
| index No             | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008  |
| IOELV                | Indicative occupational exposure limit value  |
| LC50                 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                       |
| LD50                 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval  |
| log KOW              | n-Octanol/water   |
| Muta.                | Germ cell mutagenicity  |
| NLP                  | No-Longer Polymer   |
| PBT                  | Persistent, Bioaccumulative and Toxic   |
| PNEC                 | Predicted No-Effect Concentration   |
| ppm                  | Parts per million   |
| REACH                | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| Repr.                | Reproductive toxicity   |
| RID                  | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| S.I. No. 619 of 2001 | Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001   |
| Skin Corr.           | Corrosive to skin   |
| Skin Irrit.          | Irritant to skin  |
| Skin Sens.           | Skin sensitisation  |
| STEL                 | Short-term exposure limit   |
| STOT RE              | Specific target organ toxicity - repeated exposure  |
| SVHC                 | Substance of Very High Concern  |
| TWA                  | Time-weighted average   |
| VOC                  | Volatile Organic Compounds  |
| vPvB                 | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTIPHORESE®NF-Acrylamide/Bis-solution 40 (19:1), ready-to-use, gas-stabilised, fluorescence-free

article number: **A516**

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code   | Text  |
|--------|---|
| H301   | Toxic if swallowed.   |
| H312   | Harmful in contact with skin.   |
| H315   | Causes skin irritation.   |
| H317   | May cause an allergic skin reaction.  |
| H319   | Causes serious eye irritation.  |
| H332   | Harmful if inhaled.   |
| H340   | May cause genetic defects.  |
| H350   | May cause cancer.   |
| H361f  | Suspected of damaging fertility (if swallowed).   |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child (if swallowed). |
| H372   | Causes damage to organs through prolonged or repeated exposure.                         |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.