Safe Work Australia - Code of Practice



Buffer solution pH 4,00 ±0,02 (20 °C) ROTI®CALIPURE tinted RED ready-touse

date of compilation: 2020-02-17 Revision: 2022-05-03 article number: A517 Version: GHS 3.0 en

Replaces version of: 2020-02-17

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Buffer solution pH 4,00 ±0,02 (20 °C)

ROTI®CALIPURE tinted RED ready-to-use

Article number A517

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/ city	Telephone	Website
NSW Poisons Informa- tion Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

Poison Centre Munich: +49/(0)89 19240 **Emergency information service**

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/ EC. This mixture does not meet the criteria for classification.

2.2 **Label elements**

Labelling GHS

not required

Signal word not required

Australia (en) Page 1 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 ±0,02 (20 °C) ROTI®CALIPURE tinted RED ready-touse

article number: A517

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.2 **Mixtures**

Description of the mixture

This mixture does not meet the criteria for classification.

Name of sub- stance	Identifier	wt %	Classification acc. to 1272/2008/EC	Pictograms	Note s	Specific Conc. Limits
Citric acid	CAS No 77-92-9	<1	Eye Irrit. 2 / H319 STOT SE 3 / H335	<u>(1)</u>	GHS- HC	
	EC No 201-069-1			•		
	Index No 607-750-00-3					
Sodium hydroxide	CAS No 1310-73-2	< 0.5	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318		GHS- HC	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314:
	EC No 215-185-5		Lye Daill. 1711316	•		2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %
	Index No 011-002-00-6					Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319:
	REACH Reg. No 01-2119457892- 27-xxxx					0.5 % ≤ C < 2 %
Hydrochloric acid %	CAS No 7647-01-0	< 0.5	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318		B(a) GHS- HC	Met. Corr. 1; H290: C ≥ 0.1 % Skin Corr. 1B; H314:
	EC No 231-595-7		STOT SE 3 / H335	•	IOELV	C ≥ 25 % Skin Irrit. 2; H315:
	Index No 017-002-01-X					10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 %
	REACH Reg. No 01-2119484862- 27-xxxx					Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %

Notes

The classification refers to an aqueous solution Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI) B(a): GHS-HC:

IOELV: Substance with a community indicative occupational exposure limit value

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Australia (en) Page 2 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 \pm 0,02 (20 °C) ROTI®CALIPURE tinted RED ready-to-use

article number: A517

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Australia (en) Page 3 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 \pm 0,02 (20 °C) ROTI®CALIPURE tinted RED ready-to-use

article number: A517

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Nota- tion	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Source
AU	sodium hydroxide	1310- 73-2		WES						2	WES
AU	hydrogen chloride (hydrochloric acid)	7647- 01-0		WES					5	7.5	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Australia (en) Page 4 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 ±0,02 (20 °C) ROTI®CALIPURE tinted RED ready-touse

article number: A517

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrochloric acid %	7647-01- 0	DNEL	8 mg/m³	human, inhalatory	worker (in- dustry)	chronic - local effects
Hydrochloric acid %	7647-01- 0	DNEL	15 mg/m³	human, inhalatory	worker (in- dustry)	acute - local effects

relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Citric acid	77-92-9	PNEC	0.44 ^{mg} / _l	freshwater	short-term (single in- stance)
Citric acid	77-92-9	PNEC	0.044 ^{mg} / _l	marine water	short-term (single in- stance)
Citric acid	77-92-9	PNEC	1,000 ^{mg} / _l	sewage treatment plant (STP)	short-term (single in- stance)
Citric acid	77-92-9	PNEC	34.6 ^{mg} / _{kg}	freshwater sedi- ment	short-term (single in- stance)
Citric acid	77-92-9	PNEC	3.46 ^{mg} / _{kg}	marine sediment	short-term (single in- stance)
Citric acid	77-92-9	PNEC	33.1 ^{mg} / _{kg}	soil	short-term (single in- stance)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

· type of material

NBR (Nitrile rubber)

Australia (en) Page 5 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 \pm 0,02 (20 °C) ROTI®CALIPURE tinted RED ready-to-use

article number: A517

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (fluid)

Colour red

Odour odourless

Odour threshold no data available

Other physical and chemical parameters

pH (value) 4 (20 °C)

Melting point/freezing point not determined

Initial boiling point and boiling range 100 °C

Flash point not determined

Evaporation rate no data available

Flammability (solid, gas) not relevant (fluid)

Explosive limits

lower explosion limit (LEL)
 upper explosion limit (UEL)
 this information is not available

Explosion limits of dust clouds not relevant Vapour pressure 23 hPa at 20 °C Density $1.007 \, {}^{9}/_{\text{cm}^3}$ at 20 °C

Vapour density this information is not available

Bulk density Not applicable

Relative density this information is not available

Australia (en) Page 6 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 \pm 0,02 (20 °C) ROTI®CALIPURE tinted RED ready-to-use

article number: A517

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW) this information is not available

Auto-ignition temperature Information on this property is not available.

Decomposition temperature no data available Viscosity not determined

Explosive properties Shall not be classified as explosive.

Oxidising properties none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

Australia (en) Page 7 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 \pm 0,02 (20 °C) ROTI®CALIPURE tinted RED ready-to-use

article number: A517

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

data are not available

• If in eyes

data are not available

If inhaled

data are not available

• If on skin

data are not available

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Citric acid	77-92-9	LC50	440 ^{mg} / _l	fish	48 h
Sodium hydroxide	1310-73-2	LC50	<180 ^{mg} / _l	fish	96 h
Sodium hydroxide	1310-73-2	EC50	40.4 ^{mg} / _l	aquatic inverteb- rates	48 h

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium hydroxide	1310-73-2	EC50	22 ^{mg} / _l	microorganisms	15 min

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Australia (en) Page 8 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 \pm 0,02 (20 °C) ROTI®CALIPURE tinted RED ready-to-use

article number: A517

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time
Citric acid	77-92-9	biotic/abiotic	98 %	2 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of sub- stance	CAS No	BCF	Log KOW	BOD5/COD
Citric acid	77-92-9		-1.64	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number (not subject to transport regulations)

14.2 UN proper shipping name not relevant14.3 Transport hazard class(es) not relevant

Class

14.4 Packing group not relevant

Australia (en) Page 9 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 ±0,02 (20 °C) ROTI®CALIPURE tinted RED ready-touse

article number: A517

14.5 **Environmental hazards** **none** (non-environmentally hazardous acc. to the dangerous goods regulations)

14.6 Special precautions for user

There is no additional information.

Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

• International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Country	National inventories	Status		
AU	AIIC	all ingredients are listed		
CA	DSL	all ingredients are listed		
CN	IECSC	all ingredients are listed		
EU	ECSI	all ingredients are listed		
EU	REACH Reg.	all ingredients are listed		
JP	CSCL-ENCS	all ingredients are listed		
JP	ISHA-ENCS	not all ingredients are listed		
KR	KECI	all ingredients are listed		
MX	INSQ	all ingredients are listed		
NZ	NZIoC	all ingredients are listed		
PH	PICCS	all ingredients are listed		
TR	CICR	not all ingredients are listed		
TW	TCSI	all ingredients are listed		
US	TSCA	all ingredients are listed		

Legend

AIIC Australian Inventory of Industrial Chemicals

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) CICR CSCL-ENCS DSL

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory

Australia (en) Page 10 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 ±0,02 (20 °C) ROTI®CALIPURE tinted RED ready-touse

article number: A517

Legend

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.2		Description of the mixture: change in the listing (table)	yes
8.1		• relevant DNELs of components of the mixture: change in the listing (table)	yes
14.4	Packing group: not relevant not assigned to a packing group	Packing group: not relevant	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

Australia (en) Page 11 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 ±0,02 (20 °C) ROTI®CALIPURE tinted RED ready-touse

article number: A517

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good
- Dangerous Goods Regulations (DGR) for the air transport (IATA) International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in section 2 and 3)

not relevant.

Code	Text
H290	may be corrosive to metals
H314	causes severe skin burns and eye damage
H318	causes serious eye damage
H319	causes serious eye irritation
H335	may cause respiratory irritation

Australia (en) Page 12 / 13

Safe Work Australia - Code of Practice



Buffer solution pH 4,00 \pm 0,02 (20 °C) ROTI®CALIPURE tinted RED ready-to-use

article number: A517

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Australia (en) Page 13 / 13