acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554 date of compilation: 2020-09-25 Version: GHS 2.1 en Revision: 2022-01-18

Replaces version of: 2022-01-13

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Glass beads made of soda-lime glass 0,75 - 1,0

mm, From ROTH SELECTION

Article number A554

CAS number 65997-17-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 **Label elements**

Labelling

not required

Page 1 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Silicon dioxide	CAS No 7631-86-9	65 - 75			
sodium monoxide	CAS No 1313-59-3	12 - 17	Water-react. 3 / H261 Skin Corr. 1 / H314 Eye Dam. 1 / H318		
Calcium oxide	CAS No 1305-78-8	≤10	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335		
Magnesium oxide	CAS No 1309-48-4	≤5			
Aluminium oxide	CAS No 1344-28-1	≤5			

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

No special measures are necessary.

Following inhalation

There is no major dust generation possible. No special measures are necessary.

Following skin contact

Brush off loose particles from skin. No special measures are necessary.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

No special measures are necessary.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

Australia (en) Page 2 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Not required.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

SECTION 7: Handling and storage

Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	silica, amorphous, silica gel (precipitated silica)	112926-00- 8	WES	10			i, noAsb_l ess1Sil	WES
AU	calcium oxide	1305-78-8	WES	2				WES
AU	magnesium oxide	1309-48-4	WES	10			fume	WES
AU	aluminium oxide	1344-28-1	WES	10			i, noAsb_l ess1Sil	WES
AU	silicon dioxide, amorph- ous (silicon dioxide)	7631-86-9	WES	2			r, fume	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

fume

As fume Inhalable fraction

noAsb_less1 Contains no asbestos and less than 1% free crystalline silica

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Relevant DNELs	of compone	ents of th	e mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Calcium oxide	1305-78-8	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Calcium oxide	1305-78-8	DNEL	4 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture **CAS No** Name of sub-End-**Threshol** Organism **Environmental Exposure time** stance point d level compartment 0.37 ^{mg}/_l Calcium oxide 1305-78-8 **PNEC** aquatic organfreshwater short-term (single isms instance) Calcium oxide 1305-78-8 PNEC $0.24 \frac{mg}{I}$ aquatic organmarine water short-term (single instance) isms Calcium oxide 1305-78-8 **PNEC** 2.27 ^{mg}/_l aquatic organsewage treatment short-term (single plant (STP) instance) isms Calcium oxide 1305-78-8 **PNEC** 817.4 mg/ terrestrial organsoil short-term (single isms instance) kg

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Hand protection is not required.

Respiratory protection





Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form spherical
Colour transparent
Odour odourless
Melting point/freezing point 1,475 °C

Boiling point or initial boiling point and boiling not determined

range

Flammability

Lower and upper explosion limit

Flash point

Auto-ignition temperature

Decomposition temperature

pH (value)

Not applicable

not relevant

not applicable

not applicable

not relevant

not applicable

Solubility(ies)

Water solubility (The study does not need to be conducted be-

cause the substance is known to be insoluble in

water)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $2.5 \, \mathrm{g}_{\mathrm{cm}^3}$

Relative vapour density information on this property is not available

Bulk density $1,460 - 1,510 \, \text{kg/m}^3$

Particle characteristics

Particle size 0.75 – 1 mm

Other safety parameters

Oxidising properties none

9.2 Other information

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is n

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Silicon dioxide	7631-86-9	oral	LD50	>5,000 ^{mg} / _{kg}	rat
Silicon dioxide	7631-86-9	inhalation: dust/mist	LC50	>5.01 ^{mg} / _l /4h	rat
Silicon dioxide	7631-86-9	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
Calcium oxide	1305-78-8	oral	LD50	>2,000 ^{mg} / _{kg}	rat
Calcium oxide	1305-78-8	dermal	LD50	>2,500 ^{mg} / _{kg}	chinese ham- ster
Aluminium oxide	1344-28-1	oral	LD50	>15,900 ^{mg} / _{kg}	rat

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Health effects are not known.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silicon dioxide	7631-86-9	LC50	>5,000 ^{mg} / _l	fish	96 h
Silicon dioxide	7631-86-9	EC50	>5,000 ^{mg} / _l	aquatic invertebrates	48 h
Silicon dioxide	7631-86-9	ErC50	>173.1 ^{mg} / _l	algae	72 h
Calcium oxide	1305-78-8	LC50	50.6 ^{mg} / _l	fish	96 h
Calcium oxide	1305-78-8	EC50	49.1 ^{mg} / _l	aquatic invertebrates	48 h
Calcium oxide	1305-78-8	ErC50	184.6 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silicon dioxide	7631-86-9	EC50	>1,000 ^{mg} / _l	microorganisms	3 h
Calcium oxide	1305-78-8	LC50	53.1 ^{mg} / _l	aquatic invertebrates	14 d
Calcium oxide	1305-78-8	EC50	300.4 ^{mg} / _l	microorganisms	3 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Do not empty into drains.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

	14.1	UN number	not subject to transport regulation
--	------	-----------	-------------------------------------

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS CICR CSCL-ENCS DSL ECSI Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toyic Substance Control Act

Toxic Substance Control Act

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Classification acc. to GHS: This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC. This mixture does not meet the criteria for classification.	Classification acc. to GHS: This mixture does not meet the criteria for classification.	yes
2.2	Signal word: not required		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: **A554**

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50 ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
Water-react.	Material which, in contact with water, emits flammable gases
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H261	In contact with water releases flammable gases.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13