according to Regulation (EC) No. 1907/2006 (REACH)



#### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: **A554**Variant **34** on Basiciant **3020**-09-25

Version: **2.1 en**Replaces version of: 2022-01-13

Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Glass beads made of soda-lime glass 0,75 - 1,0

mm, From ROTH SELECTION

Article number A554

Registration number (REACH) not relevant (mixture)

EC number 266-046-0 CAS number 65997-17-3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/ EC.

#### 2.2 Label elements

United Kingdom (en) Page 1 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Silicon dioxide	CAS No 7631-86-9	65 - 75			IOELV
	EC No 231-545-4				
sodium monoxide	CAS No 1313-59-3	12 - 17	Water-react. 3 / H261 Skin Corr. 1 / H314 Eye Dam. 1 / H318		
	EC No 215-208-9		5,0 - 2	•	
Calcium oxide	CAS No 1305-78-8	≤10	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335		IOELV
	EC No 215-138-9			•	
Magnesium oxide	CAS No 1309-48-4	≤5			
	EC No 215-171-9				
Aluminium oxide	CAS No 1344-28-1	≤5			
	EC No 215-691-6				

#### Notes

IOELV: Substance with a community indicative occupational exposure limit value

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

No special measures are necessary.

United Kingdom (en) Page 2 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

#### **Following inhalation**

There is no major dust generation possible. No special measures are necessary.

#### Following skin contact

Brush off loose particles from skin. No special measures are necessary.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### Following ingestion

No special measures are necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

No special measures are necessary.

### 6.2 Environmental precautions

Not required.

#### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains. Take up mechanically.

United Kingdom (en) Page 3 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

## Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

### **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	calcium oxide	1305-78-8	IOELV	1	4		r	2017/164/ EU
GB	silica, amorphous	112926-00- 8	WEL	6			i	EH40/2005
GB	silica, amorphous	112926-00- 8	WEL	2,4			r	EH40/2005
GB	calcium oxide	1305-78-8	WEL	2				EH40/2005
GB	calcium oxide	1305-78-8	WEL	1	4		r	EH40/2005
GB	magnesium oxide	1309-48-4	WEL	10			Mg, i, dust	EH40/2005
GB	magnesium oxide	1309-48-4	WEL	4			r, df	EH40/2005

United Kingdom (en) Page 4 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	aluminium oxides	1344-28-1	WEL	10			i	EH40/2005
GB	aluminium oxides	1344-28-1	WEL	4			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur As dust and fumes As dust Ceiling-C

df dust Inhalable fraction

Mg Calculated as Mg (magnesium)

Respirable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) STEL

TWA

# Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Calcium oxide	1305-78-8	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Calcium oxide	1305-78-8	DNEL	4 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Calcium oxide	1305-78-8	PNEC	0,37 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	0,24 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	2,27 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	817,4 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



United Kingdom (en) Page 5 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



## Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

#### hand protection

Hand protection is not required.

#### **Respiratory protection**





Usually no personal respirative protection necessary.

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1

solid Physical state

Form spherical Colour transparent Odour odourless 1.475 °C Melting point/freezing point

Boiling point or initial boiling point and boiling

range

not determined

Flammability non-combustible Lower and upper explosion limit not determined Flash point not applicable not determined Auto-ignition temperature Decomposition temperature not relevant pH (value) not applicable Kinematic viscosity not relevant

Solubility(ies)

(The study does not need to be conducted because the substance is known to be insoluble in Water solubility

water)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

 $2,5^{9}/_{cm^{3}}$ Density

Relative vapour density information on this property is not available

United Kingdom (en) Page 6 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Bulk density  $1.460 - 1.510 \, \text{kg/m}^3$ 

Particle characteristics

Particle size 0,75 – 1 mm

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/ EC.

#### **Acute toxicity**

Shall not be classified as acutely toxic.

United Kingdom (en) Page 7 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Acute toxicity of component	s of the mixture	
Name of substance	CAS No	

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Silicon dioxide	7631-86-9	oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat
Silicon dioxide	7631-86-9	inhalation: dust/mist	LC50	>5,01 <sup>mg</sup> / <sub>l</sub> /4h	rat
Silicon dioxide	7631-86-9	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rabbit
Calcium oxide	1305-78-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Calcium oxide	1305-78-8	dermal	LD50	>2.500 <sup>mg</sup> / <sub>kg</sub>	chinese ham- ster
Aluminium oxide	1344-28-1	oral	LD50	>15.900 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### If in eyes

Data are not available.

#### If inhaled

Data are not available.

#### • If on skin

Data are not available.

United Kingdom (en) Page 8 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

#### Other information

Health effects are not known.

#### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silicon dioxide	7631-86-9	LC50	>5.000 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Silicon dioxide	7631-86-9	EC50	>5.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Silicon dioxide	7631-86-9	ErC50	>173,1 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Calcium oxide	1305-78-8	LC50	50,6 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Calcium oxide	1305-78-8	EC50	49,1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Calcium oxide	1305-78-8	ErC50	184,6 <sup>mg</sup> / <sub>l</sub>	algae	72 h

#### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silicon dioxide	7631-86-9	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Calcium oxide	1305-78-8	LC50	53,1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	14 d
Calcium oxide	1305-78-8	EC50	300,4 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

United Kingdom (en) Page 9 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number or ID	number	not subject to transport regulations

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulátions

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United Kingdom (en) Page 10 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



#### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

## SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)								
Name of substance	Name acc. to inventory	CAS No	Restriction	No				
sodium monoxide	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3				

#### Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

- Articles not complying with paragraph 1 shall not be placed on the market.
   Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they
- can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.

- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage"; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010."
- opaque containers not exceeding 1 litre by 1 December 2010.';

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

#### **Industrial Emissions Directive (IED)**

VOC content 0 %
-----------------

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

United Kingdom (en) Page 11 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



## Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### **Water Framework Directive (WFD)**

#### List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Silicon dioxide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
sodium monoxide	Metals and their compounds		A)	
Calcium oxide	Metals and their compounds		A)	
Magnesium oxide	Metals and their compounds		A)	
Aluminium oxide	Metals and their compounds		A)	

#### Legend

A)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed

United Kingdom (en) Page 12 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Country	Inventory	Status
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS DSL ECSI IECSC

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Signal word: not required		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	

United Kingdom (en) Page 13 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



## Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: **A554** 

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
STEL	Short-term exposure limit	
STOT SE	Specific target organ toxicity - single exposure	

United Kingdom (en) Page 14 / 15

according to Regulation (EC) No. 1907/2006 (REACH)



### Glass beads made of soda-lime glass 0,75 - 1,0 mm, From ROTH SELECTION

article number: A554

Abbr.	Descriptions of used abbreviations	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB Very Persistent and very Bioaccumulative		
Water-react.	Material which, in contact with water, emits flammable gases	
WEL Workplace exposure limit		

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H261	In contact with water releases flammable gases.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 15 / 15