acc. to Safe Work Australia - Code of Practice

## Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: **A555** Version: **GHS 2.1 en** Replaces version of: 2022-01-13 Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

CAS number

### **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

mm, From ROTH SELECTION

A555

65997-17-3

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Glass beads made of soda-lime glass 1,25 - 1,65

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

# e-mail (competent person):

# sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## **Classification acc. to GHS**

This mixture does not meet the criteria for classification.

#### 2.2 Label elements

#### Labelling

not required



date of compilation: 2020-09-25 Revision: 2022-01-18

acc. to Safe Work Australia - Code of Practice

### Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: **A555** 

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Silicon dioxide	CAS No 7631-86-9	65 - 75			
sodium monoxide	CAS No 1313-59-3	12 - 17	Water-react. 3 / H261 Skin Corr. 1 / H314 Eye Dam. 1 / H318		
Calcium oxide	CAS No 1305-78-8	≤10	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335		
Magnesium oxide	CAS No 1309-48-4	≤5			
Aluminium oxide	CAS No 1344-28-1	≤5			

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

No special measures are necessary.

#### **Following inhalation**

There is no major dust generation possible. No special measures are necessary.

#### Following skin contact

Brush off loose particles from skin. No special measures are necessary.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### **Following ingestion**

No special measures are necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.



acc. to Safe Work Australia - Code of Practice

#### Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: A555

# **4.3 Indication of any immediate medical attention and special treatment needed** none

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Not required.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to Safe Work Australia - Code of Practice

# Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: A555

# **SECTION 7: Handling and storage**

**Precautions for safe handling** 7.1

No special measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

**Consideration of other advice:** 

# Specific designs for storage rooms or vessels Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### National limit values

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	silica, amorphous, silica gel (precipitated silica)	112926-00- 8	WES	10			i, noAsb_l ess1Sil	WES
AU	calcium oxide	1305-78-8	WES	2				WES
AU	magnesium oxide	1309-48-4	WES	10			fume	WES
AU	aluminium oxide	1344-28-1	WES	10			i, noAsb_l ess1Sil	WES
AU	silicon dioxide, amorph- ous (silicon dioxide)	7631-86-9	WES	2			r, fume	WES

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur As fume Inhalable fraction fume noAsb\_less1 Contains no asbestos and less than 1% free crystalline silica Sil Respirable fraction Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

acc. to Safe Work Australia - Code of Practice

### Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: A555

Relevant DNELs of components of the mixture								
Name of sub- stance		End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Calcium oxide	1305-78-8	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects		
Calcium oxide	1305-78-8	DNEL	4 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects		

## **Relevant PNECs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Calcium oxide	1305-78-8	PNEC	0.37 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	0.24 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	2.27 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	817.4 <sup>mg</sup> / <sup>kg</sup>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

# Eye/face protection



Use safety goggle with side protection.

## **Skin protection**



• hand protection Hand protection is not required.

# **Respiratory protection**



Usually no personal respirative protection necessary.

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.



acc. to Safe Work Australia - Code of Practice

## Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: **A555** 

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

	•
Physical state	solid
Form	spherical
Colour	transparent
Odour	odourless
Melting point/freezing point	1,475 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	(The study does not need to be conducted be- cause the substance is known to be insoluble in water)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)

not determined

1,460 - 1,510 kg/m<sup>3</sup>

1.25 – 1.65 mm

none

information on this property is not available

2.5 <sup>g</sup>/<sub>cm<sup>3</sup></sub>

Vapour pressure

Density and/or relative density Density Relative vapour density Bulk density

Particle characteristics Particle size

Other safety parameters Oxidising properties

9.2 Other information



acc. to Safe Work Australia - Code of Practice

### Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: A555

Information with regard to physical hazard classes:

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

Other safety characteristics:

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3 Possibility of hazardous reactions** No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### **Classification acc. to GHS**

This mixture does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Silicon dioxide	7631-86-9	oral	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rat
Silicon dioxide	7631-86-9	inhalation: dust/mist	LC50	>5.01 <sup>mg</sup> / <sub>l</sub> /4h	rat
Silicon dioxide	7631-86-9	dermal	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rabbit
Calcium oxide	1305-78-8	oral	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
Calcium oxide	1305-78-8	dermal	LD50	>2,500 <sup>mg</sup> / <sub>kg</sub>	chinese ham- ster
Aluminium oxide	1344-28-1	oral	LD50	>15,900 <sup>mg</sup> / <sub>kg</sub>	rat



acc. to Safe Work Australia - Code of Practice



# Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: A555

# Skin corrosion/irritation Shall not be classified as corrosive/irritant to skin. Serious eye damage/eye irritation Shall not be classified as seriously damaging to the eye or eye irritant. **Respiratory or skin sensitisation** Shall not be classified as a respiratory or skin sensitiser. Germ cell mutagenicity Shall not be classified as germ cell mutagenic. Carcinogenicity Shall not be classified as carcinogenic. **Reproductive toxicity** Shall not be classified as a reproductive toxicant. Specific target organ toxicity - single exposure Shall not be classified as a specific target organ toxicant (single exposure). Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure). **Aspiration hazard** Shall not be classified as presenting an aspiration hazard. Symptoms related to the physical, chemical and toxicological characteristics If swallowed Data are not available. • If in eyes Data are not available. • If inhaled Data are not available. • If on skin Data are not available. Other information Health effects are not known. 11.2 Endocrine disrupting properties None of the ingredients are listed. SECTION 12: Ecological information

12.1 Toxicity

acc. to Safe Work Australia - Code of Practice



article number: A555

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance CAS No		Endpoint	Value	Species	Exposure time	
Silicon dioxide	7631-86-9	LC50	>5,000 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
Silicon dioxide	7631-86-9	EC50	>5,000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	
Silicon dioxide	7631-86-9	ErC50	>173.1 <sup>mg</sup> / <sub>l</sub>	algae	72 h	
Calcium oxide	1305-78-8	LC50	50.6 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
Calcium oxide	1305-78-8	EC50	49.1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	
Calcium oxide	1305-78-8	ErC50	184.6 <sup>mg</sup> / <sub>l</sub>	algae	72 h	

### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silicon dioxide	7631-86-9	EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Calcium oxide	1305-78-8	LC50	53.1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	14 d
Calcium oxide	1305-78-8	EC50	300.4 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

## **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.2 Process of degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

## Sewage disposal-relevant information



acc. to Safe Work Australia - Code of Practice

#### Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: **A555** 

Do not empty into drains.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code** The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

**Transport informationNational regulationsAdditional information(UN RTDG)** Not subject to transport regulations. UN RTDG

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

#### National regulations(Australia)

#### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories



acc. to Safe Work Australia - Code of Practice

## Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

#### article number: A555

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EÌNEĆS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chémicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Classification acc. to GHS: This mixture does not meet the criteria for clas- sification in accordance with Regulation No 1272/2008/EC. This mixture does not meet the criteria for classification.	Classification acc. to GHS: This mixture does not meet the criteria for clas- sification.	yes
2.2	Signal word: not required		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes



acc. to Safe Work Australia - Code of Practice



# Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

article number: A555

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
STEL	Short-term exposure limit	
STOT SE	Specific target organ toxicity - single exposure	
TWA	Time-weighted average	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	

acc. to Safe Work Australia - Code of Practice



# Glass beads made of soda-lime glass 1,25 - 1,65 mm, From ROTH SELECTION

#### article number: **A555**

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
Water-react.	Material which, in contact with water, emits flammable gases
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H261	In contact with water releases flammable gases.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.