® \$POTH

date of compilation: 2015-08-20

Revision: 2021-04-23

### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

article number: **A980** Version: **3.0 en** Replaces version of: 2016-06-22 Version: (2)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

1.2

**ROTI**®**Aqua-Phenol** , ready-to-use, for RNA extraction

A980

Registration number (REACH)

not relevant (mixture)

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

### article number: A980

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS05, GHS06, GHS08, GHS09



### **Hazard statements**

H301	Toxic if swallowed
H312+H332	Harmful in contact with skin or if inhaled
H314	Causes severe skin burns and eye damage
H341	Suspected of causing genetic defects
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary statements**

### **Precautionary statements - prevention**

P201	Obtain special instructions before use
P280	Wear protective gloves/protective clothing/eye protection/face protection/hear-
	ing protection

#### **Precautionary statements - response**

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor

according to Regulation (EC) No. 1907/2006 (REACH)

### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

article number: A980

For profession	al users only	
Hazardous in	gredients for labelling:	Phenol
Labelling of pack Signal word: Dang	ages where the contents do not exceed 125 ger	ml
Symbol(s)		
H301 H314 H341	Toxic if swallowed. Causes severe skin burns and eye damage. Suspected of causing genetic defects.	
P201 P280 P304+P340 P305+P351+P338 P310	IF INHALED: Remove person to fresh air and IF IN EYES: Rinse cautiously with water for se do. Continue rinsing. Immediately call a POISON CENTER/doctor.	ye protection/face protection/hearing protection. keep comfortable for breathing. veral minutes. Remove contact lenses, if present and easy to
contains:	Phenol	

#### 2.3 **Other hazards**

This material is combustible, but will not ignite readily.

### **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Phenol	CAS No 108-95-2 EC No 203-632-7 Index No 604-001-00-2 REACH Reg. No 01-2119882293- 32-xxxx	< 50	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Muta. 2 / H341 STOT RE 2 / H373 Aquatic Chronic 2 / H411		GHS-HC IOELV

### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IOELV: Substance with a community indicative occupational exposure limit value



according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

### article number: A980

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ΑΤΕ	Exposure route
Phenol	CAS No 108-95-2 EC No 203-632-7	Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	-	100 <sup>mg</sup> / <sub>kg</sub> 630 <sup>mg</sup> / <sub>kg</sub> 0,5 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: dust/ mist
	Index No 604-001-00-2				

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off immediately all contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

### none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

according to Regulation (EC) No. 1907/2006 (REACH)

### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

### article number: A980

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Measures to protect the environment



according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

article number: A980

Avoid release to the environment.

### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

### Incompatible substances or mixtures

Observe hints for combined storage.

### **Consideration of other advice:**

Store locked up.

### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

#### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	phenol	108-95-2	IOELV	2	8	4	16				2009/ 161/EU
IE	phenol	108-95-2	OELV	2	8	4	16				S.I. No. 619 of 2001

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified) TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Phenol	108-95-2	DNEL	8 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Phenol	108-95-2	DNEL	16 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects	

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

article number: A980

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Phenol	108-95-2	DNEL	1,23 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Relevant PNECs	Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Phenol	108-95-2	PNEC	0,008 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)		
Phenol	108-95-2	PNEC	0,001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)		
Phenol	108-95-2	PNEC	2,1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Phenol	108-95-2	PNEC	0,091 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Phenol	108-95-2	PNEC	0,009 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
Phenol	108-95-2	PNEC	0,136 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)		

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

### **Skin protection**



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### • type of material

FKM (fluoro rubber), Butyl caoutchouc (butyl rubber)

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

#### article number: A980

#### material thickness

≥0,4 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	81 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined

ROTI®Aqua-Phenol , ready-to-use, for RNA extraction



article number: A980

Density	1,06 <sup>g</sup> / <sub>cm<sup>3</sup></sub>
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Miscibility	completely miscible with water

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

### If heated

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Aldehydes, Strong alkali, Strong acid

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### **10.5** Incompatible materials

different plastics, Rubber articles, Light metals

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Toxic if swallowed. Harmful in contact with skin. Harmful if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

article number: A980

Acute toxicity estimate (ATE) of co	mixture		
Name of substance	CAS No	Exposure route	ATE
Phenol	108-95-2	oral	100 <sup>mg</sup> / <sub>kg</sub>
Phenol	108-95-2	dermal	630 <sup>mg</sup> / <sub>kg</sub>
Phenol	108-95-2	inhalation: dust/mist	0,5 <sup>mg</sup> / <sub>l</sub> /4h

### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Phenol	108-95-2	oral	LD50	317 <sup>mg</sup> / <sub>kg</sub>	rat
Phenol	108-95-2	dermal	LD50	630 <sup>mg</sup> / <sub>kg</sub>	rabbit

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

### • If inhaled

Data are not available.

### • If on skin

causes severe burns, causes poorly healing wounds

® ROTH

### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

article number: A980

### Other information

Other adverse effects: Cardiovascular system, Liver and kidney damage

- **11.2 Endocrine disrupting properties** None of the ingredients are listed.
- **11.3 Information on other hazards** There is no additional information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Phenol	108-95-2	LC50	8,9 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Phenol	108-95-2	EC50	3,1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h

### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance CAS No		Endpoint	Value	Species	Exposure time
Phenol	108-95-2	LC50	21,93 <sup>mg</sup> / <sub>l</sub>	fish	14 d
Phenol	108-95-2	EC50	10 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	16 d

### **Biodegradation**

Data are not available.

### 12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Phenol	108-95-2	biotic/abiotic	85 %	14 d		
Phenol	108-95-2	carbon dioxide generation	45,5 %	3 d		ECHA
Phenol	108-95-2	oxygen deple- tion	96 %	20 d		ECHA

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Phenol	108-95-2	17,5	1,47 (30 °C)	

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

article number: A980

### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

	ADR/RID/ADN	UN 2821
	IMDG-Code	UN 2821
	ICAO-TI	UN 2821
14.2	UN proper shipping name	
	ADR/RID/ADN	PHENOL SOLUTION
	IMDG-Code	PHENOL SOLUTION
	ICAO-TI	Phenol solution
14.3	Transport hazard class(es)	
	ADR/RID/ADN	6.1
	IMDG-Code	6.1

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

article	number:	A980
anticic	number.	

ICAO-TI	6.1				
Packing group					
ADR/RID/ADN	III				
IMDG-Code	III				
ICAO-TI	III				
Environmental hazards	hazardous to the aquatic environment				
Environmentally hazardous substance (aquatic environment):	Phenol				
Special precautions for user					
Provisions for dangerous goods (ADR) should be c	omplied within the premises.				
Maritime transport in bulk according to IMO in	struments				
The cargo is not intended to be carried in bulk.					
Information for each of the UN Model Regulation	ons				
Transport of dangerous goods by road, rail and information	inland waterway (ADR/RID/ADN) - Additional				
Proper shipping name	PHENOL SOLUTION				
Particulars in the transport document	UN2821, PHENOL SOLUTION, 6.1, III, (E), environ- mentally hazardous				
Classification code	Т1				
Danger label(s)	6.1, "Fish and tree"				
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)				
Special provisions (SP)	802(ADN)				
Excepted quantities (EQ)	E1				
Limited quantities (LQ)	5 L				
Transport category (TC)	2				
Tunnel restriction code (TRC)	E				
Hazard identification No	60				
International Maritime Dangerous Goods Code (IMDG) - Additional information					
Proper shipping name	PHENOL SOLUTION				
Particulars in the shipper's declaration	UN2821, PHENOL SOLUTION, 6.1, III, MARINE POLLUTANT				
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment), (Phenol)				
Danger label(s)	6.1, "Fish and tree"				
Special provisions (SP)	223				
	Packing groupADR/RID/ADNIMDG-CodeICAO-TIEnvironmental hazardsEnvironmentally hazardous substance (aquatic environment):Special precautions for userProvisions for dangerous goods (ADR) should be can Maritime transport in bulk according to IMO inside the cargo is not intended to be carried in bulk.Information for each of the UN Model RegulationProper shipping nameParticulars in the transport documentClassification code Danger label(s)Environmental hazardsSpecial provisions (SP)Excepted quantities (EQ)Limited quantities (EQ)Limited quantities (LQ)Transport category (TC)Proper shipping nameParticulars in the shipper's declarationMarine pollutantDanger label(s)Compare the provisions (SP)Excepted quantities (EQ)Limited quantities (LQ)Transport category (TC)Aurinel for the bangerous Goods CodeProper shipping nameParticulars in the shipper's declarationMarine pollutantDanger label(s)Imager				

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A
International Civil Aviation Organization (ICAO-	ATA/DGR) - Additional information
Proper shipping name	Phenol solution
Particulars in the shipper's declaration	UN2821, Phenol solution, 6.1, III
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	6.1
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

### **Restrictions according to REACH, Annex XVII**

none of the ingredients are listed

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
ROTI®Aqua-Phenol	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
ROTI®Aqua-Phenol	substances in tattoo inks and perman- ent make-up		R75	75

Legend

R3 1. Shall not be used in:

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

<sup>-</sup> ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

#### article number: A980



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.



according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

#### article number: A980

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes	
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200	500	57)	

#### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

#### **Deco-Paint Directive**

VOC content	41,73 %
-------------	---------

#### Industrial Emissions Directive (IED)

VOC content	41,73 %
-------------	---------

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

Indicative list of the main pollutants

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Phenol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

A)

Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

article number: A980

### Regulation on the marketing and use of explosives precursors none of the ingredients are listed

### **Regulation on drug precursors**

none of the ingredients are listed

### **Regulation on substances that deplete the ozone layer (ODS)**

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Inventory of Existing and New Chemical Substances (ISHA-ENCS) Korea Existing Chemicals Inventory AICS CICR CSCL-ENCS DSL ECSI IECSC INSQ ISHA-ENCS Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) KECI NZIOC PICCS REACH Reg. REACH registered substances TCSI TSCA Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No. 1907/2006 (REACH)

### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction



### article number: **A980**

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards: This material is combustible, but will not ignite readily.	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol, ready-to-use, for RNA extraction

### article number: A980

Abbr.	Descriptions of used abbreviations
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer

according to Regulation (EC) No. 1907/2006 (REACH)



### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

### article number: **A980**

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.



### ROTI®Aqua-Phenol , ready-to-use, for RNA extraction

### article number: A980

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.