according to Regulation (EC) No. 1907/2006 (REACH)

Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63 date of compilation: 12.10.2021 Version: 1.0 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Papanicolaou polychrome solution 3a (EA31),

for microscopy

Article number AE63

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

2.1

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370

Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains Eosin G (C.I. 45380). May produce an allergic reaction

Page 1 / 21 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS06, GHS08







Hazard statements

H225 Highly flammable liquid and vapour

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled

H370 Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat. No smoking

P270 Do not eat, drink or smoke when using this product

P280 Wear protective gloves/eye protection

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

Supplemental hazard information

EUH208 Contains Eosin G (C.I. 45380). May produce an allergic reaction.

Hazardous ingredients for labelling: Methanol

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H370 Causes damage to organs (eye).

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

EUH208 Contains Eosin G (C.I. 45380). May produce an allergic reaction.

contains: Methanol

Malta (en) Page 2 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

Substances

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X REACH Reg. No 01-2119433307- 44-xxxx	75 - < 100	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		GHS-HC IOELV
Eosin G (C.I. 45380)	CAS No 17372-87-1 EC No 241-409-6	0,1 - < 0,5	Eye Irrit. 2 / H319 Skin Sens. 1 / H317	<u>(1)</u>	

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _{kg} 3 ^{mg} / _I /4h	oral dermal inhalation: va- pour

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Malta (en) Page 3 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions, Vertigo, Headache, Gastrointestinal complaints, Vomiting, Nausea, Spasms, Dyspnoea, Unconsciousness, Risk of blindness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

Malta (en) Page 4 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protective equipment as required. Provide adequate ventilation. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Malta (en) Page 5 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE [pp m]	STEL [mg/ m³]	Ceil ing- [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	methanol	67-56-1	IOELV	200	260						2006/15/ EC
MT	methanol	67-56-1	OELV	200	260						CAP. 424

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

TWA

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Page 6 / 21 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Methanol	67-56-1	PNEC	20,8 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Methanol	67-56-1	PNEC	7,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

Malta (en) Page 7 / 21

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour green - brown
Odour like: - methanol
Melting point/freezing point not determined

Boiling point or initial boiling point and boiling >65 °C

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 5,5 vol% (LEL) - 44 vol% (UEL)

data apply to the main component

Flash point 12 °C

Auto-ignition temperature 455 °C (data apply to the main component)

Decomposition temperature not relevant pH (value) 5 – 7 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 128 hPa at 20 °C

data apply to the main component

Density $\sim 0.8 \, \mathrm{g/cm^3}$ at 20 °C

Relative vapour density information on this property is not available

Malta (en) Page 8 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Flammable liquids

Sustained combustibility yes, sustained combustion was observed

Other safety characteristics:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX) T1

Maximum permissible surface temperature on

the equipment: 450°C

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Reducing agents, Chloroform, Alkaline earth metal, Alkali metals, Perchlorates, Chlorates, Nitric acid, Hydrogen peroxide, strong oxidiser, Sulphuric acid, => Explosive properties

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

aluminium, plastic and rubber

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Malta (en) Page 9 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



3 ^{mg}/_I/4h

Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

SECTION 11: Toxicological information

Methanol

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Name of substanceCAS NoExposure routeATEMethanol67-56-1oral $100^{\,\mathrm{mg}}/_{\mathrm{kg}}$ Methanol67-56-1dermal $300^{\,\mathrm{mg}}/_{\mathrm{kg}}$

inhalation: vapour

67-56-1

Acute toxicity of components of the mixture Name of substance **CAS No Exposure Endpoint** Value **Species** route Methanol 67-56-1 131 ^{mg}/_I/4h inhalation: va-LC50 rat pour Methanol 67-56-1 5.628 mg/kg oral LD50 rat Methanol 143 mg/kg 67-56-1 oral LDLo human 15.800 mg/kg Methanol 67-56-1 dermal LD50 rabbit Eosin G (C.I. 45380) 17372-87-1 oral LD50 $>2.000 \, \text{mg/kg}$ rat Eosin G (C.I. 45380) 17372-87-1 dermal LD50 $>2.000 \, \text{mg/kg}$ rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains Eosin G (C.I. 45380). May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Malta (en) Page 10 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

gastrointestinal complaints, vomiting, nausea, risk of blindness after swallowing the product

• If in eyes

Data are not available.

If inhaled

vertigo, headache

• If on skin

has degreasing effect on the skin, risk of absorption via the skin, May produce an allergic reaction, pruritis, localised redness

Other information

Other adverse effects: Agitation, Impairment of vision, Blood pressure drop, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Symptoms can occur only after several hours

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Methanol	67-56-1	LC50	15.400 ^{mg} / _l	fish	96 h				
Methanol	67-56-1	ErC50	22.000 ^{mg} / _l	algae	96 h				
Eosin G (C.I. 45380)	17372-87-1	LC50	>100 ^{mg} / _l	fish	96 h				
Eosin G (C.I. 45380)	17372-87-1	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h				
Eosin G (C.I. 45380)	17372-87-1	ErC50	51,3 ^{mg} / _l	algae	72 h				

Malta (en) Page 11 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Biodegradation

Data are not available.

12.2 Process of degradability

Process of degradability

Process	Degradation rate	Time
biotic/abiotic	99 %	30 d

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Methanol	67-56-1	biotic/abiotic	99 %	30 d		
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA
Eosin G (C.I. 45380)	17372-87-1	oxygen deple- tion	94,56 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Methanol	67-56-1		-0,77	
Eosin G (C.I. 45380)	17372-87-1		-1,33	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Malta (en) Page 12 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN 1230
IMDG-Code	UN 1230
ICAO-TI	UN 1230

14.2 UN proper shipping name

ADR/RID/ADN	METHANOL
IMDG-Code	METHANOL
ICAO-TI	Methanol

14.3 Transport hazard class(es)

ADR/RID/ADN	3 (6.1)
IMDG-Code	3 (6.1)
ICAO-TI	3 (6.1)

14.4 Packing group

ADR/RID/ADN	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazardsnon-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Proper shipping name

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

METHANOL

Particulars in the transport document	UN1230, METHANOL, 3 (6.1), II, (D/E)

Classification code	FT1
Danger label(s)	3+6.1

Malta (en) Page 13 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63





Special provisions (SP) 279, 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 336

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name METHANOL

Particulars in the shipper's declaration UN1230, METHANOL, 3 (6.1), II, 12°C c.c.

Marine pollutant -

Danger label(s) 3+6.1





Special provisions (SP) 279

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Methanol

Particulars in the shipper's declaration UN1230, Methanol, 3 (6.1), II

Danger label(s) 3+6.1





Special provisions (SP) A113
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Malta (en) Page 14 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Papanicolaou polychrome solution	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Eosin G (C.I. 45380)	substances in tattoo inks and permanent make-up		R75	75
Methanol	methanol	67-56-1	R69	69
Methanol	flammable / pyrophoric		R40	40

Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes.

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.

 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).

 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packbefore the placing on the market, that the following require aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil
- or even sucking the wick of lamps may lead to life-threatening lung damage";
 (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

- R40 for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols

 - imitation excrement, horns for parties, decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
 - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
 - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight. R69

Page 15 / 21 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category

1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator

(ií) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the

mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-

(n) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

as also falls within one of more of points (a) to (g) of paragraph 1, the concentration limit faid down in point (ii) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that now or revised classification in fifty the date referred to in paragraph 1 or as the case may be paragraph. that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the

amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

tion limit specified in Appendix 13

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below

the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for

tattooing purposes.

Page 16 / 21 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Legend

9. This entry does not apply to substances that are gases at temperature of 20 $^{\circ}$ C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 $^{\circ}$ C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	es Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		
22	methanol	500	5.000	

Deco-Paint Directive

Industrial Emissions Directive (IED)

VOC content	93 %
VOC content	792 ^g / _l
VOC content Water content was discounted	781,6 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Eosin G (C.I. 45380)	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)	
Eosin G (C.I. 45380)	Metals and their compounds		A)	

Malta (en) Page 17 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Malta (en) Page 18 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Legend

AICS CICR CSCL-ENCS Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI IECSC

List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act INSQ KECI NZIoC

REACH Reg.

TCSI TSCA

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC	
Acute Tox.	Acute toxicity	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	

Malta (en) Page 19 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	Abbr.	Descriptions of used abbreviations	
Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) Ing KOW n-O-Ctanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration PPME Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferrovalire des marchandises Dangereuses (Regulations concerning the International Ferrovalire des marchandises Dangereuses (Regulations concerning the International Ferrovalire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) Voc Volatile Organic Compounds	ErC50		
Flam. Liq. GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TT Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code IMDG-Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code IMD	Eye Dam.	Seriously damaging to the eye	
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code Imdex No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration PPRED Persistent, Bioaccumulative and Toxic PREC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) Volatile Organic Compounds	Eye Irrit.	Irritant to the eye	
IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code Imdex No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LCSO Lethal Concentration 50%: the LCSO corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LDSO Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	Flam. Liq.	Flammable liquid	
IATA/DGR Dangerous Goods Regulations (DCR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation SEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) Volatile Organic Compounds	GHS		
ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code Imbor-Code International Maritime Dangerous Goods Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	IATA	International Air Transport Association	
ICAO-TI ITECHNICAL IINSTRUCTIONS for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) Volatile Organic Compounds	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferrovoiaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	ICAO	International Civil Aviation Organization	
IMDG-Code International Maritime Dangerous Goods Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethallty during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethallty during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	IMDG	International Maritime Dangerous Goods Code	
IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	IMDG-Code	International Maritime Dangerous Goods Code	
LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	index No		
Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	IOELV	Indicative occupational exposure limit value	
LEL Lower explosion limit (LEL) log KOW n-Octanol/water NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
NLP	LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	LEL	Lower explosion limit (LEL)	
PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	log KOW	n-Octanol/water	
PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	NLP	No-Longer Polymer	
Ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	PBT	Persistent, Bioaccumulative and Toxic	
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	PNEC	Predicted No-Effect Concentration	
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	ppm	Parts per million	
Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	Skin Sens.	Skin sensitisation	
SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	STEL	Short-term exposure limit	
TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	STOT SE	Specific target organ toxicity - single exposure	
UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds	SVHC	Substance of Very High Concern	
VOC Volatile Organic Compounds	TWA	Time-weighted average	
	UEL	Upper explosion limit (UEL)	
VDVD	VOC	Volatile Organic Compounds	
very Persistent and Very Bloaccumulative	vPvB	Very Persistent and very Bioaccumulative	

Malta (en) Page 20 / 21

according to Regulation (EC) No. 1907/2006 (REACH)



Papanicolaou polychrome solution 3a (EA31), for microscopy

article number: AE63

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H370	Causes damage to organs (eye).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 21 / 21