

# SAFETY DATA SHEET

## Bacillol 30 Foam

Version	Revision Date:	SDS Number:	Date of last issue:
1.13	21.09.2022	R11568	15.08.2022
			Date of first issue: 06.06.2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Bacillol 30 Foam

#### Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH  
Melanchthonstraße 27  
22525 Hamburg (Germany)  
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs  
sds@bode-chemie.de

Emergency telephone number : Giftnotruf Göttingen  
24h-Phone +49 (0)551 / 1 92 40

#### Recommended use of the chemical and restrictions on use

Recommended use : In-door use  
Disinfectants and algacides not intended for direct application to humans or animals  
For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.



Lieferant / Supplier:  
Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
76185 Karlsruhe, Germany  
+49 721 5606 0  
sicherheit@carlroth.de

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3  
Serious eye damage/eye irritation : Category 2A  
Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms :  

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

# SAFETY DATA SHEET

## BacilloI 30 Foam

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	$\geq 10$ - $< 20$
Propan-2-ol	67-63-0	$\geq 10$ - $< 20$
Propan-1-ol	71-23-8	$\geq 3$ - $< 10$
Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid	139734-65-9	$\geq 0,25$ - $< 1$

## 4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possible).

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.

If swallowed : Rinse mouth.  
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : none

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

## BacilloI 30 Foam

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Remove all sources of ignition.
- Environmental precautions : Should not be released into the environment.
- Methods and materials for containment and cleaning up : Clean-up methods - small spillage  
Wipe up with absorbent material (e.g. cloth, fleece).  
Clean-up methods - large spillage  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

- Local/Total ventilation : Ensure adequate ventilation.
- Advice on protection against fire and explosion : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Take measures to prevent the build up of electrostatic charge.
- Conditions for safe storage : Store at room temperature in the original container.  
Keep tightly closed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Safety glasses with side-shields conforming to EN166
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Avoid contact with eyes.  
Keep away from food and drink.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

## BacilloI 30 Foam

Appearance	: liquid
Colour	: colourless
Odour	: alcohol-like
pH	: No data available
Boiling point/boiling range	: > 80 °C
Flash point	: 31 °C Method: ISO 3679
Flammability (solid, gas)	: not auto-flammable
Lower explosion limit / Lower flammability limit	: 2 %(V)
Vapour pressure	: No data available
Density	: 0,96 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Water solubility	: completely miscible

---

### 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat Strong sunlight for prolonged periods.
Incompatible materials	: None.

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute inhalation toxicity	: Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

# SAFETY DATA SHEET

## BacilloI 30 Foam

### Components:

#### **Ethanol (CAS: 64-17-5):**

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

#### **Propan-2-ol (CAS: 67-63-0):**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

#### **Propan-1-ol (CAS: 71-23-8):**

Acute oral toxicity : LD50 Oral (Rat): 8.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 33,8 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 4.032 mg/kg  
Method: OECD Test Guideline 402

#### **Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):**

Acute oral toxicity : LD50 Oral (Rat): > 660 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 400 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Ethanol (CAS: 64-17-5):**

Species : human skin  
Result : Mild skin irritation  
Remarks : Based on available data, the classification criteria are not met.

#### **Propan-2-ol (CAS: 67-63-0):**

Species : Rabbit  
Result : No skin irritation

#### **Propan-1-ol (CAS: 71-23-8):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):**

Species : Rabbit

# SAFETY DATA SHEET

## BacilloI 30 Foam

Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : Corrosive after 4 hours or less of exposure  
GLP : yes

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Species : Chicken eye  
Method : OECD Test Guideline 438  
Result : Irritating to eyes.  
GLP : yes

#### Components:

##### **Ethanol (CAS: 64-17-5):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

##### **Propan-2-ol (CAS: 67-63-0):**

Species : Rabbit  
Result : Eye irritation

##### **Propan-1-ol (CAS: 71-23-8):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

##### **Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **Ethanol (CAS: 64-17-5):**

Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

##### **Propan-2-ol (CAS: 67-63-0):**

Test Type : Buehler Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

##### **Propan-1-ol (CAS: 71-23-8):**

# SAFETY DATA SHEET

## BacilloI 30 Foam

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propan-2-ol (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

#### Propan-1-ol (CAS: 71-23-8):

Genotoxicity in vitro : Test Type: in vitro assay  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

No data available

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

# SAFETY DATA SHEET

## Bacillo 30 Foam

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Ethanol (CAS: 64-17-5):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 11.200 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.268 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Chlorella vulgaris (Fresh water algae)): 9,6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

##### **Propan-2-ol (CAS: 67-63-0):**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.285 mg/l  
Exposure time: 48 h
- NOEC (Daphnia magna (Water flea)): 141 mg/l  
Exposure time: 16 d
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l  
Exposure time: 72 h

##### **Propan-1-ol (CAS: 71-23-8):**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.554 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.300 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Chlorella pyrenoidosa (algae)): 1.150 mg/l  
Exposure time: 48 h  
Test Type: Growth inhibition
- EC50 (Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition
- Toxicity to microorganisms : IC50 (Bacteria): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

##### **Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):**



# SAFETY DATA SHEET

## BacilloI 30 Foam

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 207,4 µg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,0333 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 ( Pseudokirchneriella subcapitata (green algae)): 0,0237 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201  NOEC ( Pseudokirchneriella subcapitata (green algae)): 0,00955 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 0,0523 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 2,3 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Expected to be ultimately biodegradable

#### Components:

##### **Ethanol (CAS: 64-17-5):**

Biodegradability : Result: Readily biodegradable.

##### **Propan-2-ol (CAS: 67-63-0):**

Biodegradability : Result: rapidly biodegradable

##### **Propan-1-ol (CAS: 71-23-8):**

Biodegradability : Result: Readily biodegradable.

##### **Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):**

Biodegradability : aerobic  
Result: Readily biodegradable.  
Biodegradation: 94 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

# SAFETY DATA SHEET

## BacilloI 30 Foam

### Bioaccumulative potential

#### Components:

##### **Ethanol (CAS: 64-17-5):**

Partition coefficient: n-octanol/water : log Pow: -0,35

##### **Propan-2-ol (CAS: 67-63-0):**

Partition coefficient: n-octanol/water : log Pow: 0,05

##### **Propan-1-ol (CAS: 71-23-8):**

Partition coefficient: n-octanol/water : log Pow: 0,25

##### **Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):**

Partition coefficient: n-octanol/water : log Pow: 3,82

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Adsorbed organic bound halogens (AOX) : Remarks: Product does not contain any organic halogens.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.  
Store containers and offer for recycling of material when in accordance with the local regulations.

---

## 14. TRANSPORT INFORMATION

### ADR

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(ethanol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Hazard Identification Number : 30  
Tunnel restriction code : (D/E)  
Limited quantity (LQ) : 5,00 L

### UNRTDG

UN number : UN 1987

# SAFETY DATA SHEET

## BacilloI 30 Foam

Proper shipping name : ALCOHOLS, N.O.S.  
(ethanol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3

### IATA-DGR

UN/ID No. : UN 1987  
Proper shipping name : Alcohols, n.o.s.  
(ethanol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(ethanol, propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Limited quantity (LQ) : 5,00 L  
Marine pollutant : no

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Other international regulations**

**The components of this product are reported in the following inventories:**

TSCA : Product contains substance(s) not listed on TSCA inventory.

---

## 16. OTHER INFORMATION

### Safety datasheet sections which have been updated:


9. Physical and chemical properties

**Further information**

# SAFETY DATA SHEET

## BacilloI 30 Foam

### NFPA:



### HMIS® IV:

HEALTH	/	1
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# **SAFETY DATA SHEET**

## **BacilloI 30 Foam**

TC / EN