

SAFETY DATA SHEET

Bacillol 30 foam

Version	Revision Date:	SDS Number:	Date of last issue: 04.07.2016
1.4	23.02.2018	R11568	Date of first issue: 06.06.2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Bacillol 30 foam

Product code : R11568

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH
Melanchthonstraße 27
22525 Hamburg
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs
KundenService-SiDa@bode-chemie.de

Emergency telephone number : Giftnotruf Göttingen
24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use
Disinfectants and algacides not intended for direct application to humans or animals
For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION


GHS Classification

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity - single exposure : Category 3

GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Bacillol 30 foam**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Substance name : Bacillol 30 foam

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	≥ 10 - < 20
Propan-2-ol	67-63-0	≥ 10 - < 20
Propan-1-ol	71-23-8	≥ 1 - < 10
Amines, N-C10-16-alkyltrimethylenedi-, reaction products with chloroacetic acid	139734-65-9	$\geq 0,1$ - < 1

4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possible).

If inhaled : If breathed in, move person into fresh air.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.

If swallowed : Rinse mouth.
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : No information available.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : none

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

SAFETY DATA SHEET

Bacillol 30 foam

Special protective equipment for firefighters : Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.

Conditions for safe storage : Store at room temperature in the original container.
Keep tightly closed.

Materials to avoid : Keep away from food and drink.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

Personal protective equipment

Eye protection : Safety glasses

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with eyes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : alcohol-like

pH : No data available

Melting point/range : not determined

Boiling point/boiling range : not determined

SAFETY DATA SHEET

Bacillol 30 foam

Flash point	: 31 °C Method: ISO 3679
Flammability (solid, gas)	: not auto-flammable
Lower explosion limit / Lower flammability limit	: 2 %(V)
Vapour pressure	: No data available
Density	: 0,96 g/cm ³ (20 °C)
Solubility(ies) Water solubility	: completely miscible

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat Strong sunlight for prolonged periods.
Incompatible materials	: None.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

Ethanol (CAS: 64-17-5):

Acute oral toxicity	: LD50 Oral (Rat): 10.470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): 51 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 15.800 mg/kg

Propan-2-ol (CAS: 67-63-0):

Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg

Propan-1-ol (CAS: 71-23-8):

Acute oral toxicity	: LD50 Oral (Rat): 8.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): > 33,8 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 Dermal (Rabbit): 4.032 mg/kg Method: OECD Test Guideline 402

Bacillol 30 foam**Amines, N-C10-16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):**

Acute oral toxicity : LD50 Oral (Rat): 660 mg/kg
Acute dermal toxicity : LD50 Dermal (Rat): 400 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation**Product:**

Result: No skin irritation

Components:

Ethanol (CAS: 64-17-5):

Species: human skin

Result: Mild skin irritation

Remarks: Based on available data, the classification criteria are not met.

Propan-2-ol (CAS: 67-63-0):

Species: Rabbit

Result: No skin irritation

Propan-1-ol (CAS: 71-23-8):

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Amines, N-C10-16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Species: Rabbit

Exposure time: 4 h

Method: OECD Test Guideline 404

Result: Corrosive after 4 hours or less of exposure

GLP: yes

Serious eye damage/eye irritation**Product:**

Species: Chicken eye

Method: OECD Test Guideline 438

Result: Irritating to eyes.

GLP: yes

Components:

Propan-2-ol (CAS: 67-63-0):

Species: Rabbit

Result: Eye irritation

Propan-1-ol (CAS: 71-23-8):

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irreversible effects on the eye

Amines, N-C10-16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Species: Rabbit

Method: OECD Test Guideline 405

Result: Risk of serious damage to eyes.

Bacillol 30 foam**Respiratory or skin sensitisation****Product:**

Result: Does not cause skin sensitisation.

Components:

Propan-2-ol (CAS: 67-63-0):

Test Type: Buehler Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Propan-1-ol (CAS: 71-23-8):

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Propan-2-ol (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Propan-1-ol (CAS: 71-23-8):

Genotoxicity in vitro : Test Type: in vitro assay
Result: negative

Carcinogenicity**Product:**

Remarks: This information is not available.

Reproductive toxicity

No data available

STOT - single exposure**Product:**

Remarks: No data available

STOT - repeated exposure**Product:**

Remarks: No data available

Components:

Amines, N-C10-16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Assessment: Causes damage to organs through prolonged or repeated exposure.

Bacillol 30 foam**Repeated dose toxicity**

No data available

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	:	Remarks: No data available
------------------	---	----------------------------

Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
---	---	----------------------------

Toxicity to algae	:	Remarks: No data available
-------------------	---	----------------------------

Toxicity to microorganisms	:	Remarks: No data available
----------------------------	---	----------------------------

Components:

Ethanol (CAS: 64-17-5):

Toxicity to fish	:	LC50 (Fish): 11.200 mg/l Exposure time: 96 h
------------------	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 5.012 mg/l Exposure time: 48 h
---	---	--

Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
-------------------	---	---

Propan-2-ol (CAS: 67-63-0):

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
---	---	--

Toxicity to algae	:	EC50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h
-------------------	---	---

Propan-1-ol (CAS: 71-23-8):

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 4.555 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203
------------------	---	---

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 3.644 mg/l
-------------------------------	---	---

SAFETY DATA SHEET

Bacillol 30 foam

aquatic invertebrates	Exposure time: 48 h Method: DIN 38412
Toxicity to algae	: NOEC (<i>Chlorella pyrenoidosa</i> (aglae)): 1.150 mg/l Exposure time: 48 h Test Type: Growth inhibition EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 9.170 mg/l Exposure time: 72 h Test Type: Growth inhibition
Toxicity to microorganisms	: IC50 (Bacteria): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Amines, N-C10-16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):	
Toxicity to fish	: LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 207,4 µg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 0,0333 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202
Toxicity to algae	: ErC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 0,0237 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 0,0523 mg/l Exposure time: 28 d Species: <i>Oncorhynchus mykiss</i> (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 2,3 µg/l Exposure time: 21 d Species: <i>Daphnia magna</i> (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1

Persistence and degradability

Product:

Biodegradability : Remarks: Expected to be ultimately biodegradable

Components:

Ethanol (CAS: 64-17-5):

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Bacillol 30 foam**Mobility in soil****Product:**

Distribution among environmental compartments : Remarks: No data available

Other adverse effects**Product:**

Adsorbed organic bound halogens (AOX) : Remarks: Product does not contain any organic halogens.

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.
Store containers and offer for recycling of material when in accordance with the local regulations.

14. TRANSPORT INFORMATION**14.1 UN number**

ADR : UN 1987

IMDG : UN 1987

IATA : UN 1987

14.2 UN proper shipping name

ADR : ALCOHOLS, N.O.S.
(ETHANOL, ISOPROPANOL)

IMDG : ALCOHOLS, N.O.S.
(ethanol, isopropanol)

IATA : ALCOHOLS, N.O.S.
(ethanol, isopropanol)

14.3 Transport hazard class(es)

ADR : 3

IMDG : 3

IATA : 3

14.4 Packing group

ADR

Packing group : III

Classification Code : F1

Hazard Identification Number : 30

Labels : 3

Tunnel restriction code : D/E

IMDG

Packing group : III

Labels : 3

EmS Code : F-E, S-D

SAFETY DATA SHEET

Bacillol 30 foam

IATA (Cargo)

Packing instruction (cargo aircraft) : 366
Packing group : III
Labels : Class 3 - Flammable Liquid

IATA (Passenger)

Packing instruction (passenger aircraft) : 355
Packing group : III
Labels : Class 3 - Flammable Liquid

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

16. OTHER INFORMATION

Full text of other abbreviations


AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

Bacillol 30 foam

Further information

NFPA:



HMIS® IV:

HEALTH		1
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit

Safety datasheet sections which have been updated:

3. Composition/information on ingredients

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN