# CHEREY-NAGE



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90511	TRITEST L pH 1 - 11 refill	Page: 1/8
Printing date: 22.11.2022	Date of issue: 15.03.2022	Version: 2.2.2.2

## SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier REF 90511 no data available TRITEST L pH 1 - 11 REACH Registration number(s): see SECTION A registration number for the substance(s) does not exist becau the substance or its use is excluded from registration. 1 x 5 m reels indicator paper (refill)	N 3.1/3.2 or
1.2	Relevant identified uses of the substance or m Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RI The exposure scenario is integrated into sections 1-16. Uses advised against not described	P 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
1.3	Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0	E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone number Information not necessary. You find our current versions of SDS in Internet:	<pre><http: +="" 3-5="" call="" co="" dsh="" gmbh="" kg="" sch<="" schoemperlenstr.="" sdssh="" th="" www.mn-net.com=""></http:></pre>
SECI	TION 2: Hazard identification	<http: sps="" www.mn-net.com="">h GmbH + Con Canton SpS&gt;h GmbH + Con Schoemperlenstr. 3-5 Schoemperlenstr. 3-5 Schoempe</http:>

## **SECTION 2: Hazard identification**

Classification of the complete product according to Regulation (EC) 1272/2008<sup>cherheit@carlroth.de</sup> 2.0

#### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

### 5 m reels indicator paper (refill)

Signal word

Do not need labelling as hazardous

No hazard class

List of H phrases: see section 16.2

#### 2.2 Label elements according regulation (EC) 1272/2008

5 m reels indicator paper (refill) Do not need labelling as hazardous Signal word: -

### Label elements of the complete product

Signal word: -



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

```
US Tel.: +1 888 321 62 24 sales-us@mn-net.com
```



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90511	TRITEST L pH 1 - 11 refill	Page: 2/8
Printing date: 22.11.2022	Date of issue: 15.03.2022	Version: 2.2.2.2

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

## **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

#### 5 m reels indicator paper (refill) Substance name: cellulose paper

CAS No.:	9004-34-6
Substance rating:	No criteria for classification or naming of chemical not required.
Formula:	(C $_6$ H $_{10}$ O $_5$ ) n
REACH Reg. No.:	exempt, Annex IV
EC No.:	232-674-9
Concentration:	90 - <100 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.
Substance name:	<i>indicator dye</i> (s)
CAS No.:	-
Substance rating:	No criteria for classification or naming of chemical not required.
Concentration:	0,1 - <1 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

- 4.1.1 After SKIN Contact Remove dust with wetted tissue. 4.1.2 After EYE Contact Rub dust with teardrops from eyes
- After INHALATION of vapours
- 4.1.3 After inhalation of dust fresh air should be inhaled. ---
- 4.1.4 After ORAL Intake
- 4.2 Most important symptoms and effects, both acute and delayed

### 4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---





## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90511	TRITEST L pH 1 - 11 refill	Page: 3/8
Printing date: 22.11.2022	Date of issue: 15.03.2022	Version: 2.2.2.2

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

- 5.1.1 Suitable extinguishing media
   Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in
   the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers
   appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All
   extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers
   appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All
   extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

   5.1.2 Unsuitable extinguishing media
   no data available
- 5.2 Special hazards arising from the substance or mixture None.
  5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic.

## 5.4 Additional information

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

- 6.2 Environmental precautions not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

## **SECTION 7: Handling and storage**

7.1	Precautions for safe handling
	Handling in accordance with the test instruction, that comes with the product.
7.2	Conditions for safe storage, including any incompatibilities
	Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): s

- Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1

   Storage class (VCI):
   11

   Water hazard class (DE):
   nwg
- 7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.
- 7.3 Specific end use(s) Product for analytical use.

## **SECTION 8: Exposure controls /personal protection**

### 8.1 Control parameters

 5 m reels indicator paper (refill)
 Chemical: cellulose paper
 CAS No.: 9004-34-6

 TRGS 900 (DE):
 Staub 1.25 A / 4 E mg/m³ E/e respirable
 CAS No.: 9004-34-6

 SUVA(CH) MAK value:
 3 a ppm

 NIOSH:
 TWA 10 (total) / 5 (resp) mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

 OSHA:
 TWA 15 (total) / 5 (resp) mg/m³



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	0511	TRITEST L pH 1 - 11 refill		Page: 4/8
Printing	g date: 22.11.2022	Date of issue: 15.03.2022		Version: 2.2.2.2
	Chemical: <i>indicator dye(s)</i>		CAS No.: -	
3.2	Exposure controls Not necessary.			
8.2.1	Respiratory protection Not necessary.			
3.2.2	Skin protection / Hand protection Not necessary.			
3.2.3	Eye / Face Protection Not necessary.			
3.2.4	Skin protection Not necessary.			
3.2.5	Personal hygiene Information not necessary.			
3.2.6	Thermal hazards no data available			
3.3	Limitation and monitoring of e Information not necessary.	nvironmental exposure		
SECT	ION 9: Physical and chemic	cal properties		
9.1	Information on basic physical	and chemical properties		
	E ve veele indicates veres (vefill)			

5 m reels	indicator	paper	(refill)
-----------	-----------	-------	----------

a) State of aggregation:	
b) Colour:	colourless
c) Odor:	red
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
<li>j) Decomposition temperature:</li>	no data available
k) pH value:	no data available
I) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient <sub>(o/w)</sub> :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density <sub>(air=1)</sub> :	no data available
r) Particle size:	no data available

#### 9.2 Other information

Properties relevant to substance groups

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity None
- 10.2 **Chemical stability**

no known instability.



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



CAS No .: -

CAS No.: 9004-34-6

CAS No .: -

# **Safety Data Sheet**

REF: 90511		TRITEST L pH 1 - 11 refill	Page: 5/8	
Printin	g date: 22.11.2022	Date of issue: 15.03.2022	Version: 2.2.2.2	
10.3	Possibility of hazardou	us reactions		
10.4	Conditions to avoid Not known.			
10.5	Incompatible materials Not known.	;		
10.6	6 Hazardous decomposition products In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expira period under recommended conditions.			
SEC	ΓΙΟΝ 11: Toxicologica	al information		
11.1 Information on the hazard classes according regulation (EC) 1272/2008 Following information is valid for pure substances. Quantitative data on the toxicity of this product are not				
	5 m reels indicator pape Chemical: cel		AS No.: 9004-34-6	

Chemical: indicator dye(s) all listed, <1% **TSCA** Inventory:

#### 11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Following information is valid for pure substances.

5 m reels indicator paper (refill) Chemical: *cellulose paper* Water hazard class (DE): r nwg Storage class (VCI): 11

*indicator dye(s)* 12-13 Chemical: Storage class (VCI):

### 12.2 Persistence and degradability not necessary

### 12.3 **Bioaccumulative potential**

not necessary

#### 12.4 Mobility in soil



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90511	TRITEST L pH 1 - 11 refill	Page: 6/8
Printing date: 22.11.2022	Date of issue: 15.03.2022	Version: 2.2.2.2

not necessary

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

- 12.6 Endocrine disrupting properties no data available
- 12.7 Other adverse effects

no additional data available

## **SECTION 13: Disposal considerations**

Not necessary.

### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards none
- 14.6 Special precautions for user not necessary
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

## **SECTION 15: Regulatory information**

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.
- 15.2 Chemical safety assessment

## **SECTION 16: Other information**

- **16.1** Changes compared to the last version in preparation
- 16.2 List of H and P phrases
- 16.2.1 List of relevant H phrases
- 16.2.2 List of relevant P phrases
- 16.3 Recommended restriction on use

### 16.4 Sources of key data

KÜHN, BIRETT leaflets on dangerous working materials

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009 Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress Regulation 453/2010/EU REACH – REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90511	TRITEST L pH 1 - 11 refill	Page: 7/8
Printing date: 22.11.2022	Date of issue: 15.03.2022	Version: 2.2.2.2

TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019 Regulation 878/2020/EU

Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

### **Revisions/Updates**

Reason for revision:

2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 Adjustment of Regulation 487/2013/EU 2016-03 Adjustment of Regulation 1221/2015/EU

2017-11 adaptation of the ECHA registration dossier 2022-11 Adjustment of Regulation 878/2020/EU

## 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

- <b>J</b>			
acc:	according		
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road		
Act:	acute		
BAT:	biological workplace tolerance value		
CAO:	Cargo Aircraft Only		
Carc:	carcinogen		
CAS:	Chemical Abstracts Service		
CLP:	Classification, Labelling and Packaging regulation		
CMR:	carcinogen, mutagen, reproduction toxic		
Corr:	corrosive		
COD:	chemical oxigen demand		
CSCL:	Chemical Substance Control Law (Jp)		
Dam:	damage		
DNEL:	Derived No-Effect Level (for workers)		
derm:	dermal		
dog:	dog		
EC10:	Concentration causing a toxic effect in 10% of the test organisms		
EC:	European Community		
EC-Nr:	Substance number of the EC substance inventory		
EmS:	Guide to accident management measures on ships		
EU:	European Union		
fish:	fish (not spezified)		
GHS:	Global Harmonized System of Classification and Labeling of Chemicals		
gpg:	guinea pig		
ICAO:	International Civil Aviation Organization		
ihl:	inhaled		
IMDG:	International Maritime Dangerous Goods Code		
intrav:	intravenous		
ipt:	intraperitonaeal		
ISHL:	Industrial Safety and Health Law (Jp)		
LC50:	letale concentration 50%		
LD50:	letale dosis 50%		
leuciscus idus			
MAK: maximum workplace concentration			
Met:	Metall		
mus:	mouse		
Muta:	mutagen		
NIOSH:	National Institute for Occupational Safety and Health (US)		
NRD:	Non-rapidly degradable		
onchorhynchus mykiss: fish, rainbow trout			
orl:	oral		
OSHA:	Occupational Safety and Health Administration		
PAX:	transport on passenger planes allowed		
PBT:	persistent, bioaccumulating, toxic substance		
pH:	pH value		
pimephales promelas: fish, fathead minnow			



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

# **MACHEREY-NAGEL**



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90511	TRITEST L pH 1 - 11 refill	Page: 8/8
Printing date: 22.11.2022	Date of issue: 15.03.2022	Version: 2.2.2.2

PNEC: PROC 15:	Predicted No Effected Concentration Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
SCU:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com