according to Regulation (EC) No. 1907/2006 (REACH)

Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03 date of compilation: 03.08.2021 Version: 1.0 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Hematoxylin solution acc. to Delafield 20x

conc. for microscopy

Article number CN03

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

Page 1 / 20 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07, GHS08







Hazard statements

H225 Highly flammable liquid and vapour

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H370 Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat. No smoking

P270 Do not eat, drink or smoke when using this product

P280 Wear protective gloves/protective clothing

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

Hazardous ingredients for labelling: Methanol

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







H370 Causes damage to organs (eye).

P270 Do not eat, drink or smoke when using this product.

contains: Methano

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Malta (en) Page 2 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methanol	CAS No 67-56-1	10 - < 20	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311		GHS-HC IOELV
	EC No 200-659-6		Acute Tox. 3 / H331 STOT SE 1 / H370		
	Index No 603-001-00-X				
	REACH Reg. No 01-2119433307- 44-xxxx				
2-Propanol	CAS No 67-63-0	3-<10	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	<u>(4)</u>	GHS-HC
	EC No 200-661-7		3101 3L 3711330		
	Index No 603-117-00-0				
	REACH Reg. No 01-2119457558- 25-xxxx				

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/FC Appex VI)

2008/EC, Annex VI)
IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _k g 3 ^{mg} / _I /4h	oral dermal inhalation: va- pour

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Malta (en) Page 3 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Nausea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Malta (en) Page 4 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin, eyes and clothes. Avoidance of ignition sources. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Malta (en) Page 5 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Consideration of other advice:

Keep container tightly closed.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	methanol	67-56-1	IOELV	200	260						2006/15/ EC
MT	methanol	67-56-1	OELV	200	260						CAP. 424

Notation

Ceiling value is a limit value above which exposure should not occur

Ceiling-C STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
2-Propanol	67-63-0	DNEL	500 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects

Malta (en) Page 6 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
2-Propanol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				

Relevant PNECs	televant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Methanol	67-56-1	PNEC	20,8 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)				
Methanol	67-56-1	PNEC	2,08 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)				
Methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
Methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)				
Methanol	67-56-1	PNEC	7,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)				
Methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)				
2-Propanol	67-63-0	PNEC	140,9 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)				
2-Propanol	67-63-0	PNEC	140,9 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)				
2-Propanol	67-63-0	PNEC	2.251 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
2-Propanol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)				
2-Propanol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)				
2-Propanol	67-63-0	PNEC	28 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)
Eye/face protection





Use safety goggle with side protection.

Skin protection



Malta (en) Page 7 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour red brown

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling >65 °C

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point 12 °C (Methanol)

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not determined

Kinematic viscosity not determined

Malta (en) Page 8 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

® ROTH

Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density $\sim 1 \, {\rm ^g/_{cm^3}}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Flammable liquids

Sustained combustibility yes, sustained combustion was observed

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkaline earth metal, Acids, Hydrogen peroxide

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

different, plastics

Malta (en) Page 9 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Methanol	67-56-1	oral	100 ^{mg} / _{kg}
Methanol	67-56-1	dermal	300 ^{mg} / _{kg}
Methanol	67-56-1	inhalation: vapour	3 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure	Endpoint	Value	Species
		route			
Methanol	67-56-1	inhalation: va- pour	LC50	131 ^{mg} / _l /4h	rat
Methanol	67-56-1	oral	LD50	5.628 ^{mg} / _{kg}	rat
Methanol	67-56-1	oral	LDLo	143 ^{mg} / _{kg}	human
Methanol	67-56-1	dermal	LD50	15.800 ^{mg} / _{kg}	rabbit
2-Propanol	67-63-0	inhalation: va- pour	LC50	37,5 ^{mg} / _l /4h	rat
2-Propanol	67-63-0	oral	LD50	5.045 ^{mg} / _{kg}	rat
2-Propanol	67-63-0	dermal	LD50	12.800 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Malta (en) Page 10 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

risk of absorption via the skin

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Methanol	67-56-1	LC50	15.400 ^{mg} / _l	fish	96 h				
Methanol	67-56-1	ErC50	22.000 ^{mg} / _l	algae	96 h				
2-Propanol	67-63-0	LC50	9.640 ^{mg} / _l	Pimephales promelas	96 h				

Malta (en) Page 11 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Aquatic toxicity (c	Aquatic toxicity (chronic) of components of the mixture									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time					
2-Propanol	67-63-0	LC50	>10.000 ^{mg} / _l	aquatic invertebrates	24 h					

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Methanol	67-56-1	biotic/abiotic	99 %	30 d			
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA	
2-Propanol	67-63-0	biotic/abiotic	95 %	21 d	modifizierter OECD Screen- ing Test		
2-Propanol	67-63-0	oxygen deple- tion	53 %	5 d		ECHA	

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Methanol	67-56-1		-0,77			
2-Propanol	67-63-0		0,05			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Malta (en) Page 12 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN	number	or ID	number
14.1	UN	number	or in	numbe

ADR/RID/ADN	UN 1992
IMDG-Code	UN 1992
ICAO-TI	UN 1992

14.2 UN proper shipping name

ADR/RID/ADN	FLAMMABLE LIQUID, TOXIC, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, TOXIC, N.O.S.
ICAO-TI	Flammable liquid, toxic, n.o.s.

Technical name (hazardous ingredients) Methanol, 2-Propanol

14.3 Transport hazard class(es)

ADR/RID/ADN	3 (6.1)
IMDG-Code	3 (6.1)
ICAO-TI	3 (6.1)

14.4 Packing group

ADR/RID/ADN	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

Malta (en) Page 13 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Particulars in the transport document UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S.,

(contains: Methanol, 2-Propanol), 3 (6.1), II, (D/E)

Classification code FT1

Danger label(s) 3+6.1



Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 336

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Particulars in the shipper's declaration UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S.,

(contains: Methanol, 2-Propanol), 3 (6.1), II, 12°C

Marine pollutant

Danger label(s) 3+6.1





Special provisions (SP) 274
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category B

Malta (en) Page 14 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, toxic, n.o.s.

Particulars in the shipper's declaration UN1992, Flammable liquid, toxic, n.o.s., (contains:

Methanol, 2-Propanol), 3 (6.1), II

Danger label(s) 3+6.1





Special provisions (SP) А3 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Hematoxylin solution acc. to Delafield	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Methanol	methanol	67-56-1	R69	69
Methanol	flammable / pyrophoric		R40	40
2-Propanol	flammable / pyrophoric		R40	40

Legend

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,
- or both, if they
- can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.

- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-
- ments are met:
 (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage";
 (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

Page 15 / 20 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Legend

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,
- 'whoopee' cushions, silly string aerosols,
- imitation excrement,
- horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight. R69

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Seveso Directive

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes		
22	methanol	500	5.000			

Deco-Paint Directive

743,7 ⁹ / ₁	VOC content	
-----------------------------------	-------------	--

Industrial Emissions Directive (IED)

VOC content	19,2 %
VOC content	932 ^g / _l
VOC content Water content was discounted	743,7 ⁹ / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Page 16 / 20 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
2-Propanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed

Malta (en) Page 17 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Country	Inventory	Status
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AICS CICR CSCL-ENCS DSL ECSI

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) **IECSC**

INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TCSI TSCA

Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

Malta (en) Page 18 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Malta (en) Page 19 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Hematoxylin solution acc. to Delafield 20x conc. for microscopy

article number: CN03

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs (eye).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 20 / 20