acc. to Safe Work Australia - Code of Practice



date of compilation: 2019-11-13

Revision: 2024-03-05

#### Copper(I) chloride ≥97 %, extra pure

article number: **CN81** Version: **GHS 3.0 en** Replaces version of: 2022-07-19 Version: (GHS 2)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance

Article number

CAS number

**Copper(I) chloride** ≥97 %, extra pure

CN81

7758-89-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	ion Hazard class		Hazard class and category	Hazard statement
3.10	D Acute toxicity (oral)		Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.2	3.2 Skin corrosion/irritation		Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

acc. to Safe Work Australia - Code of Practice

#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS05, GHS07



#### **Hazard statements**

H302+H312	Harmful if swallowed or in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/protective clothing

#### **Precautionary statements - response**

P305+P351+P338	IF ON SKIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
P321 P330	lenses, if present and easy to do. Continue rinsing Specific treatment (see on this label) Rinse mouth

#### Precautionary statements - disposal

Dispose of contents/container to industrial combustion plant

#### 2.3 Other hazards

P501

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Copper(I) chloride
Molecular formula	CuCl
Molar mass	98.99 <sup>g</sup> / <sub>mol</sub>
CAS No	7758-89-6



acc. to Safe Work Australia - Code of Practice

### Copper(I) chloride ≥97 %, extra pure

article number: CN81

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Cough, Dyspnoea, Irritation, Risk of blindness, Risk of serious damage to eyes

# **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated:

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.





acc. to Safe Work Australia - Code of Practice



#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Protect against: Direct light irradiation.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Control of effects

#### Protect against external exposure, such as

humidity, light

Consideration of other advice:

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

acc. to Safe Work Australia - Code of Practice

#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling-C

STEL

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

TWA hours time-weighted average (unless otherwise specified)

#### Human health values

Relevant DNELs and other threshold levels								
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects				
DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects				
DNEL	137 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects				

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels									
End- point	Threshold level	Organism	Environmental com- partment	Exposure time						
PNEC	7.8 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)						
PNEC	5.2 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)						
PNEC	230 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)						
PNEC	87 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)						
PNEC	676 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)						
PNEC	65 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)						

acc. to Safe Work Australia - Code of Practice

#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.



acc. to Safe Work Australia - Code of Practice

#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

## **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical pro	operties
	Physical state	solid
	Form	powder
	Colour	light grey
	Odour	odourless
	Melting point/freezing point	423 °C (ECHA)
	Boiling point or initial boiling point and boiling range	1,490 °C at 101.3 kPa (ECHA)
	Flammability	non-combustible
	Lower and upper explosion limit	not determined
	Flash point	not applicable
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	5 (in aqueous solution: 50 <sup>g</sup> / <sub>l</sub> , 20 °C)
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	~ 47 <sup>mg</sup> / <sub>l</sub> at 20 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
	Vapour pressure	not determined
	Density and/or relative density	
	Density	~ 4.14 <sup>g</sup> / <sub>cm³</sub> (ECHA)
	Relative vapour density	Information on this property is not available.
	Bulk density	~ 1,400 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.



acc. to Safe Work Australia - Code of Practice



#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Danger of explosion:** Acetylene, **Violent reaction with:** Alkali metals, Nitric acid, strong oxidiser

#### **10.4 Conditions to avoid** UV-radiation/sunlight. Humidity.

**10.5 Incompatible materials** There is no additional information.

### **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Classification acc. to GHS**

#### Acute toxicity

Harmful if swallowed. Harmful in contact with skin.

#### Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	336 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	1,224 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

acc. to Safe Work Australia - Code of Practice

#### Copper(I) chloride ≥97 %, extra pure

#### article number: CN81

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, nausea

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

cough, Dyspnoea

#### • If on skin

causes skin irritation

#### • Other information

Liver and kidney damage

#### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### SECTION 12: Ecological information

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)							
	Endpoint	Value	Species	Source	Exposure time		
	LC50	38.4 <sup>µg</sup> / <sub>l</sub>	fish	ECHA	96 h		

# **12.2 Persistence and degradability** Data are not available.

Data are not available.

**12.3 Bioaccumulative potential** Data are not available.

#### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .



acc. to Safe Work Australia - Code of Practice



#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

H8 Corrosives

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

14.1	UN number		
	UN RTDG	UN 2802	
	IMDG-Code	UN 2802	
	ICAO-TI	UN 2802	
14.2	UN proper shipping name		
	UN RTDG	COPPER CHLORIDE	
	IMDG-Code	COPPER CHLORIDE	
	ICAO-TI	Copper chloride	
14.3	Transport hazard class(es)		
14.3	Transport hazard class(es) UN RTDG	8	
14.3	•	8 8	
14.3	UN RTDG	-	
14.3	UN RTDG IMDG-Code	8	
	UN RTDG IMDG-Code ICAO-TI	8	
	UN RTDG IMDG-Code ICAO-TI Packing group	8 8	

acc. to Safe Work Australia - Code of Practice



#### Copper(I) chloride ≥97 %, extra pure

article number: CN81

article	e number: CN81		
14.5	Environmental hazards	hazardous to the aquatic environment	
14.6	Special precautions for user		
	There is no additional information.		
14.7	Transport in bulk according to IMO instrument	S	
	The cargo is not intended to be carried in bulk.		
14.8	Information for each of the UN Model Regulations		
	Transport informationNational regulationsAdditional information(UN RTDG)		
	UN number	2802	
	Class	8	
	Environmental hazards	Yes Hazardous to the aquatic environment	
	Packing group	III	
	Danger label(s)	8 Fish and tree	
	Special provisions (SP)	- UN RTDG	
	Excepted quantities (EQ)	E1 UN RTDG	
	Limited quantities (LQ)	500 g UN RTDG	
	Emergency Action Code	2X	
	International Maritime Dangerous Goods Code (IMDG) - Additional information		
	Proper shipping name	COPPER CHLORIDE	
	Particulars in the shipper's declaration	UN2802, COPPER CHLORIDE, 8, III, MARINE POL- LUTANT	
	Marine pollutant	yes (P) (hazardous to the aquatic environment)	
	Danger label(s)	8, "Fish and tree"	
	Excepted quantities (EQ)	E1	
	Limited quantities (LQ)	500 g	
	EmS	F-A, <u>S-B</u>	
	Stowage category	A	
	Segregation group	1 - Acids	

acc. to Safe Work Australia - Code of Practice

#### Copper(I) chloride ≥97 %, extra pure

article number: CN81



International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Copper chloride	
Particulars in the shipper's declaration	UN2802, Copper chloride, 8, III	
Environmental hazards	<b>YES</b> (hazardous to the aquatic environment)	
Danger label(s)	8	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	5 kg	

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

#### National regulations(Australia)

#### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC CSCL-ENCS DSL ECSI IECSC INSQ

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

acc. to Safe Work Australia - Code of Practice

### Copper(I) chloride ≥97 %, extra pure



#### article number: CN81

Legend	
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

acc. to Safe Work Australia - Code of Practice



### Copper(I) chloride ≥97 %, extra pure

#### article number: CN81

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.