according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: **CN85** Version: **3.0 en** Replaces version of: 2022-01-10 Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**CN85** 

236-751-8

7784-27-2

01-2119979577-14-xxxx

Laboratory chemical

Laboratory and analytical use

# 1.1 Product identifier

Article number

Identification of the substance

Registration number (REACH)

EC number

CAS number

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

**Aluminium nitrate nonahydrate** ≥ 98%, p.a.

## **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

# e-mail (competent person):

# sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

date of compilation: 2016-07-04 Revision: 2024-03-03

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Aluminium nitrate nonahydrate ≥ 98%, p.a.

#### article number: CN85

For full text of abbreviations: see SECTION 16

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS03, GHS07



### **Hazard statements**

H272	May intensify fire; oxidiser
H315	Causes skin irritation
H319	Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P220	Keep/store away from combustible materials
P280	Wear protective gloves/protective clothing

#### **Precautionary statements - response**

P302+P352	IF ON SKIN: Wash with plenty of water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



# 2.3 Other hazards

## **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance Molecular formula Molar mass REACH Reg. No

Aluminium nitrate nonahydrate Al(NO<sub>3</sub>)<sub>3</sub> · 9 H<sub>2</sub>O 375,1 <sup>g</sup>/<sub>mol</sub> 01-2119979577-14-xxxx

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Aluminium nitrate nonahydrate ≥ 98%, p.a.

#### article number: CN85

CAS No	7784-27-2
EC No	236-751-8

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

# **4.2 Most important symptoms and effects, both acute and delayed** Irritation

**4.3 Indication of any immediate medical attention and special treatment needed** none

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

## Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: CN85

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

#### Consideration of other advice:

#### **Ventilation requirements**

Use local and general ventilation.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: CN85

# 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## National limit values

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 'minute period (unless otherwise specified)

STELShort-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-<br/>minute period (unless otherwise specified)TWATime-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8<br/>hours time-weighted average (unless otherwise specified)

### Human health values

### **Relevant DNELs and other threshold levels**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,34 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0,0003 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,00003 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)			
PNEC	0,001 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release			
PNEC	20 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	0,0025 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	0,00025 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	0,00032 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: CN85

#### 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: CN85

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties				
	Physical state	solid			
	Form	crystalline			
	Colour	colourless			
	Odour	faintly perceptible			
	Melting point/freezing point	73 °C (Release of crystal water)			
	Boiling point or initial boiling point and boiling range	135 °C			
	Flammability	non-combustible			
	Lower and upper explosion limit	not determined			
	Flash point	not applicable			
	Auto-ignition temperature	not determined			
	Decomposition temperature	>135 °C			
	pH (value)	2 – 4 (in aqueous solution: 50 <sup>g</sup> / <sub>l</sub> , 20 °C)			
	Kinematic viscosity	not relevant			
	Solubility(ies)				
	Water solubility	~41,9 <sup>g</sup> / <sub>l</sub> at 20 °C			
	Partition coefficient				
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)			
	Vapour pressure	not determined			
	Density and/or relative density				
	Density	1,72 <sup>g</sup> / <sub>cm³</sub> at 20 °C			
	Relative vapour density	Information on this property is not available.			
	Bulk density	900 – 1.100 <sup>kg</sup> / <sub>m³</sub>			
	Particle characteristics	No data available.			
	Other safety parameters				
	Oxidising properties	oxidiser			
9.2	Other information				
	Information with regard to physical hazard classes:	There is no additional information.			
	Other safety characteristics:	There is no additional information.			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: CN85

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

It's a reactive substance. Oxidising property.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Danger of explosion: Combustible materials, Metal powder, Sulphur

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >135 °C.

# 10.5 Incompatible materials

There is no additional information.

## **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Shall not be classified as acutely toxic.

### Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3.671 <sup>mg</sup> / <sub>kg</sub>	rat		TOXNET

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: CN85

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.

## • If in eyes

Causes serious eye irritation

## • If inhaled

Data are not available.

#### • If on skin

causes skin irritation

### Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# 11.3 Information on other hazards

There is no additional information.

# SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# 12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Aluminium nitrate nonahydrate ≥ 98%, p.a.



#### article number: CN85

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant skin irritation and eye damage

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADRRID	UN 1438
	IMDG-Code	UN 1438
	ICAO-TI	UN 1438
14.2	UN proper shipping name	
	ADRRID	ALUMINIUM NITRATE
	IMDG-Code	ALUMINIUM NITRATE
	ICAO-TI	Aluminium nitrate
14.3	Transport hazard class(es)	
	ADRRID	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Aluminium nitrate nonahydrate ≥ 98%, p.a.

article number: CN85

- **14.5** Environmental hazardsnon-environmentally hazardous acc. to the dan-<br/>gerous goods regulations
- 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

**14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carri information	age of Dangerous Goods by Road (ADR)Additional
Proper shipping name	ΔΙ ΠΜΙΝΙΙ ΙΜ ΝΙΤΡΔΤΕ

Proper shipping name	ALUMINIUM NITRATE
Particulars in the transport document	UN1438, ALUMINIUM NITRATE, 5.1, III, (E)
Classification code	02
Danger label(s)	5.1
<b>0</b> 51	
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	50
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional
Classification code	02
Danger label(s)	5.1
5.	
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Hazard identification No	50
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	ALUMINIUM NITRATE
Particulars in the shipper's declaration	UN1438, ALUMINIUM NITRATE, 5.1, III
Marine pollutant	-
Danger label(s)	5.1
Special provisions (SP)	-

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Aluminium nitrate nonahydrate ≥ 98%, p.a.

article	number:	<b>CN85</b>
---------	---------	-------------

Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-Q
Stowage category	A
International Civil Aviation Organization (ICAO-	ATA/DGR) - Additional information
Proper shipping name	Aluminium nitrate
Particulars in the shipper's declaration	UN1438, Aluminium nitrate, 5.1, III
Danger label(s)	5.1
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with re	estrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Aluminium nitrate nonahydrate	substances in tattoo inks and perman- ent make-up		R75	75
<ul> <li>stances shall not be used for tat are present in the following circ.</li> <li>(a) in the case of a substance cla 1A, 1B or 2, or germ cell mutage equal to or greater than 0,0009</li> <li>(b) in the case of a substance cla category 1A, 1B or 2, the substance is greater than 0,0009</li> <li>(c) in the case of a substance cla egory 1, 1A or 1B, the substance cla egory 1, 1A or 1B, the substance cla egory 1, 1A, 1B or 1C or skin irrif substance is present in the mixt (i) 0, 1% by weight, if the substance (ii) 0,01% by weight, if the substance is mixture in a concentration equa (f) in the case of a substance for (Product type, Body parts) of the mixture in a concentration equa (ii) "Not to be used in products";</li> <li>(iii) "Not to be used in eye produ (g) in the case of a substance for preparation) or column i (Other) the mixture in a concentration, of (h) in the case of a substance for preparation) or column i (Other) the mixture in a concentration, of (h) in the case of a substance for preparation or column i (Other) the mixture in a concentration, of (h) in the case of a substance for preparation or column i (Other) the mixture in a concentration, of (h) in the case of a substance list tration equal to or greater than 2. For the purposes of this entry ture into a person's skin, mucou monly referred to as permanent making a mark or design on his</li> </ul>	ssified in Part 3 of Annex VI to Regulation in category 1A, 1B or 2, the substance is p 5% by weight; ssified in Part 3 of Annex VI to Regulation nce is present in the mixture in a concentu ssified in Part 3 of Annex VI to Regulation is present in the mixture in a concentration e is present in the mixture in a concentration ssified in Part 3 of Annex VI to Regulation tant category 2, or as serious eye damage ure in a concentration equal to or greater nce is used solely as a pH regulator; cases; ted in Annex II to Regulation (EC) No 1223 I to or greater than 0,00005 % by weight; which a condition of one or more of the fe table in Annex IV to Regulation (EC) No 1 I to or greater than 0,00005 % by weight; which a condition is specified in column of the table in Annex IV to Regulation (EC) No 1 I to or greater than 0,00005 % by weight: upplied on mucous membranes"; icts"; r which a condition is specified in column of the table in Annex IV to Regulation (EC) of the table in Annex IV to Regulation for the table in Annex IV to Regulation for the table in Annex IV to Regulation for some other way, that does not accor- ted in Appendix 13 to this Annex, the subs the concentration limit specified for that s use of a mixture "for tattooing purposes" s membrane or eyeball, by any process or in ake-up, cosmetic tattooing, micro-blad	ne substance of (EC) No 1272/ resent in the n (EC) No 1272/ ration equal to (EC) No 1272/ on equal to or (EC) No 1272/ category 1 or than: /2009 (*1), the following kinds 223/2009, the h (Maximum cc 2) No 1223/200 d with the con- stance is prese substance in th means injection procedure (in ing and micro-	or substances in ques 2008 as carcinogen of nixture in a concentr 2008 as reproductive or greater than 0,00 2008 as skin sensitist greater than 0,001 9 2008 as skin corrosiv eye irritant category e substance is present s is specified in colum substance is present oncentration in read 19, the substance is p dition specified in the nt in the mixture in a nat Appendix. on or introduction of icluding procedures -pigmentation), with	tion is of category ation e toxical to

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Aluminium nitrate nonahydrate ≥ 98%, p.a.



#### article number: CN85



concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment chall for the purpose of applying this entry that substances have be treated as: graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made. 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;  $\dot{(c)}$  the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredients the process of the process of the label in accordance with Regulation (EC) No 1272/2008, that ingredients at the time process of the process of the label in accordance with Regulation (EC) No 1272/2008, that ingredients at the time process of the process of the label in accordance with Regulation (EC) No 1272/2008, that ingredients at the time process of the process of the label in accordance with Regulation (EC) No 1272/2008, that ingredients at the time process of the process of th ent does not need to be marked in accordance with this Regulation; (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13; (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008. The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for 9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8). 10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively. List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quirer		Notes				
P8	oxidising liquids and solids	50	200	55)				

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Aluminium nitrate nonahydrate ≥ 98%, p.a.

#### article number: CN85

Deco-Paint Directive				
VOC content	0 %			
VOC content	0 <sup>g</sup> / <sub>l</sub>			

### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Aluminium nitrate nonahydrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
Aluminium nitrate nonahydrate	Metals and their compounds		a)	

Legend

a) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

## Regulation on substances that deplete the ozone layer (ODS)

not listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

## **Regulation on persistent organic pollutants (POP)**

not listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Aluminium nitrate nonahydrate $\geq$ 98%, p.a.

#### article number: CN85

National inventorie	l inventorie	i	nal	io	at	Ν
---------------------	--------------	---	-----	----	----	---

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

#### Legend

AIIC ECSI

Australian Inventory of Industrial Chemicals EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China Korea Existing Chemicals Inventory National Chemical Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Chemical Substance Inventory IECSC KECI

NCI

NZIOC PICCS

TCSI

#### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: O2	yes
14.8		Danger label(s): 5.1	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC): 3	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# Aluminium nitrate nonahydrate ≥ 98%, p.a.

# article number: CN85

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Hazard identification No: 50	yes
15.1	VOC content: 0 % , 0 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes
15.1		VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Aluminium nitrate nonahydrate ≥ 98%, p.a.

## article number: CN85

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.