

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: **CP22**  
Version: **2.0 en**  
Replaces version of: 2017-07-31  
Version: (1)

date of compilation: 2017-07-31  
Revision: 2020-02-13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Nickel powder</b>
Article number	CP22
Registration number (REACH)	01-2119438727-29-xxxx
Index No	028-002-01-4
EC number	231-111-4
CAS number	7440-02-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical  
laboratory and analytical use

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	<a href="https://www.poisons.ie/">https:// www.poisons.ie/</a>

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.4S	skin sensitisation	(Skin Sens. 1)	H317
3.6	carcinogenicity	(Carc. 2)	H351

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: CP22

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.9	specific target organ toxicity - repeated exposure	(STOT RE 1)	H372
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 3)	H412

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS07, GHS08



#### Hazard statements

H317 May cause an allergic skin reaction  
H351 Suspected of causing cancer  
H372 Causes damage to organs (respiratory system, skin) through prolonged or repeated exposure  
H412 Harmful to aquatic life with long lasting effects

#### Precautionary statements

##### Precautionary statements - prevention

P260 Do not breathe dust.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

##### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

For professional users only

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H372 Causes damage to organs (respiratory system, skin) through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.  
P260 Do not breathe dust.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel powder ≥99 %, <63 μm**

article number: **CP22**

## 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Nickel powder
Index No	028-002-01-4
Registration number (REACH)	01-2119438727-29-xxxx
EC number	231-111-4
CAS number	7440-02-0
Molecular formula	Ni
Molar mass	58,69 g/mol

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Nickel powder  $\geq 99\%$ ,  $< 63\ \mu\text{m}$

article number: CP22

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Danger of dust explosion.

#### Hazardous combustion products

in case of fire and/or explosion do not breathe fumes

### 5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes. Use personal protective equipment as required.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Nickel powder  $\geq 99\%$ ,  $< 63\ \mu\text{m}$

article number: CP22

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid dust formation. Provide adequate ventilation as well as local exhaustion at critical locations.

#### • Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

##### • Ventilation requirements

Use local and general ventilation.

##### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA [mg/m <sup>3</sup> ]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Source
IE	dusts non-specific		i	OELV	10				S.I. No. 619 of 2001
IE	dusts non-specific		r	OELV	4				S.I. No. 619 of 2001
IE	nickel	7440-02-0		OELV	0,5				S.I. No. 619 of 2001

#### Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur
i	Inhalable fraction
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: CP22

### Relevant DNELs/DMELs/PNECs and other threshold levels

#### • human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	11,9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

#### • environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	7,1 $\mu\text{g}/\text{l}$	freshwater	short-term (single instance)
PNEC	8,6 $\mu\text{g}/\text{l}$	marine water	short-term (single instance)
PNEC	0,33 $\text{mg}/\text{l}$	sewage treatment plant (STP)	short-term (single instance)
PNEC	109 $\text{mg}/\text{kg}$	freshwater sediment	short-term (single instance)
PNEC	109 $\text{mg}/\text{kg}$	marine sediment	short-term (single instance)
PNEC	29,9 $\text{mg}/\text{kg}$	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

$> 0,11\ \text{mm}$

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: **CP22**

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid (powder)
Colour	silver grey
Odour	odourless
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	1.455 °C
Initial boiling point and boiling range	2.832 °C
Flash point	not applicable
Evaporation rate	no data available
Flammability (solid, gas)	These information are not available

#### Explosive limits

• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available

Vapour pressure	This information is not available.
Density	8,9 g/cm <sup>3</sup> at 25 °C
Vapour density	This information is not available.
Bulk density	~ 1.600 – 2.600 kg/m <sup>3</sup>
Relative density	Information on this property is not available.

#### Solubility(ies)

Water solubility	insoluble (< 1 mg/l)
------------------	----------------------

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: **CP22**

### Partition coefficient

n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	no data available
Viscosity	not relevant (solid matter)
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

### 9.2 Other information

There is no additional information.

Particle size  $< 63\ \mu\text{m}$

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Dust explosibility. Danger of spontaneous combustion.

### 10.2 Chemical stability

Reactivity if exposed to air.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Hydrazine, Perchlorates, Oxidisers, Sulphur, Selenium, Solvents, Alcohols, Halogenated hydrocarbons, Nitrate

### 10.4 Conditions to avoid

Do not allow contact with air. Keep away from heat.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	$> 9.000\ \text{mg}/\text{kg}$	rat	ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause sensitization by skin contact.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel powder ≥99 %, <63 µm**

article number: **CP22**

## Summary of evaluation of the CMR properties

### Carcinogenicity:

Suspected of causing cancer

#### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### • Specific target organ toxicity - repeated exposure

Causes damage to organs (respiratory system, skin) through prolonged or repeated exposure.

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

data are not available

#### • If in eyes

data are not available

#### • If inhaled

Inhalation of dust may cause irritation of the respiratory system

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation, Allergic reactions

### Other information

None

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	15,3 mg/l	fish	ECHA	96 h

#### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Endpoint	Value	Species	Source	Exposure time
EC50	≤108 µg/l	aquatic invertebrates	ECHA	21 d
NOEC	0,057 mg/l	fish	ECHA	32 d
growth (EbCx) 10%	404,3 µg/l	aquatic invertebrates	ECHA	10 d

### 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

BCF

45 (ECHA)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel powder ≥99 %, <63 µm**

article number: **CP22**

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

- |      |   |  |
|------|---|--|
| 14.1 | UN number   | (not subject to transport regulations)                                       |
| 14.2 | UN proper shipping name   | not relevant   |
| 14.3 | Transport hazard class(es)  | not relevant   |
|      | Class   | -  |
| 14.4 | Packing group   | not relevant not assigned to a packing group                                 |
| 14.5 | Environmental hazards   | none (non-environmentally hazardous acc. to the dangerous goods regulations) |
| 14.6 | <b>Special precautions for user</b>   |  |
|      |   | There is no additional information.  |
| 14.7 | <b>Transport in bulk according to Annex II of MARPOL and the IBC Code</b>             |  |
|      |   | The cargo is not intended to be carried in bulk.                             |
| 14.8 | <b>Information for each of the UN Model Regulations</b>                               |  |
|      | • <b>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)</b> |  |
|      |   | Not subject to ADR, RID and ADN.   |
|      | • <b>International Maritime Dangerous Goods Code (IMDG)</b>                           |  |
|      |   | Not subject to IMDG.   |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Nickel powder  $\geq 99\%$ ,  $< 63\ \mu\text{m}$

article number: CP22

- **International Civil Aviation Organization (ICAO-IATA/DGR)**

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

Name of substance	CAS No	Wt%	Type of registration	Conditions of restriction	No
Nickel powder	7440-02-0	100	1907/2006/EC annex XVII	R27	27

#### Legend

R27

1. Shall not be used:

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than  $0,2\ \mu\text{g}/\text{cm}^2/\text{week}$  (migration limit);

(b) in articles intended to come into direct and prolonged contact with the skin such as:

- earrings,

- necklaces, bracelets and chains, anklets, finger rings,

- wrist-watch cases, watch straps and tighteners,

- rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,

if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than  $0,5\ \mu\text{g}/\text{cm}^2/\text{week}$ .

(c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed  $0,5\ \mu\text{g}/\text{cm}^2/\text{week}$  for a period of at least two years of normal use of the article.

2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the requirements set out in that paragraph.

3. The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for demonstrating the conformity of articles to paragraphs 1 and 2.

Name acc. to inventory	CAS No	Wt%	Listed in	Remarks
nickel	7440-02-0	100	Annex X	

#### Legend

annex X

List of priority substances in the field of water policy

- **Restrictions according to REACH, Title VIII**

None.

- **List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list**

not listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Nickel powder  $\geq 99\%$ ,  $< 63\ \mu\text{m}$

article number: CP22

## • Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

## • Directive 75/324/EEC relating to aerosol dispensers

Filling batch

Deco-Paint Directive (2004/42/EC)

VOC content	0 % 0 g/l
-------------	--------------

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
VOC content	0 g/l

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Name of substance	CAS No	Remarks	Threshold for re-releases to air (kg/year)	Threshold for re-releases to water (kg/year)	Threshold for re-releases to land (kg/year)
Nickel powder	7440-02-0	(8)	50	20	20

Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

Name acc. to inventory	CAS No	Listed in	Remarks
nickel	7440-02-0	Annex X	

Legend

annex X

List of priority substances in the field of water policy

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

National inventories

Substance is listed in the following national inventories:

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: **CP22**

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Registration number (REACH): This information is not available.	Registration number (REACH): 01-2119438727-29-xxxx	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: CP22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
8.1		• environmental values: change in the listing (table)	yes
14.4	Packing group: not relevant	Packing group: not relevant not assigned to a packing group	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel powder $\geq 99\%$ , $< 63\ \mu\text{m}$

article number: **CP22**

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	short-term exposure limit
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H317	may cause an allergic skin reaction
H351	suspected of causing cancer
H372	causes damage to organs (respiratory system, skin) through prolonged or repeated exposure
H412	harmful to aquatic life with long lasting effects

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.