

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**  
Version: **3.0 en**  
Replaces version of: 2020-11-03  
Version: (2)

date of compilation: 2015-06-24  
Revision: 2020-11-04

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Aniline phthalate spray solution** for TLC  
Article number CP35  
Registration number (REACH) not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical  
laboratory and analytical use

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	<a href="https://www.poisons.ie/">https://www.poisons.ie/</a>

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.6	flammable liquid	(Flam. Liq. 2)	H225
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	(STOT SE 3)	H336
3.9	specific target organ toxicity - repeated exposure	(STOT RE 2)	H373

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains Aniline. May produce an allergic reaction

### The most important adverse physicochemical, human health and environmental effects

Narcotic effects.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

Danger

#### Pictograms

GHS02, GHS07,  
GHS08



#### Hazard statements

H225 Highly flammable liquid and vapour  
H319 Causes serious eye irritation  
H336 May cause drowsiness or dizziness  
H373 May cause damage to organs through prolonged or repeated exposure

#### Precautionary statements

##### Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves/eye protection.

##### Precautionary statements - response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Supplemental hazard information

EUH208 Contains Aniline. May produce an allergic reaction.

**Hazardous ingredients for labelling:** Aniline, 2-Propanol

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

EUH208 Contains Aniline. May produce an allergic reaction.  
contains: Aniline, 2-Propanol

### 2.3 Other hazards










There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Description of the mixture

Composition/information on ingredients.

Name of substance	Identifier	wt %	Classification acc. to 1272/2008/EC	Pictograms	Notes	Specific Conc. Limits
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 REACH Reg. No 01-2119457610-43-xxxx	35 – < 55	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	 	GHS-HC IARC: 1	
2-Propanol	CAS No 67-63-0 EC No 200-661-7 Index No 603-117-00-0 REACH Reg. No 01-2119457558-25-xxxx	35 – < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	 	GHS-HC	
Phthalic acid	CAS No 88-99-3 EC No 201-873-2 REACH Reg. No 01-2119539411-46-xxxx	1 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335			
Aniline	CAS No 62-53-3 EC No 200-539-3 Index No 612-008-00-7 REACH Reg. No 01-2119451454-41-xxxx	0,2 – < 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 2 / H351 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	   	GHS-HC IOELV	STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 %

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)  
IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)  
IOELV: Substance with a community indicative occupational exposure limit value

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Wash with plenty of soap and water. In case of skin reactions, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Do not induce vomiting. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Dizziness, Drowsiness, Narcosis

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

#### Hazardous combustion products

May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



##### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

#### 6.3 Methods and material for containment and cleaning up

##### Advice on how to contain a spill

Covering of drains.

##### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

##### • Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

##### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a cool place.

##### Incompatible substances or mixtures

Observe hints for combined storage.

##### Consideration of other advice

Ground/bond container and receiving equipment.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### • Ventilation requirements

Use local and general ventilation.

### • Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C.

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Source
EU	aniline	62-53-3	skin	IOELV	2	7,74	5	19,35			2019/1831/EU
IE	aniline	62-53-3		OELV	1	3,8					S.I. No. 619 of 2001
IE	ethanol	64-17-5		OELV			1.000				S.I. No. 619 of 2001
IE	isopropyl alcohol	67-63-0		OELV	200		400				S.I. No. 619 of 2001

#### Notation

**Ceiling-C skin** Ceiling value is a limit value above which exposure should not occur  
A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through the skin

**STEL** Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

**TWA** Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs/DMELs/PNECs and other threshold levels

##### • relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ethanol	64-17-5	DNEL	1.900 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	DNEL	950 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
2-Propanol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
2-Propanol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Phthalic acid	88-99-3	DNEL	175 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Phthalic acid	88-99-3	DNEL	10 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Phthalic acid	88-99-3	DNEL	10 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Phthalic acid	88-99-3	DNEL	25 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aniline	62-53-3	DNEL	7,7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Aniline	62-53-3	DNEL	15,4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Aniline	62-53-3	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aniline	62-53-3	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

### • relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Ethanol	64-17-5	PNEC	0,79 mg/cm <sup>3</sup>	marine water	intermittent release
Ethanol	64-17-5	PNEC	2,75 mg/cm <sup>3</sup>	air	intermittent release
Ethanol	64-17-5	PNEC	3,6 mg/cm <sup>3</sup>	freshwater sediment	intermittent release
Ethanol	64-17-5	PNEC	580 mg/cm <sup>3</sup>	sewage treatment plant (STP)	intermittent release
Ethanol	64-17-5	PNEC	0,63 mg/cm <sup>3</sup>	soil	intermittent release
Ethanol	64-17-5	PNEC	0,96 mg/cm <sup>3</sup>	freshwater	intermittent release
2-Propanol	67-63-0	PNEC	140,9 mg/l	freshwater	short-term (single instance)
2-Propanol	67-63-0	PNEC	140,9 mg/l	marine water	short-term (single instance)
2-Propanol	67-63-0	PNEC	2.251 mg/l	sewage treatment plant (STP)	short-term (single instance)
2-Propanol	67-63-0	PNEC	552 mg/kg	freshwater sediment	short-term (single instance)
2-Propanol	67-63-0	PNEC	552 mg/kg	marine sediment	short-term (single instance)
2-Propanol	67-63-0	PNEC	28 mg/kg	soil	short-term (single instance)
Phthalic acid	88-99-3	PNEC	1 mg/l	freshwater	short-term (single instance)
Phthalic acid	88-99-3	PNEC	0,1 mg/l	marine water	short-term (single instance)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Phthalic acid	88-99-3	PNEC	21,3 mg/l	sewage treatment plant (STP)	short-term (single instance)
Phthalic acid	88-99-3	PNEC	3,8 mg/kg	freshwater sediment	short-term (single instance)
Phthalic acid	88-99-3	PNEC	0,38 mg/kg	marine sediment	short-term (single instance)
Phthalic acid	88-99-3	PNEC	0,173 mg/kg	soil	short-term (single instance)
Aniline	62-53-3	PNEC	0,001 mg/l	freshwater	short-term (single instance)
Aniline	62-53-3	PNEC	0 mg/l	marine water	short-term (single instance)
Aniline	62-53-3	PNEC	2 mg/l	sewage treatment plant (STP)	short-term (single instance)
Aniline	62-53-3	PNEC	0,153 mg/kg	freshwater sediment	short-term (single instance)
Aniline	62-53-3	PNEC	0,015 mg/kg	marine sediment	short-term (single instance)
Aniline	62-53-3	PNEC	0,033 mg/kg	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

Butyl caoutchouc (butyl rubber)

#### • material thickness

>0,5 mm



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

### Splash protection - Protective gloves

- **Type of material**

NBR (Nitrile rubber).

- **Material thickness**

>0,3 mm.

- **Breakthrough times of the glove material**

>120 minutes (permeation: level 4).

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	like: alcohol
Odour threshold	no data available

#### Other physical and chemical parameters

pH (value)	this information is not available
Melting point/freezing point	-114 °C (data apply to the main component)
Initial boiling point and boiling range	78 °C at 1.013 hPa (data apply to the main component)
Flash point	>12 °C (data apply to the main component)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	2 vol% (50 g/m <sup>3</sup> ) (data apply to the main component)
• upper explosion limit (UEL)	27,7 vol% (330 g/m <sup>3</sup> ) (data apply to the main component)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

Explosion limits of dust clouds	not relevant
Vapour pressure	this information is not available
Density	0,79 g/cm <sup>3</sup>
Vapour density	this information is not available
Bulk density	Not applicable
Relative density	this information is not available
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	425 °C - (data apply to the main component)
Decomposition temperature	no data available
Viscosity	not determined
Explosive properties	Shall not be classified as explosive.
Oxidising properties	none
<b>9.2 Other information</b>	
Temperature class (EU, acc. to ATEX)	T2 (Maximum permissible surface temperature on the equipment: 300°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Risk of ignition. Vapours can form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Alkaline earth metal, Perchlorates, Peroxides, Nitric acid, Strong oxidiser, Hydrogen peroxide, Permanganates, for example potassium permanganate

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

different plastics

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Shall not be classified as acutely toxic.

##### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Aniline	62-53-3	oral	100 mg/kg
Aniline	62-53-3	dermal	300 mg/kg
Aniline	62-53-3	inhalation: vapour	3 mg/l/4h

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

##### • Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

##### • Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

##### Symptoms related to the physical, chemical and toxicological characteristics

##### • If swallowed

vomiting, nausea, Causes damage to liver through prolonged or repeated exposure if swallowed

##### • If in eyes

Causes serious eye irritation

##### • If inhaled

drowsiness, dizziness

##### • If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation)

##### Other information

Other adverse effects: Headache, Vertigo

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### SECTION 12: Ecological information

#### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

##### Aquatic toxicity (acute)

##### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	LC50	8.140 mg/l	orfe (Leuciscus idus)	96 h
Ethanol	64-17-5	EC50	9.000 – 14.000 mg/l	daphnia magna	48 h
2-Propanol	67-63-0	LC50	9.640 mg/l	Pimephales promelas	96 h
Phthalic acid	88-99-3	EC50	>640 mg/l	aquatic invertebrates	48 h
Aniline	62-53-3	LC50	10,6 mg/l	fish	96 h
Aniline	62-53-3	EC50	0,16 mg/l	aquatic invertebrates	48 h
Aniline	62-53-3	ErC50	175 mg/l	algae	72 h

##### Aquatic toxicity (chronic)

##### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-Propanol	67-63-0	LC50	>10.000 mg/l	aquatic invertebrates	24 h
Phthalic acid	88-99-3	EC50	213 mg/l	microorganisms	16 h
Aniline	62-53-3	EC50	0,044 mg/l	aquatic invertebrates	21 d

#### 12.2 Process of degradability

Data are not available.

##### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Ethanol	64-17-5	biotic/abiotic	94 %	d
2-Propanol	67-63-0	biotic/abiotic	95 %	21 d
2-Propanol	67-63-0	oxygen depletion	53 %	5 d
Phthalic acid	88-99-3	oxygen depletion	74 %	30 d
Aniline	62-53-3	oxygen depletion	70 %	15 d
Aniline	62-53-3	DOC removal	100 %	5 d

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Ethanol	64-17-5		-0,31	
2-Propanol	67-63-0		0,05	
Phthalic acid	88-99-3	3,16	0,73 (pH value: 1)	
Aniline	62-53-3	2,6	0,91 (pH value: 7,5, 25 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# Safety data sheet



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### SECTION 14: Transport information

<b>14.1</b>	UN number	<b>1993</b>
<b>14.2</b>	UN proper shipping name Hazardous ingredients	<b>FLAMMABLE LIQUID, N.O.S.</b> Ethanol, Aniline
<b>14.3</b>	Transport hazard class(es)	
	Class	3 (flammable liquids)
<b>14.4</b>	Packing group	II (substance presenting medium danger)
<b>14.5</b>	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
<b>14.6</b>	<b>Special precautions for user</b>	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7</b>	<b>Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
	The cargo is not intended to be carried in bulk.	
<b>14.8</b>	<b>Information for each of the UN Model Regulations</b>	
	<b>• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)</b>	
	UN number	1993
	Proper shipping name	FLAMMABLE LIQUID, N.O.S.
	Particulars in the transport document	UN1993, FLAMMABLE LIQUID, N.O.S., (contains: Ethanol, Aniline), 3, II, (D/E), special provision 640D Special provision 640D
	Class	3
	Classification code	F1
	Packing group	II
	Danger label(s)	3
		
	Special provisions (SP)	274, 601, 640D
	Excepted quantities (EQ)	E2
	Limited quantities (LQ)	1 L
	Transport category (TC)	2
	Tunnel restriction code (TRC)	D/E
	Hazard identification No	33
	<b>• International Maritime Dangerous Goods Code (IMDG)</b>	
	UN number	1993
	Proper shipping name	FLAMMABLE LIQUID, N.O.S.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

Particulars in the shipper's declaration	UN1993, FLAMMABLE LIQUID, N.O.S., (contains: Ethanol, Aniline), 3, II, >12°C c.c.
Class	3
Marine pollutant	-
Packing group	II
Danger label(s)	3
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, <u>S-E</u>
Stowage category	B
<b>• International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	1993
Proper shipping name	Flammable liquid, n.o.s.
Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (contains: Ethanol, Aniline), 3, II
Class	3
Packing group	II
Danger label(s)	3
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients are listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

None of the ingredients are listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

None of the ingredients are listed.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### • Restrictions according to REACH, Annex XVII

Name of substance	Type of registration	Conditions of restriction	No
Aniline phthalate spray solution	1907/2006/EC annex XVII	R3	3
Ethanol	1907/2006/EC annex XVII	R40	40
2-Propanol	1907/2006/EC annex XVII	R40	40

#### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

R40

- Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
  - metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopie' cushions,
  - silly string aerosols,
  - imitation excrement,
  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
- Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
  - 'For professional users only'.
- By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Name acc. to inventory	CAS No	Wt%	Listed in	Remarks
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		0,9	A)	



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

Name acc. to inventory	CAS No	Wt%	Listed in	Remarks
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		48,6	A)	
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		40,6	A)	

### Legend

A) Indicative list of the main pollutants

### • Restrictions according to REACH, Title VIII

None.

### • List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

none of the ingredients are listed

### • Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

### • Directive 75/324/EEC relating to aerosol dispensers

#### Filling batch

#### Deco-Paint Directive (2004/42/EC)

VOC content	90,1 %
-------------	--------

#### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	90,1 %
-------------	--------

### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

Name acc. to inventory	CAS No	Listed in	Remarks
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	

#### Legend

A) Indicative list of the main pollutants

### Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

### Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

none of the ingredients are listed

### National inventories

Country	National inventories	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS Australian Inventory of Chemical Substances  
CICR Chemical Inventory and Control Regulation  
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)  
DSL Domestic Substances List (DSL)  
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: CP35

### Legend

IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.8	Particulars in the transport document: UN1993, FLAMMABLE LIQUID, N.O.S., (contains: Ethanol, Aniline), 3, II, (D/E), special provision 640C Special provision 640C	Particulars in the transport document: UN1993, FLAMMABLE LIQUID, N.O.S., (contains: Ethanol, Aniline), 3, II, (D/E), special provision 640D Special provision 640D	yes
14.8	Special provisions (SP): 274, 601, 640C	Special provisions (SP): 274, 601, 640D	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2019/1831/EU	Commission Directive establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	hazardous to the aquatic environment - acute hazard
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Muta.	germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
Skin Sens.	skin sensitisation
STEL	short-term exposure limit
STOT RE	specific target organ toxicity - repeated exposure

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Aniline phthalate spray solution for TLC

article number: **CP35**

Abbr.	Descriptions of used abbreviations
STOT SE	specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H301	toxic if swallowed
H311	toxic in contact with skin
H315	causes skin irritation
H317	may cause an allergic skin reaction
H318	causes serious eye damage
H319	causes serious eye irritation
H331	toxic if inhaled
H335	may cause respiratory irritation
H336	may cause drowsiness or dizziness
H341	suspected of causing genetic defects
H351	suspected of causing cancer
H372	causes damage to organs through prolonged or repeated exposure
H373	may cause damage to organs through prolonged or repeated exposure
H400	very toxic to aquatic life
H411	toxic to aquatic life with long lasting effects

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.