according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: **CP81** Version: **5.0 en** Replaces version of: 15.12.2022 Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| Identification of the substance | Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade |
|---------------------------------|---|
| Article number | CP81 |
| Registration number (REACH) | 01-2119463273-41-xxxx |
| Index number in CLP Annex VI | 601-017-00-1 |
| EC number | 203-806-2 |
| CAS number | 110-82-7 |
| | |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement | |
|---------|---|---------------|---------------------------|---------------------|--|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 | |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 | |
| 3.8D | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3 | STOT SE 3 | H336 | |
| 3.10 | Aspiration hazard | 1 | Asp. Tox. 1 | H304 | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

8



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

| Section Hazard class | | | Hazard class and category | Hazard statement |
|----------------------|---|---|---------------------------|---------------------|
| 4.1A | Hazardous to the aquatic environment - acute hazard | 1 | Aquatic Acute 1 | H400 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 1 | Aquatic Chronic 1 | H410 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

| Signal word | Danger |
|-------------------------------|--------|
| Pictograms | |
| GHS02, GHS07, GHS08, GHS09 | |

Hazard statements

| H225 | Highly flammable liquid and vapour |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H336 | May cause drowsiness or dizziness |
| H410 | Very toxic to aquatic life with long lasting effects |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat, sparks, open flames, hot surfaces. No smoking |
|------|--|
| P273 | Avoid release to the environment |

Precautionary statements - response

| P301+P330+P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting |
|----------------|---|
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water |

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



| H304 | May be fatal if swallowed and enters airways. |
|-----------|--|
| H336 | May cause drowsiness or dizziness. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

2.3 Other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Cyclohexane |
|-------------------|-------------------------------------|
| Molecular formula | C ₆ H ₁₂ |
| Molar mass | 84,16 ^g / _{mol} |
| REACH Reg. No | 01-2119463273-41-xxxx |
| CAS No | 110-82-7 |
| EC No | 203-806-2 |
| Index No | 601-017-00-1 |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Gastrointestinal complaints, Vomiting, Aspiration hazard, Vertigo, Drowsiness, Dizziness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade



article number: CP81

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|----------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------|
| EU | cyclohexane | 110-82-7 | IOELV | 200 | 700 | | | | | | 2006/15/ EC |
| MT | cyclohexane | 110-82-7 | OELV | 200 | 700 | | | | | | CAP. 424 |

Notation

TWA

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

| Relevant DNELs and other threshold levels | | | | | | | |
|--|-------------------------|------------------------------------|-------------------|----------------------------|--|--|--|
| Endpoint Threshold Protection goal, level route of exposure | | Protection goal, route of exposure | Used in | Exposure time | | | |
| DNEL | 700 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects | | | |
| DNEL | 1.400 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects | | | |
| DNEL | 700 mg/m³ | human, inhalatory | worker (industry) | chronic - local effects | | | |
| DNEL | 1.400 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects | | | |
| DNEL | 2.016 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects | | | |

Environmental values

| Relevant PNECs and other threshold levels | | | | | | | |
|---|-------------------------------------|-----------------------|---------------------------------|------------------------------|--|--|--|
| End- point | Threshold level | Organism | Environmental com- partment | Exposure time | | | |
| PNEC | 0,207 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) | | | |
| PNEC | 0,207 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | | | |
| PNEC | 3,24 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | | | |
| PNEC | 16,68 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | | | |
| PNEC | 16,68 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | | | |
| PNEC | 3,38 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | | | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

SECTION 9: Physical and chemical properties

| 9.1 | Information on basic physical and chemical properties | | |
|-----|--|--|--|
| | Physical state | liquid | |
| | Colour | colourless | |
| | Odour | mild sweet | |
| | Melting point/freezing point | 6 – 7 °C | |
| | Boiling point or initial boiling point and boiling range | 80–81 °C | |
| | Flammability | flammable liquid in accordance with GHS criteria | |
| | Lower and upper explosion limit | 1,3 vol% (LEL) - 8,4 vol% (UEL) | |
| | Flash point | -20 °C at 1.014 hPa (ECHA) | |
| | Auto-ignition temperature | 260 °C (ECHA) | |
| | Decomposition temperature | not relevant | |
| | pH (value) | not determined | |
| | Kinematic viscosity | 1,26 ^{mm²} / _s at 20 °C | |
| | Dynamic viscosity | 0,98 mPa s at 20 °C | |
| | Solubility(ies) | | |
| | Water solubility | <0,1 ^g / _l at 20 °C | |
| | Partition coefficient | | |
| | Partition coefficient n-octanol/water (log value): | 3,44 (pH value: 7, 25 °C) (ECHA) | |
| | Soil organic carbon/water (log KOC) | 2,89 (ECHA) | |
| | Vapour pressure | 124 hPa at 24 °C | |
| | Density and/or relative density | | |
| | Density | 0,78 ^g / _{cm³} at 20 °C | |
| | Relative vapour density | 2,91 (air = 1) | |
| | Particle characteristics | not relevant (liquid) | |
| | Other safety parameters | | |
| | Oxidising properties | none | |
| 9.2 | Other information | | |
| | Information with regard to physical hazard classes: | There is no additional information. | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Other safety characteristics:

Temperature class (EU, acc. to ATEX)

T3 Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Nitrogen oxides (NOx)

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity | | | | | |
|--------------------|----------|---|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | >5.000 ^{mg} / _{kg} | rat | | ECHA |
| inhalation: vapour | LC50 | >32.880 ^{mg} / _{m³} /4h | rat | | ECHA |
| dermal | LD50 | >2.000 ^{mg} / _{kg} | rabbit | | ECHA |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

gastrointestinal complaints, nausea, vomiting, aspiration hazard

• If in eyes

essentially non-irritating

• If inhaled

irritant effects, vertigo, dizziness, fatigue, narcosis

• If on skin

causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) | | | | |
|--------------------------|------------------------------------|-----------------------|--------|------------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 4,53 ^{mg} / _l | fish | ECHA | 96 h |
| EC50 | 0,9 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | 9,317 ^{mg} / _l | algae | ECHA | 72 h |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

12.2 Persistence and degradability

Theoretical Oxygen Demand: 3,422 ^{mg}/_{mg} Theoretical Carbon Dioxide: 3,138 ^{mg}/_{mg}

Process of degradability

| Process | Degradation rate | Time |
|----------------|------------------|------|
| biotic/abiotic | 77 % | 28 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | 3,44 (pH value: 7, 25 °C) (ECHA) |
|---------------------------|----------------------------------|
| BCF | 167 (ECHA) |

12.4 Mobility in soil

| Henry's law constant | 14.900 ^{Pa m³} / _{mol} at 20 °C (ECHA) |
|--|--|
| The Organic Carbon normalised adsorption coefficient | 2,89 (ECHA) |

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

® ROTH

article number: CP81

Properties of waste which render it hazardous

- HP 3 flammable
- **HP 4** irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

| SEC | TION 14: Transport information | |
|------|--------------------------------|--------------------------------------|
| 14.1 | UN number or ID number | |
| | ADR | UN 1145 |
| | IMDG-Code | UN 1145 |
| | ICAO-TI | UN 1145 |
| 14.2 | UN proper shipping name | |
| | ADR | CYCLOHEXANE |
| | IMDG-Code | CYCLOHEXANE |
| | ICAO-TI | Cyclohexane |
| 14.3 | Transport hazard class(es) | |
| | ADR | 3 |
| | IMDG-Code | 3 |
| | ICAO-TI | 3 |
| 14.4 | Packing group | |
| | ADR | II |
| | IMDG-Code | II |
| | ICAO-TI | II |
| 14.5 | Environmental hazards | hazardous to the aquatic environment |
| 14.6 | Special precautions for user | |

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

| Proper shipping name | CYCLOHEXANE |
|---------------------------------------|---|
| Particulars in the transport document | UN1145, CYCLOHEXANE, 3, II, (D/E), environment- ally hazardous |
| Classification code | F1 |
| Danger label(s) | 3, "Fish and tree" |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

| Environmental hazards | Yes (hazardous to the aquatic environment) |
|---|---|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 33 |
| International Maritime Dangerous Goods Code | e (IMDG) - Additional information |
| Proper shipping name | CYCLOHEXANE |
| Particulars in the shipper's declaration | UN1145, CYCLOHEXANE, 3, II, -20°C c.c., MARINE POLLUTANT |
| Marine pollutant | Yes (hazardous to the aquatic environment) |
| Danger label(s) | 3, "Fish and tree" |
| | |
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-D |
| Stowage category | E |
| International Civil Aviation Organization (ICAC | D-IATA/DGR) - Additional information |
| Proper shipping name | Cyclohexane |
| Particulars in the shipper's declaration | UN1145, Cyclohexane, 3, II |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Danger label(s) | 3 |
| | |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1L |
| | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|----------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Cyclohexane | cyclohexane | 110-82-7 | R57 | 57 |
| Cyclohexane | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 |
| Cyclohexane | flammable / pyrophoric | | R40 | 40 |
| Cyclohexane | substances in tattoo inks and perman- ent make-up | | R75 | 75 |

Legend R3

R40

R57

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, - tricks and jokes.

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
 a present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

 Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration,

- artificial snow and frost,

- 'whoopee' cushions,

silly string aerosols

- imitation excrement,
- horns for parties,
- decorative flakes and foams,

- artificial cobwebs,

- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to

the requirements indicated. 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a con-stituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package

Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.

3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of sub-stances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows: '- This product is not to be used under conditions of poor ventilation.

This product is not to be used for carpet laying.'.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade



article number: CP81



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---|---|-------|--|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes | |
| E1 | environmental hazards (hazardous to the aquatic en- vironment, cat. 1) | 100 200 | 56) | |

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

| VOC content | 100 % |
|-------------|---------------------|
| VOC content | 780 ^g /l |

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|-------------|---------------------|
| VOC content | 780 ^g /l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade



article number: CP81

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| JP | ISHA-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| AIIC | Australian Inventory of Industrial Chemicals |
|------------|---|
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EÌNEĆS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. | | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 15.1 | VOC content: 100 % 780 ^g / _l | VOC content: 100 % | yes |
| 15.1 | | VOC content: 780 ^g / _l | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |
| 15.2 | Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance. | Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| BCF | Bioconcentration factor |
| CAP. 424 | Occupational Health and Safety Authority Act (CAP. 424) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade



article number: CP81

| Abbr. | Descriptions of used abbreviations |
|-----------|--|
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| ΙΑΤΑ | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade



article number: CP81

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H225 | Highly flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.