

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.5

Revision Date 10.08.2022

Print Date 24.10.2022

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : MCE .65UM WH PL 25MM 100/PK  
MF-Millipore® Membrane Filter, 0.65 µm pore size  
Product Number : DAWP02500  
Catalogue No. : 634860  
Brand : Millipore  
REACH No. : Not applicable

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Filtration

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH  
Eschenstrasse 5  
D-82024 TAUFKIRCHEN  
Telephone : +49 (0)89 6513-1130  
Fax : +49 (0)89 6513-1161  
E-mail address : technischerservice@merckgroup.com

### 1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)  
+49 (0)696 43508409 (CHEMTREC  
weltweit)

Lieferant / Supplier:  
Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
76185 Karlsruhe, Germany  
+49 721 5606 0  
sicherheit@carlroth.de

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flammable solids (Category 1), H228

Eye irritation (Category 2), H319

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word	Danger
Hazard statement(s)	
H228	Flammable solid.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word	Danger
Hazard statement(s)	none
Precautionary statement(s)	none
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration
<b>Octylphenol polyethoxyethanol</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
CAS-No. 9036-19-5	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H318, H400, H410	>= 2,5 - < 3 %
*	M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	

\*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006,



the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## **SECTION 4: First aid measures**

### **4.1 Description of first-aid measures**

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Combustible.

Spontaneous ignition at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides, nitrous gases

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.



---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Observe label precautions.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep away from heat and sources of ignition. Keep away from direct sunlight. Performing regular visual inspections of membranes and keeping accurate records of recommended shelf life can reduce the risk of membrane deterioration. Shelf-life limited when kept above +25°C. Verify on a regular basis expiry dates of stored materials, housekeeping, temperature and humidity. Designated "Flammable Material" storage areas must be engineered according to local regulations. Rotate stock. Improper storage conditions can accelerate deterioration of the membrane in advance of expiration date. Storage humidity: 30 - 70 %. Perform regular visual inspections of stored materials to ensure early stages of deterioration does not advance. Early stages of deterioration: Amber or yellow discoloration. Advanced stages of deterioration: visible liquid or solid brown resin. If membrane shows visual indications of deterioration, safely dispose of product according to local regulations. Storage under improper conditions could lead to the membrane self-decomposing at ambient temperatures with the formation of nitrous vapors or self ignition. Observe the expiration date!

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Recommended storage temperature see product label.

#### Storage class



Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

### 8.2 Exposure controls

#### Personal protective equipment

##### Eye/face protection

Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

##### Respiratory protection

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- a) Physical state                      solid

Millipore- DAWP02500

Page 5 of 11

The life science business of Merck operates as MilliporeSigma in the US and Canada



b) Color	colored
c) Odor	No data available
d) Melting point/freezing point	No data available
e) Initial boiling point and boiling range	No data available
f) Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1.
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	No data available
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	No data available
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

Product is sensitive to light and moisture.  
Prolonged exposure to air may cause discolouration.



### 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:  
Oxidizing agents  
Bases  
Strong acids

### 10.4 Conditions to avoid

Heating (decomposition).  
Exposure to sunlight.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Acute toxicity estimate Oral - > 2.000 mg/kg  
(Calculation method)  
Symptoms: Possible damages:, mucosal irritations  
Dermal: No data available

No data available

##### Skin corrosion/irritation

No data available

##### Serious eye damage/eye irritation

Mixture causes serious eye irritation.

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

No data available

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

No data available

##### Specific target organ toxicity - repeated exposure

No data available

##### Aspiration hazard

No data available



## 11.2 Additional Information

### Endocrine disrupting properties

#### **Product:**

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Risk of methaemoglobin formation., irritant effects  
After uptake:

Risk of methaemoglobin formation.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

### Components

#### **Octylphenol polyethoxyethanol**

##### **Acute toxicity**

LD50 Oral - Rat - 1.900 - 5.000 mg/kg

Remarks: (External MSDS)

Symptoms: Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Inhalation: No data available

LD50 Dermal - Rabbit - > 3.000 mg/kg

Remarks: (External MSDS)

##### **Skin corrosion/irritation**

Skin - Rabbit

Result: irritating - 4 h

(OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol

##### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(Draize Test)

Risk of corneal clouding.

##### **Respiratory or skin sensitization**

Sensitisation test: - Human

Result: negative

Remarks: (External MSDS)

Patch test on human volunteers did not demonstrate sensitization properties.

##### **Germ cell mutagenicity**

No data available

##### **Carcinogenicity**

No data available





**Reproductive toxicity**

Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity. Did not show teratogenic effects in animal experiments.

**Specific target organ toxicity - single exposure**

Acute oral toxicity - Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity****Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Endocrine disrupting properties****Product:**

Assessment : This substance/mixture contains components considered to have endocrinedisrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**12.7 Other adverse effects**

Discharge into the environment must be avoided.

**Components****Octylphenol polyethoxyethanol**

Toxicity to fish	semi-static test LC50 - Leuciscus idus (Golden orfe) - 0,26 mg/l - 96 h (OECD Test Guideline 203) Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
------------------	--

Toxicity to daphnia and other aquatic	static test EC50 - Daphnia magna (Water flea) - 0,011 mg/l - 48 h
---------------------------------------	---



invertebrates	Remarks: (ECOTOX Database) The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (green algae) - 1,9 mg/l - 96 h Remarks: (ECHA) The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 3270	IMDG: 3270	IATA: 3270
---------------	------------	------------

### 14.2 UN proper shipping name

ADR/RID: NITROCELLULOSE MEMBRANE FILTERS
IMDG: NITROCELLULOSE MEMBRANE FILTERS
IATA: Nitrocellulose membrane filters

### 14.3 Transport hazard class(es)

ADR/RID: 4.1	IMDG: 4.1	IATA: 4.1
--------------	-----------	-----------

### 14.4 Packaging group

ADR/RID: II	IMDG: II	IATA: II
-------------	----------	----------

### 14.5 Environmental hazards

ADR/RID: no	IMDG Marine pollutant: no	IATA: no
-------------	---------------------------	----------

### 14.6 Special precautions for user

No data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Octylphenol polyethoxyethanol

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.



After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

**National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

H228	Flammable solid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

