# **MACHEREY-NAGEL**



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 404009	cirfi MN 85/70 BF, 9,0 cm	Page: 1/8
Printing date: 23.11.2022	Date of issue: 11.04.2022	Version: 2.2.2.2

### SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identif	ier
---------------------	-----

 REF
 404009

 no data available
 cirfi MN 85/70 BF, 9,0 cm

 REACH Registration number(s):
 see SECTION 3.1/3.2 or

 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

100 x Glass fibre filters MN 85/70 ... MN 85/220

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

#### a. Product for analytical use.

- Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16.
- b. Product used as cleaning and filtration aid. Codes: SU 3, 9, 23, PC 2, 20, 29, 37, PROC 3, 5, ERC 4, 8a, 8b This exposure scenario is also integrated into sections 1-16.
   Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

#### **1.4 Emergency telephone number** Information not necessary.

You find our current versions of SDS in Internet:

### 

### **SECTION 2: Hazard identification**

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008 Glass fibre filters MN 85/70 ... MN 85/220

Signal word

Do not need labelling as hazardous

No hazard class

List of H phrases: see section 16.2

### 2.2 Label elements according regulation (EC) 1272/2008

Not hazardous labelled, because a long-time/multiple exposition of intaking dust is excluded, if the product is safety handled. The following listed labelling would be creating an "OVERLABELLING".

Glass fibre filters MN 85/70 ... MN 85/220 Do not need labelling as hazardous Signal word: -

#### Label elements of the complete product



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com 
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 404009	cirfi MN 85/70 BF, 9,0 cm	Page: 2/8
Printing date: 23.11.2022	Date of issue: 11.04.2022	Version: 2.2.2.2

Signal word: -

#### 2.3 Other hazards

#### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. Less hazardous potential from dust.

### Information pertaining to particular risks to human and possible symptoms

No hazards in accordance with EU regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods.

Information pertaining to particular risks to the environment

#### Possible endocrine disrupting effects

no data available

#### Other hazards

Concerning 97/69/EC "Mineral fibres" and CLP are all glass-like silica fibres carcinogen (Carc. 2 H351), if they contain more than 18 % oxides of the metals Na, K, Mg, Ca and Ba.

It is not possible to declare glass filters as dangerous or not. We recommend not to inhale product dust. Glass filter dust may cause various damage of the inhalatory system if inhaled over a longer period.

### **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

Glass

fibre filters MN 85/70 .	MN 85/220
Substance name:	quartz wool, glass fibres
CAS No.:	14808-60-7
Substance rating:	No criteria for classification or naming of chemical not required.
Formula:	SiO 2
EC No.:	238-878-4
Concentration:	95 - <100 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures Place insured person out of danger zone to fresh air immediately. 4.1.1 After SKIN Contact

- Remove dust with wetted tissue.
- 4.1.2 After EYE Contact Rub dust with teardrops from eyes
- 4.1.3 After INHALATION of vapours
- After inhalation of dust fresh air should be inhaled. ---
- 4.1.4 After ORAL Intake
- 4.2 Most important symptoms and effects, both acute and delayed
- **4.3** Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---





### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 404009	cirfi MN 85/70 BF, 9,0 cm	Page: 3/8
Printing date: 23.11.2022	Date of issue: 11.04.2022	Version: 2.2.2.2

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- 5.1.1 Suitable extinguishing media Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.1.2 Unsuitable extinguishing media no data available
- 5.2 Special hazards arising from the substance or mixture None. Substance itself does not burn.
- 5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic.

#### 5.4 Additional information

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with fingers. Do not breathe dust. .
- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Collect fibres in a plastic bag and close. Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

### SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Handle with care. Prevent activities that damage the paper surf	ace. Do not inhale product dust.	
7.2	Conditions for safe storage, including any inco	Conditions for safe storage, including any incompatibilities	
	Safe storage is guaranteed in the original packaging . Storage of	class (German chemical industry): see chapter 12.1	
	Storage class (VCI): 13		
	Water hazard class (DE): nwg	1	
7.2.1	Requirements for stock rooms and containers Keep original product packages tightly closed during handling a	ind storage.	

7.3 Specific end use(s)

### a. Product for analytical use.

b. Product used as cleaning and filtration aid.

### **SECTION 8: Exposure controls /personal protection**

#### 8.1 **Control parameters**

#### Glass fibre filters MN 85/70 ... MN 85/220

Chemical: quartz wool, g	glass fibres	CAS No.: 14808-60-7
TRGS 900 (DE):	0,15 A mg/m <sup>3</sup>	
	A/a aveoles passing, E/e respirable, G total	
SUVA(CH) MAK value:	0,05 a mg/m³	
NIOSH:	[TWA] 3 fibers/cm <sup>3</sup> (fibers $\leq$ 3.5 µm in diameter & $\geq$ 10 µm	n in length) [TWA (total)] 5 mg/m³
[TWA] Time-weighted ave	rage to a reference period of 8 hours, [STEL] Short-term exposure limit rela	ated to a 15-minute period
OSHA:	[TWA (total/resp)] 15 / 5 mg/m³	



- DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 404009		cirfi MN 85/70 BF, 9,0 cm	Page: 4/8
Printing	g date: 23.11.2022	Date of issue: 11.04.2022	Version: 2.2.2.2
8.2	Exposure controls Not necessary.		
8.2.1	<b>Respiratory protection</b> Not necessary. Use for regularly workin	g with dry powders a dust mask or a dust protection fi	ilter, class P3.
8.2.2	Skin protection / Hand protection Not necessary.		
8.2.3	Eye / Face Protection Not necessary.		
8.2.4	Skin protection Not necessary.		
8.2.5	Personal hygiene Information not necessary.		
8.2.6	Thermal hazards no data available		
8.3	Limitation and monitoring of env	ironmental exposure	
	Information not necessary.	·	
	-		
SECI	Information not necessary.	properties	
	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85/	properties d chemical properties	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85// a) State of aggregation:	properties d chemical properties 220	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85/ a) State of aggregation: b) Colour:	d chemical properties 220 colourless	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85/ a) State of aggregation: b) Colour: c) Odor:	d chemical properties 220 colourless red	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85/ a) State of aggregation: b) Colour: c) Odor: d) Melting point:	d chemical properties 220 colourless red no data available	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85/ a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point:	d chemical properties 220 colourless red no data available no data available	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85// a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability:	d chemical properties 220 colourless red no data available no data available no data available	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85// a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper):	d chemical properties d chemical properties 220 colourless red no data available no data available no data available no data available no data available	
SECI	Information not necessary. <b>TION 9: Physical and chemical</b> <b>Information on basic physical an</b> <b>Glass fibre filters MN 85/70 MN 85/</b> a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point:	d chemical properties d chemical properties 220 colourless red no data available no data available no data available no data available no data available no data available	
SECI	Information not necessary. <b>TION 9: Physical and chemical</b> <b>Information on basic physical an</b> <b>Glass fibre filters MN 85/70 MN 85/</b> a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature:	d chemical properties d chemical properties 220 colourless red no data available no data available no data available no data available no data available no data available no data available	
SECI	Information not necessary. <b>TION 9: Physical and chemical</b> <b>Information on basic physical an</b> <b>Glass fibre filters MN 85/70 MN 85/</b> a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature:	d chemical properties d chemical properties 220 colourless red no data available no data available	
SECI	Information not necessary. <b>TION 9: Physical and chemical</b> <b>Information on basic physical an</b> <b>Glass fibre filters MN 85/70 MN 85/</b> a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value:	d chemical properties 220 colourless red no data available no data available	
SECI	Information not necessary. <b>TION 9: Physical and chemical</b> <b>Information on basic physical an</b> <b>Glass fibre filters MN 85/70 MN 85/</b> a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity:	d chemical properties 220 colourless red no data available no data available	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85/ a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water:	d chemical properties 220 colourless red no data available no data available	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85// a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) :	d chemical properties d chemical properties 220 colourless red no data available no data available	
SECI	Information not necessary. <b>TION 9: Physical and chemical</b> <b>Information on basic physical an</b> <b>Glass fibre filters MN 85/70 MN 85/</b> a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) : o) Vapour pressure (20°C): p) Specific gravity:	d chemical properties d chemical properties 220 colourless red no data available no data available	
SECI	Information not necessary. TION 9: Physical and chemical Information on basic physical an Glass fibre filters MN 85/70 MN 85// a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) : o) Vapour pressure (20°C):	d chemical properties d chemical properties 220 colourless red no data available no data available	

#### Other information 9.2

Properties relevant to substance groups

### **SECTION 10: Stability and reactivity**

10.1 Reactivity None

- 10.2 **Chemical stability** no known instability.
- 10.3 Possibility of hazardous reactions None.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 404009	cirfi MN 85/70 BF, 9,0 cm	Page: 5/8
Printing date: 23.11.2022	Date of issue: 11.04.2022	Version: 2.2.2.2

- 10.4 Conditions to avoid Not known. None.
- 10.5 Incompatible materials Not known.
- **10.6** Hazardous decomposition products In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

### **SECTION 11: Toxicological information**

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Glass fibre filters MN 85/70 ... MN 85/220 quartz wool, glass fibres CAS No.: 14808-60-7 Chemical: **TSCA** Inventory: California Proposition 65 List: listed cancer (airborne particles of respirable listed size) ACGIH: 0.1 ppm Target Organs: irritate or damage pulmonary tissue Symptoms: cough; tightness in chest; shortness of breath Japan ISHL: listed ≥0,1%/≥0,1% Korea Exist.Chem.Inventory: KE-29983

A long-term risk of inhalation of fine dust can be normally excluded, when the product is handled with care. Concerning 97/69/EC "Mineral fibres" and CLP regulation are all glass-like silica fibres carcinogen (Carc. 2 H351), if they contain more than 18 % oxides of the metals Na, K, Mg, Ca and Ba. TRGS 905 (DE): K2

### 11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Following information is valid for pure substances.

#### Glass fibre filters MN 85/70 ... MN 85/220

Chemical:quartz wool, glass fibresWater hazard class (DE):nwgWGK No.: 0849Storage class (VCI):13

CAS No.: 14808-60-7

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential not necessary

12.4 Mobility in soil

### not necessary

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

# 12.6 Endocrine disrupting properties no data available

no data avallable

### 12.7 Other adverse effects

no additional data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com 
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# MACHEREY-NAGEL



### Safety Data Sheet

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 404009	cirfi MN 85/70 BF, 9,0 cm	Page: 6/8
Printing date: 23.11.2022	Date of issue: 11.04.2022	Version: 2.2.2.2

### SECTION 13: Disposal considerations

Not necessary.

#### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Empty filter close packed into municipal waste.

### SECTION 14: Transport information

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards none
- 14.6 Special precautions for user
- not necessary
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 If necessary, observe other country-specific regulations.
- 15.2 **Chemical safety assessment**

### **SECTION 16: Other information**

- 16.1 Changes compared to the last version
- in preparation 16.2 List of H and P phrases
- 16.2.1 List of relevant H phrases
- 16.2.2 List of relevant P phrases
- 16.3 Recommended restriction on use
- None

#### 16.4 Sources of key data

KÜHN, BIRETT leaflets on dangerous working materials

Directive 97/69/EG, mineral fibersDirective 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

TRGS 521, German engineering rules for renovation, repair and demolition with old mineral wool, February 2008, TRGS 521 "Mineral fibers" in the new versionSUVA CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress

Regulation 453/2010/EU REACH – REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET

TRGS 559, German engineering rules for mineral dust from July 2011Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019

Regulation 878/2020/EU

Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

### **Revisions/Updates**

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 Adjustment of Regulation 487/2013/EU 2016-03 Adjustment of Regulation 1221/2015/EU

> 2017-11 adaptation of the ECHA registration dossier 2022-11 Adjustment of Regulation 878/2020/EU



- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
  - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 404009	cirfi MN 85/70 BF, 9,0 cm	Page: 7/8
Printing date: 23.11.2022	Date of issue: 11.04.2022	Version: 2.2.2.2

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

Legenu / F	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
İSHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	s: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales p	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
	rRegistration number
Reg.No.:	





# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	Page: 8/8
Printing date: 23.11.2022 Date of issue: 11.04.2022	Version: 2.2.2.2

Repr: Resp: RIP: SDS: SENS: STEL: STOT: SVHC: t/a: TCCA: TCCA: TSCA: TSCA: TWA: TRGS:	harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average technical regulations (DE)
TRGS: vPvB:	

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com