acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g

#### article number: **HN19** Version: **3.0 en** Replaces version of: 2022-01-11 Version: (2)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

sicherheit@carlroth.de

**um)** 5 g

HN19

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Kjeldahl tablets (free of mercury and seleni-

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### 1.4 Emergency telephone number

| Name   | Street    | Postal<br>code/city  | Telephone    | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information<br>Service<br>City Hospital | Dudley Rd | B187QH<br>Birmingham | 844 892 0111 |         |

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

| Section | Hazard class  | Cat-<br>egory | Hazard class and category | Hazard<br>statement |
|---------|---|---------------|---------------------------|---------------------|
| 4.1C    | Hazardous to the aquatic environment - chronic hazard | 3             | Aquatic Chronic 3         | H412                |

For full text of abbreviations: see SECTION 16

### **The most important adverse physicochemical, human health and environmental effects** Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements



date of compilation: 2016-07-14 Revision: 2023-07-20

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Kjeldahl tablets (free of mercury and selenium) 5 g



#### article number: HN19

|    | Labelling        |  |
|----|------------------|--|
|    | Signal word      | Not required   |
|    | Pictograms       | Not required   |
|    | Hazard statem    | ents   |
|    | H412             | Harmful to aquatic life with long lasting effects  |
|    | Precautionary    | statements   |
|    | Precautionary    | statements - prevention  |
|    | P273             | Avoid release to the environment   |
|    | Precautionary    | statements - disposal  |
|    | P501             | Dispose of contents/container in accordance with local/regional/national/international regulations |
| 3  | Other hazards    |  |
|    | Results of PBT a | and vPvB assessment  |
|    | Does not contai  | n a PBT-/vPvB-substance in a concentration of $\geq$ 0,1%.   |
|    | Endocrine disru  | upting properties  |
|    | Does not contai  | n an endocrine disruptor (EDC) in a concentration of $\geq$ 0,1%.                                  |
| EC | TION 3: Com      | position/information on ingredients  |
| 1  | Substances       |  |
|    | not relevant (mi | xture)   |
| 2  | Mixtures         |  |

#### 3.2 Mixtures

#### Description of the mixture

| Name of sub-<br>stance | Identifier  | Wt%       | Classification acc. to<br>GHS  | Pictograms | Notes  |
|------------------------|---|-----------|--|------------|--------|
| Copper(II) sulphate    | CAS No<br>7758-98-7<br>EC No<br>231-847-6<br>Index No<br>029-004-00-0 | 1 - < 2,5 | Acute Tox. 4 / H302<br>Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Aquatic Acute 1 / H400<br>Aquatic Chronic 1 / H410 |            | GHS-HC |

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

| Name of sub-<br>stance   | Identifier          | Specific Conc. Limits | <b>M-Factors</b> | ATE                               | Exposure<br>route |
|--------------------------|---------------------|-----------------------|------------------|-----------------------------------|-------------------|
| Copper(II) sulph-<br>ate | CAS No<br>7758-98-7 | -                     | -                | 482 <sup>mg</sup> / <sub>kg</sub> | oral              |
|                          | EC No<br>231-847-6  |                       |                  |                                   |                   |

For full text of abbreviations: see SECTION 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g



article number: HN19

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

No special measures are necessary.

#### **Following inhalation**

Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

# **4.2 Most important symptoms and effects, both acute and delayed** Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed** none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g



article number: HN19

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid dust formation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Kjeldahl tablets (free of mercury and selenium) 5 g



article number: HN19

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

| Coun<br>try | Name of agent    | CAS No     | Identifi-<br>er | TWA<br>[mg/<br>m³] | STEL<br>[mg/<br>m³] | Ceil-<br>ing-C<br>[mg/<br>m <sup>3</sup> ] | Nota-<br>tion | Source    |
|-------------|------------------|------------|-----------------|--------------------|---------------------|--|---------------|-----------|
| GB          | titanium dioxide | 13463-67-7 | WEL             | 10                 |                     |  | i             | EH40/2005 |
| GB          | titanium dioxide | 13463-67-7 | WEL             | 4                  |                     |  | r             | EH40/2005 |

Notation

Copper(II) sulphate

 

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

| Relevant DNELs of components of the mixture |           |               |                     |  |                   |                               |  |  |  |
|---|-----------|---------------|---------------------|--|-------------------|-------------------------------|--|--|--|
| Name of sub-<br>stance                      | CAS No    | End-<br>point | Threshol<br>d level | Protection<br>goal, route of<br>exposure | Used in           | Exposure time                 |  |  |  |
| Copper(II) sulphate                         | 7758-98-7 | DNEL          | 1 mg/m <sup>3</sup> | human, inhalat-<br>ory                   | worker (industry) | chronic - systemic<br>effects |  |  |  |
| Copper(II) sulphate                         | 7758-98-7 | DNEL          | 1 mg/m <sup>3</sup> | human, inhalat-<br>ory                   | worker (industry) | chronic - local ef-<br>fects  |  |  |  |

human, dermal

worker (industry)

137 mg/kg

bw/day

| Relevant PNECs of | components of the mixture |
|-------------------|---------------------------|

DNEL

7758-98-7

| CAS No    | End-<br>point  | Threshol<br>d level  | Organism   | Environmental compartment  | Exposure time   |  |  |  |  |
|-----------|--|--|--|--|---|--|--|--|--|
| 7758-98-7 | PNEC   | 7,8 <sup>µg</sup> / <sub>l</sub>   | aquatic organ-<br>isms   | freshwater   | short-term (single<br>instance)   |  |  |  |  |
| 7758-98-7 | PNEC   | 5,2 <sup>µg</sup> / <sub>l</sub>   | aquatic organ-<br>isms   | marine water   | short-term (single<br>instance)   |  |  |  |  |
| 7758-98-7 | PNEC   | 230 <sup>µg</sup> / <sub>I</sub>   | aquatic organ-<br>isms   | sewage treatment<br>plant (STP)  | short-term (single<br>instance)   |  |  |  |  |
| 7758-98-7 | PNEC   | 87 <sup>mg</sup> / <sub>kg</sub>   | aquatic organ-<br>isms   | freshwater sedi-<br>ment   | short-term (single<br>instance)   |  |  |  |  |
| 7758-98-7 | PNEC   | 676 <sup>mg</sup> / <sub>kg</sub>  | aquatic organ-<br>isms   | marine sediment  | short-term (single<br>instance)   |  |  |  |  |
| 7758-98-7 | PNEC   | 65 <sup>mg</sup> / <sub>kg</sub>   | terrestrial organ-<br>isms   | soil   | short-term (single<br>instance)   |  |  |  |  |
|           | 7758-98-7<br>7758-98-7<br>7758-98-7<br>7758-98-7<br>7758-98-7<br>7758-98-7 | point           7758-98-7         PNEC           7758-98-7         PNEC           7758-98-7         PNEC           7758-98-7         PNEC           7758-98-7         PNEC           7758-98-7         PNEC           7758-98-7         PNEC | point         d level           7758-98-7         PNEC         7,8 <sup>μg</sup> / <sub>l</sub> 7758-98-7         PNEC         5,2 <sup>μg</sup> / <sub>l</sub> 7758-98-7         PNEC         230 <sup>μg</sup> / <sub>l</sub> 7758-98-7         PNEC         87 <sup>mg</sup> / <sub>kg</sub> 7758-98-7         PNEC         676 <sup>mg</sup> / <sub>kg</sub> | pointd level7758-98-7PNEC7,8 µg/laquatic organisms7758-98-7PNEC5,2 µg/laquatic organisms7758-98-7PNEC230 µg/laquatic organisms7758-98-7PNEC87 mg/kgaquatic organisms7758-98-7PNEC87 mg/kgaquatic organisms7758-98-7PNEC676 mg/kgaquatic organisms7758-98-7PNEC676 mg/kgterrestrial organisms | pointd levelcompartment7758-98-7PNEC7,8 <sup>µg</sup> / <sub>1</sub> aquatic organismsfreshwater7758-98-7PNEC5,2 <sup>µg</sup> / <sub>1</sub> aquatic organismsmarine water7758-98-7PNEC230 <sup>µg</sup> / <sub>1</sub> aquatic organismssewage treatment7758-98-7PNEC230 <sup>µg</sup> / <sub>1</sub> aquatic organismssewage treatment7758-98-7PNEC87 <sup>mg</sup> / <sub>kg</sub> aquatic organismsfreshwater sediment7758-98-7PNEC676 <sup>mg</sup> / <sub>kg</sub> aquatic organismssoil |  |  |  |  |

chronic - systemic

effects

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g



article number: HN19

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Kjeldahl tablets (free of mercury and selenium) 5 g



### article number: HN19

# **SECTION 9: Physical and chemical properties**

| 9.1 | 1 Information on basic physical and chemical properties  |  |  |  |  |  |
|-----|--|--|--|--|--|--|
|     | Physical state   | solid  |  |  |  |  |
|     | Form   | tablets  |  |  |  |  |
|     | Colour   | light grey   |  |  |  |  |
|     | Odour  | odourless  |  |  |  |  |
|     | Melting point/freezing point                             | not determined   |  |  |  |  |
|     | Boiling point or initial boiling point and boiling range | (unknown) not determined   |  |  |  |  |
|     | Flammability   | non-combustible  |  |  |  |  |
|     | Lower and upper explosion limit                          | not determined   |  |  |  |  |
|     | Flash point  | not applicable   |  |  |  |  |
|     | Auto-ignition temperature                                | >400 °C  |  |  |  |  |
|     | Decomposition temperature                                | >560 °C  |  |  |  |  |
|     | pH (value)   | 4,53 (in aqueous solution: 50 <sup>g</sup> / <sub>l</sub> , 20 °C) |  |  |  |  |
|     | Kinematic viscosity                                      | not relevant   |  |  |  |  |
|     | Solubility(ies)  |  |  |  |  |  |
|     | Water solubility   | 245 <sup>g</sup> / <sub>l</sub> at 20 °C                           |  |  |  |  |
|     | Partition coefficient                                    |  |  |  |  |  |
|     | Partition coefficient n-octanol/water (log value):       | not relevant (inorganic)   |  |  |  |  |
|     |  |  |  |  |  |  |
|     | Vapour pressure  | not determined   |  |  |  |  |
|     | Density and/or relative density                          |  |  |  |  |  |
|     | Density  | 2,7 <sup>g</sup> / <sub>cm³</sub> at 20 °C                         |  |  |  |  |
|     | Relative vapour density                                  | information on this property is not available                      |  |  |  |  |
|     | Bulk density   | 1.230 – 1.400 <sup>kg</sup> / <sub>m³</sub>                        |  |  |  |  |
|     |  |  |  |  |  |  |
|     | Particle characteristics                                 | No data available.   |  |  |  |  |
|     | Other safety parameters                                  |  |  |  |  |  |
|     | Oxidising properties                                     | none   |  |  |  |  |
| 9.2 | Other information  |  |  |  |  |  |
|     | Information with regard to physical hazard classes:      | hazard classes acc. to GHS<br>(physical hazards): not relevant     |  |  |  |  |
|     | Other safety characteristics:                            | There is no additional information.                                |  |  |  |  |

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g



article number: HN19

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >560 °C. Protect from moisture.

#### **10.5** Incompatible materials

alkalis, corrosive to steel

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### **Classification acc. to GHS**

#### Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture          |           |      |                                   |  |  |
|---|-----------|------|-----------------------------------|--|--|
| Name of substance         CAS No         Exposure route         ATE |           |      |                                   |  |  |
| Copper(II) sulphate   | 7758-98-7 | oral | 482 <sup>mg</sup> / <sub>kg</sub> |  |  |

#### Acute toxicity of components of the mixture

| Name of substance   | CAS No    | Exposure<br>route | Endpoint | Value                                | Species |
|---------------------|-----------|-------------------|----------|--------------------------------------|---------|
| Copper(II) sulphate | 7758-98-7 | oral              | LD50     | 482 <sup>mg</sup> / <sub>kg</sub>    | rat     |
| Copper(II) sulphate | 7758-98-7 | dermal            | LD50     | >2.000 <sup>mg</sup> / <sub>kg</sub> | rat     |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### **Respiratory or skin sensitisation**

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g



#### article number: HN19

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, nausea

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### • Other information

none

#### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .

#### **11.3** Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components of the mixture |           |          |                                  |         |                  |
|---|-----------|----------|----------------------------------|---------|------------------|
| Name of sub-<br>stance                                | CAS No    | Endpoint | Value                            | Species | Exposure<br>time |
| Copper(II) sulphate                                   | 7758-98-7 | LC50     | 193 <sup>µg</sup> / <sub>l</sub> | fish    | 96 h             |

#### 12.2 Persistence and degradability

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® Roth

#### Kjeldahl tablets (free of mercury and selenium) 5 g

article number: HN19

12.3 Bioaccumulative potential

Data are not available.

- **12.4 Mobility in soil** Data are not available.
- **12.5** Results of PBT and vPvB assessment Does not contain a PBT-/vPvB-substance in a concentration of  $\ge 0,1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

#### 14.6 Special precautions for user

There is no additional information.

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g



article number: HN19

- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

#### Seveso Directive

| 2012/ | 2012/18/EU (Seveso III)               |   |       |  |  |
|-------|---------------------------------------|---|-------|--|--|
| No    | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap-<br>plication of lower and upper-tier re-<br>quirements | Notes |  |  |
|       | not assigned                          |   |       |  |  |

#### **Deco-Paint Directive**

| VOC content | 0 %                           |
|-------------|-------------------------------|
| VOC content | 0 <sup>g</sup> / <sub>l</sub> |

#### **Industrial Emissions Directive (IED)**

| VOC content | 0 %                           |
|-------------|-------------------------------|
| VOC content | 0 <sup>g</sup> / <sub>l</sub> |

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

| ist of pollutants (WFD) |   |        |           |         |
|-------------------------|---|--------|-----------|---------|
| Name of substance       | Name acc. to inventory  | CAS No | Listed in | Remarks |
| Copper(II) sulphate     | Substances and preparations, or<br>the breakdown products of such,<br>which have been proved to pos-<br>sess carcinogenic or mutagenic<br>properties or properties which<br>may affect steroidogenic, thyroid,<br>reproduction or other endocrine-<br>related functions in or via the |        | a)        |         |

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Kjeldahl tablets (free of mercury and selenium) 5 g



#### article number: HN19

| List of pollutants (WFD) |                            |        |           |         |
|--------------------------|----------------------------|--------|-----------|---------|
| Name of substance        | Name acc. to inventory     | CAS No | Listed in | Remarks |
|                          | aquatic environment        |        |           |         |
| Copper(II) sulphate      | Metals and their compounds |        | a)        |         |

#### Legend

A) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### National regulations(GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

### **Restrictions according to GB REACH, Annex 17**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| AU      | AIIC       | all ingredients are listed     |
| CA      | DSL        | all ingredients are listed     |
| CN      | IECSC      | all ingredients are listed     |
| EU      | ECSI       | all ingredients are listed     |
| EU      | REACH Reg. | all ingredients are listed     |
| JP      | CSCL-ENCS  | all ingredients are listed     |
| JP      | ISHA-ENCS  | not all ingredients are listed |
| KR      | KECI       | all ingredients are listed     |
| MX      | INSQ       | all ingredients are listed     |
| NZ      | NZIoC      | all ingredients are listed     |
| PH      | PICCS      | all ingredients are listed     |

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Kjeldahl tablets (free of mercury and selenium) 5 g



#### article number: HN19

| Country  | Inventory   | Status  |  |
|--|---|---|--|
| TR   | CICR  | all ingredients are listed  |  |
| TW   | TCSI  | all ingredients are listed  |  |
| US   | TSCA  | all ingredients are listed (ACTIVE)   |  |
| CSCL-ENCS<br>DSL<br>ECSI<br>IECSC<br>INSQ<br>ISHA-ENCS<br>KECI<br>NZIoC<br>PICCS | Domestic Substances List<br>EC Substance Inventory (I<br>Inventory of Existing Chei<br>National Inventory of Che<br>Inventory of Existing and<br>Korea Existing Chemicals<br>New Zealand Inventory of | iontrol Regulation<br>hemical Substances (CSCL-ENCS)<br>(DSL)<br>EINECS, ELINCS, NLP)<br>mical Substances Produced or Imported in China<br>imical Substances<br>New Chemical Substances (ISHA-ENCS)<br>Inventory<br>f Chemicals<br>nemicals and Chemical Substances (PICCS)<br>nces<br>ce Inventory |  |

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)  | Actual entry (text/value)  | Safety-<br>relev-<br>ant |
|---------|--|--|--------------------------|
| 2.2     | Labelling of packages where the contents do<br>not exceed 125 ml:<br>Signal word: Not required.  |  | yes                      |
| 2.2     |  | Labelling of packages where the contents do<br>not exceed 125 ml:<br>change in the listing (table)                 | yes                      |
| 2.3     | Results of PBT and vPvB assessment:<br>This mixture does not contain any substances<br>that are assessed to be a PBT or a vPvB.                    | Results of PBT and vPvB assessment:<br>Does not contain a PBT-/vPvB-substance in a<br>concentration of ≥ 0,1%.     | yes                      |
| 2.3     |  | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (EDC)<br>in a concentration of ≥ 0,1%. | yes                      |
| 14.8    | Transport of dangerous goods by road, rail and<br>inland waterway (ADR/RID/ADN) - Additional in-<br>formation:<br>Not subject to ADR, RID and ADN. |  | yes                      |
| 15.1    | Restrictions according to REACH, Annex XVII:<br>none of the ingredients are listed   |  | yes                      |
| 15.1    | List of substances subject to authorisation<br>(REACH, Annex XIV)/SVHC - candidate list:<br>None of the ingredients are listed.                    |  | yes                      |
| 15.1    | VOC content:<br>0 %<br>, 0 <sup>g</sup> / <sub>l</sub>   | VOC content:<br>0 %  | yes                      |
| 15.1    |  | VOC content:<br>0 <sup>g</sup> / <sub>l</sub>  | yes                      |
| 15.1    |  | National regulations(GB)   | yes                      |

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Kjeldahl tablets (free of mercury and selenium) 5 g



#### article number: HN19

| Section | Former entry (text/value) | Actual entry (text/value)  | Safety-<br>relev-<br>ant |
|---------|---------------------------|--|--------------------------|
| 15.1    |                           | List of substances subject to authorisation (GB<br>REACH, Annex 14) / SVHC - candidate list:<br>none of the ingredients are listed | yes                      |
| 15.1    |                           | Restrictions according to GB REACH, Annex 17:<br>none of the ingredients are listed  | yes                      |
| 15.1    |                           | National inventories:<br>change in the listing (table)   | yes                      |

# Abbreviations and acronyms

| Abbr.           | Descriptions of used abbreviations   |  |
|-----------------|--|--|
| Acute Tox.      | Acute toxicity   |  |
| ADR             | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern-<br>ing the International Carriage of Dangerous Goods by Road)                     |  |
| Aquatic Acute   | Hazardous to the aquatic environment - acute hazard  |  |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard  |  |
| ATE             | Acute Toxicity Estimate  |  |
| CAS             | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |  |
| Ceiling-C       | Ceiling value  |  |
| DGR             | Dangerous Goods Regulations (see IATA/DGR)   |  |
| DNEL            | Derived No-Effect Level  |  |
| EC No           | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-<br>fier of substances commercially available within the EU (European Union) |  |
| EH40/2005       | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-<br>cence/)   |  |
| EINECS          | European Inventory of Existing Commercial Chemical Substances  |  |
| ELINCS          | European List of Notified Chemical Substances  |  |
| Eye Dam.        | Seriously damaging to the eye  |  |
| Eye Irrit.      | Irritant to the eye  |  |
| GB REACH        | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)   |  |
| GHS             | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na-<br>tions   |  |
| IATA            | International Air Transport Association  |  |
| IATA/DGR        | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |  |
| ICAO            | International Civil Aviation Organization  |  |
| IMDG            | International Maritime Dangerous Goods Code  |  |
| index No        | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008   |  |
| LC50            | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 %<br>lethality during a specified time interval                                   |  |
|                 |  |  |

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Kjeldahl tablets (free of mercury and selenium) 5 g



#### article number: **HN19**

| Abbr.       | Descriptions of used abbreviations   |
|-------------|--|
| LD50        | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval   |
| NLP         | No-Longer Polymer  |
| РВТ         | Persistent, Bioaccumulative and Toxic  |
| PNEC        | Predicted No-Effect Concentration  |
| REACH       | Registration, Evaluation, Authorisation and Restriction of Chemicals   |
| RID         | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-<br>tions concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr.  | Corrosive to skin  |
| Skin Irrit. | Irritant to skin   |
| STEL        | Short-term exposure limit  |
| TWA         | Time-weighted average  |
| VOC         | Volatile Organic Compounds   |
| vPvB        | Very Persistent and very Bioaccumulative   |
| WEL         | Workplace exposure limit   |

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text  |
|------|---|
| H302 | Harmful if swallowed.                                 |
| H315 | Causes skin irritation.                               |
| H319 | Causes serious eye irritation.                        |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects.    |

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.