acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54 date of compilation: 2016-09-09 Version: GHS 5.0 en Revision: 2023-12-12

Replaces version of: 2022-02-16

Version: (GHS 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Hydrofluoric acid ROTIPURAN® Supra-quality 48

Article number HN54

CAS number [7664-39-3]

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Hawkesbury Road Childrens Hospital		2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Page 1 / 16 Australia (en)



acc. to Safe Work Australia - Code of Practice



Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	2	Acute Tox. 2	H300
3.1D	Acute toxicity (dermal)	1	Acute Tox. 1	H310
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS06



Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dusts or mists

P262 Do not get in eyes, on skin, or on clothing P280 Wear protective gloves/protective clothing

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Hazardous ingredients for labelling: Hydrofluoric acid ... %

Australia (en) Page 2 / 16

acc. to Safe Work Australia - Code of Practice

ROTH

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrofluoric acid %	CAS No 7664-39-3	47 – 51	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a)

Notes

B(a): The classification refers to an aqueous solution

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Call a physician immediately. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Rub with a gel containing calcium gluconate. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Rinse copiously with a calcium gluconate solution.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse copiously with a calcium gluconate solution. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Australia (en) Page 3 / 16

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Spasms, Dyspnoea, Circulatory collapse, Cardiac arrhythmias

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Supervise the blood circulation. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. An immediate cleansing of the skin is urgent due to the fast absorption of the substance through the skin.

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Hydrogen fluoride (HF)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Australia (en) Page 4 / 16

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Use extractor hood (laboratory). Avoid exposure. Handle and open container with care. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep only in original container. Store in a place accessible by authorized persons only.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	hydrogen fluoride	7664-39- 3	WES					3	2.6	F	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Calculated as F (fluorine)

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Page 5 / 16 Australia (en)

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Relevant DNELs of components Name of sub-**CAS No Threshol** End-**Protection Used** in **Exposure time** d level goal, route of stance point exposure Hydrofluoric acid ... 7664-39-3 DNEL 1.5 mg/m³ human, inhalatworker (industry) chronic - systemic effects orv Hydrofluoric acid ... 7664-39-3 DNEL 2.5 mg/m³ human, inhalatworker (industry) acute - systemic effects ory Hydrofluoric acid ... 7664-39-3 DNFI human, inhalatchronic - local ef-1.5 μg/m³ worker (industry) orv fects human, inhalat-Hydrofluoric acid ... 7664-39-3 DNEL 2.5 mg/m³ worker (industry) acute - local effects

Relevant PNECs of components Name of sub-**CAS No** End-**Threshol Organism Environmental Exposure time** stance point d level compartment $0.9 \, \frac{mg}{I}$ Hydrofluoric acid ... 7664-39-3 **PNEC** aquatic organfreshwater short-term (single isms instance) $0.9 \, \frac{mg}{I}$ short-term (single Hydrofluoric acid ... 7664-39-3 **PNEC** aquatic organmarine water % isms instance) 51 mg/1 Hydrofluoric acid ... 7664-39-3 **PNEC** aquatic organsewage treatment short-term (single plant (STP) instance) isms 11 ^{mg}/_{kg} Hydrofluoric acid ... 7664-39-3 **PNEC** terrestrial organsoil short-term (single isms instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

Australia (en) Page 6 / 16

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Butyl caoutchouc (butyl rubber)

material thickness

0.7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless Odour stinging

Odour threshold 0.04 - 0.14 ppm

Melting point/freezing point -35 °C Boiling point or initial boiling point and boiling

range

108 °C

Flammability non-combustible Lower and upper explosion limit not determined not determined Flash point Auto-ignition temperature not determined not relevant Decomposition temperature <1 (20 °C) pH (value)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Australia (en) Page 7 / 16



acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Vapour pressure 1.65 kPa at 20 °C

Density and/or relative density

Density $1.18 \, \mathrm{g}/_{\mathrm{cm}^3}$ at 20 °C

Relative vapour density 1.86 at 25 °C (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Dangerous/dangerous reactions with: Alkali metals, Metals, Chromium(VI) oxide, Perchlorates, Nitric acid, Sulphuric acid,

Violent reaction with: Alkali hydroxide (caustic alkali), Phosphorus oxides (e.g. P2O5), Strong alkali, Nitrogen oxides (NOx), Permanganates, for example potassium permanganate, => Explosive properties

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

metals, glass

Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Australia (en) Page 8 / 16

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled.

Acute toxicity estimate (ATE) of components Name of substance **CAS No Exposure route ATE** Hydrofluoric acid ... % 7664-39-3 oral $5 \, \text{mg/}_{kq}$ 5 mg/kg Hydrofluoric acid ... % 7664-39-3 dermal Hydrofluoric acid ... % 7664-39-3 0.5 ^{mg}/_I/4h inhalation: vapour

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

Australia (en) Page 9 / 16

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



• If on skin

Other information

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Hydrofluoric acid %	7664-39-3	EC50	48 ^{mg} / _l	aquatic invertebrates	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrofluoric acid %	7664-39-3	53 – 58		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 10 / 16



If inhaled

corrosiveness, cough, Dyspnoea, pulmonary oedema

causes severe burns, causes poorly healing wounds, risk of absorption via the skin

Other adverse effects: Skeletal system, Spasms, Blood pressure drop, Cardiac arrhythmias, Circulatory collapse, Renal impairment, Symptoms can occur only after several hours

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDG UN 1790

IMDG-Code UN 1790

ICAO-TI UN 1790

14.2 UN proper shipping name

UN RTDGHYDROFLUORIC ACIDIMDG-CodeHYDROFLUORIC ACIDICAO-TIHydrofluoric acid

14.3 Transport hazard class(es)

 UN RTDG
 8 (6.1)

 IMDG-Code
 8 (6.1)

 ICAO-TI
 8 (6.1)

14.4 Packing group

UN RTDG II
IMDG-Code II
ICAO-TI II

Australia (en) Page 11 / 16

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



gerous goods regulations

14.6 Special precautions for user

14.5 Environmental hazards

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1790
Class 8
Subsidiary risk(s) 6.1
Packing group II
Danger label(s) 8+6.1



Special provisions (SP)

UN RTDG

Excepted quantities (EQ)

E2 UN RTDG

Limited quantities (LQ)

1 L UN RTDG

Emergency Action Code 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name HYDROFLUORIC ACID

Particulars in the shipper's declaration UN1790, HYDROFLUORIC ACID, 8 (6.1), II

Marine pollutant -

Danger label(s) 8+6.1



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category D

Segregation group 1 - Acids


Australia (en) Page 12 / 16



acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Proper shipping name Hydrofluoric acid

Particulars in the shipper's declaration UN1790, Hydrofluoric acid, 8 (6.1), II

8+6.1 Danger label(s)



Excepted quantities (EQ) E2 0,5 L Limited quantities (LQ)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC

Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) **FCSI**

Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

Australia (en) Page 13 / 16



acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54

Legend

INSQ ISHA-ENCS

National Inventory of Chemical Substances Inventory of Existing and New Chemical Substances (ISHA-ENCS) Korea Existing Chemicals Inventory

KECI Korea Existing and New Chemical Substances (ISHA-ENCS)
KOREA Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye

Australia (en) Page 14 / 16

acc. to Safe Work Australia - Code of Practice

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Abbr.	Descriptions of used abbreviations
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.

Australia (en) Page 15 / 16

acc. to Safe Work Australia - Code of Practice



Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 16 / 16