acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54 date of compilation: 2016-09-09 Version: **5.0 en** Revision: 2023-12-12

Replaces version of: 2022-02-16

Version: (4)



Product identifier 1.1

Identification of the substance Hydrofluoric acid ROTIPURAN® Supra-quality 48

Article number HN54

Index No (GB CLP) [009-003-00-1] EC number [231-634-8] CAS number [7664-39-3]

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data
Department Health, Safety and Environment

sheet:

1.4

sicherheit@carlroth.de

Emergency telephone number

e-mail (competent person):

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	2	Acute Tox. 2	H300
3.1D	Acute toxicity (dermal)	1	Acute Tox. 1	H310
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.2	3.2 Skin corrosion/irritation		Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS06



Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled H314 Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention

P262 Do not get in eyes, on skin, or on clothing

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

Hazardous ingredients for labelling: Hydrofluoric acid ... %

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrofluoric acid %	CAS No 7664-39-3 EC No 231-634-8 Index No 009-003-00-1	47 – 51	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a) GHS-HC IOELV

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrofluoric acid %	CAS No 7664-39-3 EC No 231-634-8	Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Dam. 1; H318: C ≥ 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %	-	5 ^{mg} / _{kg} 5 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h	oral dermal inhalation: va- pour

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off immediately all contaminated clothing. Call a physician immediately. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Following skin contact

After contact with skin, wash immediately with plenty of water. Rub with a gel containing calcium gluconate. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Rinse copiously with a calcium gluconate solution.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse copiously with a calcium gluconate solution. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Spasms, Dyspnoea, Circulatory collapse, Cardiac arrhythmias

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Supervise the blood circulation. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. An immediate cleansing of the skin is urgent due to the fast absorption of the substance through the skin.

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Hydrogen fluoride (HF)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. Handle and open container with care. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep only in original container. Store in a place accessible by authorized persons only.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	hydrogen fluoride	7664-39- 3	IOELV	1,8	1,5	3	2,5				2000/39/ EC
GB	hydrogen fluoride	7664-39- 3	WEL	1,8	1,5	3	2,5			F	EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Calculated as F (fluorine)

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) **STEL**

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Hydrofluoric acid %	7664-39-3	DNEL	1,5 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Hydrofluoric acid %	7664-39-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects
Hydrofluoric acid %	7664-39-3	DNEL	1,5 μg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Hydrofluoric acid %	7664-39-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Hydrofluoric acid %	7664-39-3	PNEC	0,9 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Hydrofluoric acid %	7664-39-3	PNEC	0,9 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Hydrofluoric acid %	7664-39-3	PNEC	51 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Hydrofluoric acid %	7664-39-3	PNEC	11 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom (en) Page 6 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 7 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour stinging

Odour threshold 0,04 – 0,14 ppm

Melting point/freezing point -35 °C

Boiling point or initial boiling point and boiling 108 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) <1 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 1,65 kPa at 20 °C

Density and/or relative density

Density $1,18 \, {}^{9}/_{\text{cm}^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density 1,86 at 25 °C (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

United Kingdom (en) Page 8 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Dangerous/dangerous reactions with: Alkali metals, Metals, Chromium(VI) oxide, Perchlorates, Nitric acid, Sulphuric acid,

Violent reaction with: Alkali hydroxide (caustic alkali), Phosphorus oxides (e.g. P2O5), Strong alkali, Nitrogen oxides (NOx), Permanganates, for example potassium permanganate, => Explosive properties

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

metals, glass

Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled.

Acute toxicity estimate (ATE) of components Name of substance **CAS No Exposure route ATE** $5 \, {\rm mg/_{kg}}$ Hydrofluoric acid ... % 7664-39-3 oral $5 \frac{mg}{kq}$ Hydrofluoric acid ... % 7664-39-3 dermal Hydrofluoric acid ... % 7664-39-3 inhalation: vapour 0,5 mg/1/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

corrosiveness, cough, Dyspnoea, pulmonary oedema

• If on skin

causes severe burns, causes poorly healing wounds, risk of absorption via the skin

Other information

Other adverse effects: Skeletal system, Spasms, Blood pressure drop, Cardiac arrhythmias, Circulatory collapse, Renal impairment, Symptoms can occur only after several hours

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.


Aquatic toxicity (a	Aquatic toxicity (acute) of components							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
Hydrofluoric acid %	7664-39-3	EC50	48 ^{mg} / _l	aquatic invertebrates	96 h			

United Kingdom (en) Page 10 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Data are not available.

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrofluoric acid %	7664-39-3	53 - 58		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

irritant - skin irritation and eye damage HP 4

HP 6 acute toxicity

HP8 corrosive

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

United Kingdom (en) Page 11 / 18



12.3 Bioaccumulative potential

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrofluoric acid %	7664-39-3	53 – 58		

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1790 IMDG-Code UN 1790 UN 1790 UN 1790

14.2 UN proper shipping name

ADRRID HYDROFLUORIC ACID IMDG-Code HYDROFLUORIC ACID ICAO-TI Hydrofluoric acid

14.3 Transport hazard class(es)

ADRRID 8 (6.1)

IMDG-Code 8 (6.1)

ICAO-TI 8 (6.1)

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name HYDROFLUORIC ACID

Particulars in the transport document UN1790, HYDROFLUORIC ACID, 8 (6.1), II, (E)

Classification code CT1
Danger label(s) 8+6.1





Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2

United Kingdom (en) Page 12 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54

Tunnel restriction code (TRC) E
Hazard identification No 86

Emergency Action Code 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code CT1

Danger label(s) 8+6.1

Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 86

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name HYDROFLUORIC ACID

Particulars in the shipper's declaration UN1790, HYDROFLUORIC ACID, 8 (6.1), II

Marine pollutant -

Danger label(s) 8+6.1



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category D

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Hydrofluoric acid

Particulars in the shipper's declaration UN1790, Hydrofluoric acid, 8 (6.1), II

Danger label(s) 8+6.1





Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

United Kingdom (en) Page 13 / 18





acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)								
No	Dangerous substance/hazard categories	plication of lower	(tonnes) for the ap- and upper-tier re- ments	Notes					
H1	acute toxic (cat. 1)	5	20	40)					

Notation

Deco-Paint Directive

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 14 / 18

⁴⁰⁾ Category 1, all exposure routes

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ Inventory of Chemical Substances
INVENTOR I

TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Hydrofluoric acid %		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
14.8	Classification code: 8	Classification code: CT1	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed.		yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content (Water content was discounted): 0 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Acute Tox. Acute toxicity ADR Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) ATE Acute Toxicity Estimate BCF Bioconcentration factor BOD Biochemical Oxygen Demand	
ADR Accord relatif au transport international des marchandises dangereuses par route (Agreement concer ing the International Carriage of Dangerous Goods by Road) ATE Acute Toxicity Estimate BCF Bioconcentration factor BOD Biochemical Oxygen Demand CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance Ceiling-C Ceiling value COD Chemical oxygen demand DGR Dangerous Goods Regulations (see IATA/DGR)	Acute toxicity
ATE Acute Toxicity Estimate BCF Bioconcentration factor BOD Biochemical Oxygen Demand CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance Ceiling-C Ceiling value COD Chemical oxygen demand DGR Dangerous Goods Regulations (see IATA/DGR)	
BCF Bioconcentration factor BOD Biochemical Oxygen Demand CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance Ceiling-C Ceiling value COD Chemical oxygen demand DGR Dangerous Goods Regulations (see IATA/DGR)	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BOD Biochemical Oxygen Demand CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance Ceiling-C Ceiling value COD Chemical oxygen demand DGR Dangerous Goods Regulations (see IATA/DGR)	Acute Toxicity Estimate
CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance Ceiling-C Ceiling value COD Chemical oxygen demand DGR Dangerous Goods Regulations (see IATA/DGR)	Bioconcentration factor
Ceiling-C COD Chemical oxygen demand DGR Dangerous Goods Regulations (see IATA/DGR)	Biochemical Oxygen Demand
COD Chemical oxygen demand DGR Dangerous Goods Regulations (see IATA/DGR)	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR Dangerous Goods Regulations (see IATA/DGR)	Ceiling value
	Chemical oxygen demand
DNEL Derived No-Effect Level	Dangerous Goods Regulations (see IATA/DGR)
	Derived No-Effect Level

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: **HN54**



Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrofluoric acid ROTIPURAN® Supra-quality 48 %

article number: HN54

Abbr.	Descriptions of used abbreviations
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18