according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: **HN65** Version: **5.0 en** Replaces version of: 23.03.2023 Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Acetic acid ROTIPURAN® Ultra 100 %

HN65

607-002-00-6

200-580-7

64-19-7

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

Index number in CLP Annex VI

EC number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|-----------------------------------|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 3 | Flam. Liq. 3 | H226 |
| 3.2 | Skin corrosion/irritation | 1A | Skin Corr. 1A | H314 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |

date of compilation: 31.08.2018 Revision: 02.03.2024

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: **HN65**

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS05



Hazard statements

| H226 | Flammable liquid and vapour |
|------|---|
| H314 | Causes severe skin burns and eye damage |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition |
|------|---|
| | sources. No smoking |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |

Precautionary statements - response

| P301+P330+P331 P303+P361+P353 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] |
|----------------------------------|---|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P310 | Immediately call a POISON CENTER/doctor |

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)

| • • | |
|------------------------|--|
| H314 | Causes severe skin burns and eye damage. |
| P303+P361+P353 | Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P305+P351+P338 P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

2.3 Other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Acetic acid |
|-------------------|-------------------------------------|
| Molecular formula | $C_2H_4O_2$ |
| Molar mass | 60,05 ^g / _{mol} |
| CAS No | 64-19-7 |
| EC No | 200-580-7 |
| Index No | 607-002-00-6 |

| Substance, Specific Conc. Limits, M-factors, ATE | | | | | |
|--|-----------|-----|----------------|--|--|
| Specific Conc. Limits | M-Factors | ATE | Exposure route | | |
| Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | - | - | | | |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Irritant effects, Cough, pain, choking, and breathing difficulties, Following skin contact: Causes severe burns, Causes poorly healing wounds, After eye contact: Risk of serious damage to eyes, Risk of blindness, Following ingestion: Corrosion, Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|---------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|-----------------|
| EU | acetic acid | 64-19-7 | IOELV | 10 | 25 | 20 | 50 | | | | 2017/ 164/EU |
| MT | acetic acid | 64-19-7 | OELV | 10 | 25 | 20 | 50 | | | | CAP. 424 |

Notation

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties


9.1 Information on basic physical and chemical properties

| Physical state | liquid |
|--|---|
| Colour | colourless |
| Odour | pungent |
| Odour threshold | 0,2 – 100,1 ppm |
| Melting point/freezing point | 16,64 °C (ECHA) |
| Boiling point or initial boiling point and boiling range | 117,9 °C at 101,3 kPa (ECHA) |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | 4 vol% (LEL) - 19,9 vol% (UEL) |
| Flash point | 39 °C at 101,3 kPa (ECHA) |
| Auto-ignition temperature | 463 °C (ECHA) |
| Decomposition temperature | not relevant |
| pH (value) | 2,4 (ECHA) |
| Kinematic viscosity | 1,015 ^{mm²} / _s at 25 °C |
| Dynamic viscosity | 1,056 mPa s at 25 °C |
| Solubility(ies) | |
| Water solubility | 602,9 ^g / _l at 25 °C (ECHA) |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | -0,17 (pH value: 7, 25 °C) (ECHA) |
| Soil organic carbon/water (log KOC) | 0,062 (ECHA) |
| Vanour prossuro | 20,79 hPa at 25 °C |
| Vapour pressure | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65



SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Peroxides, Perchlorates, Hydrogen peroxide, Chromium(VI) oxide, Permanganates, for example potassium permanganate, strong oxidiser, **Violent reaction with:** Strong alkali, Aldehydes, Alkali hydroxide (caustic alkali), Alcohols, Nitric acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

different plastics, Rubber articles, iron, copper, bronze, brass, zinc

Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity

| Exposure route | Endpoint | Value | Species | Method | Source |
|----------------|----------|-------------------------------------|---------|--------|--------|
| oral | LD50 | 3.310 ^{mg} / _{kg} | rat | | TOXNET |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

irritant effects, cough, pain, choking, and breathing difficulties

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) | | | | | | |
|--------------------------|-------------------------------------|-----------------------|--------|------------------|--|--|
| Endpoint | Value | Species | Source | Exposure time | | |
| LC50 | >300,8 ^{mg} / _l | fish | ECHA | 96 h | | |
| EC50 | >300,8 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h | | |
| ErC50 | >300,8 ^{mg} / _l | algae | ECHA | 72 h | | |

12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,066 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,466 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

| Process of degradability | | | | | |
|--------------------------|------------------|------|--|--|--|
| Process | Degradation rate | Time | | | |
| biotic/abiotic | 99 % | 30 d | | | |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | -0,17 (pH value: 7, 25 °C) (ECHA) |
|---------------------------|-----------------------------------|
| BCF | 3,16 (ECHA) |

12.4 Mobility in soil

| Henry's law constant | 0,21 ^{Pa m³} / _{mol} at 25 °C (ECHA) |
|--|--|
| The Organic Carbon normalised adsorption coefficient | 0,062 (ECHA) |

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP3** flammable
- HP 4 irritant skin irritation and eye damage
- HP 8 corrosive

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | ADR | UN 2789 |
|------|--|----------------------|
| | IMDG-Code | UN 2789 |
| | ICAO-TI | UN 2789 |
| 14.2 | UN proper shipping name | |
| | ADR | ACETIC ACID, GLACIAL |
| | IMDG-Code | ACETIC ACID, GLACIAL |
| | ICAO-TI | Acetic acid, glacial |
| | | |
| 14.3 | Transport hazard class(es) | |
| 14.3 | Transport hazard class(es) ADR | 8 (3) |
| 14.3 | • | 8 (3) 8 (3) |
| 14.3 | ADR | |
| 14.3 | ADR IMDG-Code | 8 (3) |
| | ADR IMDG-Code ICAO-TI | 8 (3) |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

| | ICAO-TI | II |
|------|---|--|
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dan- gerous goods regulations |
| 14.6 | Special precautions for user | |
| | Provisions for dangerous goods (ADR) should | be complied within the premises. |
| 14.7 | Maritime transport in bulk according to IM The cargo is not intended to be carried in bulk | |
| | κ. | |
| 14.8 | Information for each of the UN Model Regu | ulations |
| | Agreement concerning the International C information | arriage of Dangerous Goods by Road (ADR)Additiona |
| | Proper shipping name | ACETIC ACID, GLACIAL |
| | Particulars in the transport document | UN2789, ACETIC ACID, GLACIAL, 8 (3), II, (D/E) |
| | Classification code | CF1 |
| | Danger label(s) | 8+3 |
| | | |
| | Excepted quantities (EQ) | E2 |
| | Limited quantities (LQ) | 1 L |
| | Transport category (TC) | 2 |
| | Tunnel restriction code (TRC) | D/E |
| | Hazard identification No | 83 |
| | International Maritime Dangerous Goods C | Code (IMDG) - Additional information |
| | Proper shipping name | ACETIC ACID, GLACIAL |
| | Particulars in the shipper's declaration | UN2789, ACETIC ACID, GLACIAL, 8 (3), II, 39°C c.c |
| | Marine pollutant | - |
| | Danger label(s) | 8+3 |
| | | |
| | Excepted quantities (EQ) E2 | |
| | Limited quantities (LQ) | 1 L |
| | EmS | F-E, S-C |
| | Stowage category | A |
| | Segregation group | 1 - Acids |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

| International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information | | |
|--|---|--|
| Proper shipping name | Acetic acid, glacial | |
| Particulars in the shipper's declaration | UN2789, Acetic acid, glacial, 8 (3), II | |
| Danger label(s) | 8+3 | |
| Excepted quantities (EQ) | E2 | |
| Limited quantities (LQ) | 0,5 L | |
| | | |

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | Νο |
| Acetic acid | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 |
| Acetic acid | flammable / pyrophoric | | R40 | 40 |
| Acetic acid | substances in tattoo inks and perman- ent make-up | | R75 | 75 |

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

 can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,

- 'whoopee' cushions,
 silly string aerosols,
 imitation excrement,
 horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|--|--------|-------|
| Νο | Dangerous substance/hazard categories | Qualifying quantity plication of lower quire | | Notes |
| P5c | flammable liquids (cat. 2, 3) | 5.000 | 50.000 | 51) |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

| VOC content | 100 % |
|-------------|-----------------------------------|
| VOC content | 1.040 ^g / _l |

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|-------------|-----------------------------------|
| VOC content | 1.040 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| Leyenu | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | |

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|--|--------------------------|
| 2.3 | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. | | yes |
| 2.3 | 2.3Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%. | | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| 2017/164/EU | Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/ 161/EU |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CAP. 424 | Occupational Health and Safety Authority Act (CAP. 424) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ROTIPURAN® Ultra 100 %

article number: HN65

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H226 | Flammable liquid and vapour. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.