

Safety data sheet

Safe Work Australia - Code of Practice



Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**
Version: **GHS 2.0 en**
Replaces version of: 2019-01-18
Version: (GHS 1)

date of compilation: 2019-01-18
Revision: 2020-08-19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance

Ammonia solution ROTIPURAN® Ultra 20 %

Article number

HN66

Registration number (REACH)

not relevant (mixture)

EC number

215-647-6

CAS number

1336-21-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

laboratory chemical
laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/ city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

Emergency information service

Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Safety data sheet

Safe Work Australia - Code of Practice



Ammonia solution ROTIPURAN® Ultra 20 %

article number: HN66

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	(Skin Corr. 1C)	H314
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	(STOT SE 3)	H335

2.2 Label elements

Labelling GHS

Signal word

Danger

Pictograms

GHS05, GHS07



Hazard statements

H314 Causes severe skin burns and eye damage
H335 May cause respiratory irritation

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dusts or mists.
P280 Wear eye protection/face protection.

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

Hazardous ingredients for labelling: Ammonia.....%

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H314 Causes severe skin burns and eye damage.

Safety data sheet

Safe Work Australia - Code of Practice



Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

P260	Do not breathe dusts or mists.
P280	Wear eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to industrial combustion plant.
contains:	Ammonia.....%

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

Composition/information on ingredients.

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Specific Conc. Limits
Ammonia.....%	CAS No 1336-21-6 EC No 215-647-6 Index No 007-001-01-2	10 – 20	Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 1 / H400		STOT SE 3; H335: C ≥ 5 %

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Risk of serious damage to eyes, Risk of blindness,
Following skin contact: Causes severe burns,
Following ingestion: Corrosion, Gastric perforation,
Following inhalation: Cough, pain, choking, and breathing difficulties, Varying degrees of pulmonary injury

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

The product itself does not burn. In use, may form flammable/explosive vapour-air mixture.

Hazardous combustion products

In case of fire may be liberated: ammonia (NH₃), nitrogen oxides (NO_x)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Provision of sufficient ventilation. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep only in the original container.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available. Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

- **relevant DNELs of components of the mixture**

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ammonia.....%	1336-21-6	DNEL	36 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Ammonia.....%	1336-21-6	DNEL	6.8 mg/kg	human, dermal	worker (industry)	acute - systemic effects
Ammonia.....%	1336-21-6	DNEL	47.6 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Ammonia.....%	1336-21-6	DNEL	14 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ammonia.....%	1336-21-6	DNEL	6.8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Ammonia.....%	1336-21-6	DNEL	47.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

• relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Ammonia.....%	1336-21-6	PNEC	0.0011 mg/l	freshwater	short-term (single instance)
Ammonia.....%	1336-21-6	PNEC	0.0011 mg/l	marine water	short-term (single instance)
Ammonia.....%	1336-21-6	PNEC	0.0068 mg/l	water	intermittent release

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

Splash protection - Protective gloves

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

- **Type of material**

NBR (Nitrile rubber).

- **Material thickness**

>0,3 mm.

- **Breakthrough times of the glove material**

>240 minutes (permeation: level 5).

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Filtering device (EN 147). Type: K (against ammonia and organic ammonia derivatives, colour code: Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	stinging
Odour threshold	0.03 – 0.05 ppm

Other physical and chemical parameters

pH (value)	~ 12
Melting point/freezing point	not determined
Initial boiling point and boiling range	This information is not available.
Flash point	not determined
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	not relevant
Vapour pressure	This information is not available.
Density	This information is not available.
Vapour density	This information is not available.
Bulk density	Not applicable

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	-1.38 (calc.)
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	no data available
Viscosity	not determined
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Aluminium, Copper, bronze, brass, Light metals (due to the release of hydrogen in an acid/alkaline medium), Mineral acids, Mercury, Acid chlorides, inorganic, Strong oxidiser, Strong acid

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

aluminium, copper, bronze, brass, Light metals, zinc

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

- **Specific target organ toxicity - single exposure**

May cause respiratory irritation.

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

- **If in eyes**

causes burns, Causes serious eye damage, risk of blindness

- **If inhaled**

cough, pain, choking, and breathing difficulties, pulmonary oedema

- **If on skin**

causes severe burns, causes poorly healing wounds

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Source	Exposure time
Ammonia.....%	1336-21-6	LC50	101 mg/l	aquatic invertebrates	ECHA	48 h

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) -1.38

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.


13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	2672
14.2	UN proper shipping name	AMMONIA SOLUTION
	Hazardous ingredients	Ammonia.....%
14.3	Transport hazard class(es)	
	Class	8 (corrosive substances)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	2672
	Proper shipping name	AMMONIA SOLUTION
	Particulars in the transport document	UN2672, AMMONIA SOLUTION, 8, III, (E)

Safety data sheet

Safe Work Australia - Code of Practice



Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**


Class	8
Classification code	C5
Packing group	III
Danger label(s)	8



Special provisions (SP)	543
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X

• International Maritime Dangerous Goods Code (IMDG)

UN number	2672
Proper shipping name	AMMONIA SOLUTION
Particulars in the shipper's declaration	UN2672, AMMONIA SOLUTION, 8, III, MARINE POLLUTANT
Class	8
Marine pollutant	P
Packing group	III
Danger label(s)	8



Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	18 - Alkalis

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	2672
Proper shipping name	Ammonia solution
Particulars in the shipper's declaration	UN2672, Ammonia solution, 8, III
Class	8

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

Packing group III

Danger label(s) 8



Special provisions (SP) A64

Excepted quantities (EQ) E1

Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Country	National inventories	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1		EC number: 215-647-6	yes
1.1		CAS number: 1336-21-6	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1	Occupational exposure limit values (Workplace Exposure Limits): Data are not available.	Occupational exposure limit values (Workplace Exposure Limits): Data are not available. Data are not available.	yes
14.8	Emergency Action Code: 2R	Emergency Action Code: 2X	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	hazardous to the aquatic environment - acute hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye

Ammonia solution ROTIPURAN® Ultra 20 %

article number: **HN66**

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT SE	specific target organ toxicity - single exposure
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H314	causes severe skin burns and eye damage
H318	causes serious eye damage
H335	may cause respiratory irritation
H400	very toxic to aquatic life

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.