acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8 date of compilation: 2019-02-26 Version: GHS 3.0 en Revision: 2023-11-09

Replaces version of: 2022-10-26

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance RBS® A 285 SOLID pF, Laboratory cleaning

agent

Article number HNY8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Cleaning agent

Laboratory and analytical use

Do not use for products which come into contact Uses advised against:

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

Page 1 / 16 Australia (en)

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8

For full text of abbreviations: see SECTION 16

2.2 **Label elements**

Labelling

Signal word Danger

Pictograms

GHS05, GHS06



Hazard statements

H315 Causes skin irritation H318 Causes serious eve damage Toxic if inhaled H331

May cause respiratory irritation H335

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

Wear protective gloves P280

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Precautionary statements - storage

Store in a well-ventilated place. Keep container tightly closed P403+P233

Precautionary statements - disposal

Dispose of contents/container to industrial combustion plant

Hazardous ingredients for labelling: Silicic acid, sodium salt, Sodium hydroxide, Tetra-

sodium N,N-bis(carboxylatomethyl)-L-glutamate

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

Page 2 / 16 Australia (en)



acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Sodium carbonate	CAS No 497-19-8	< 60	Eye Irrit. 2 / H319	<u>(i)</u>	
	EC No 207-838-8			•	
Silicic acid, sodium salt	CAS No 1344-09-8	<30	Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Dam. 1 / H318		
	EC No 215-687-4		STOT SE 3 / H335	~ ~	
Tetrasodium N,N- bis(carboxylatomethyl) -L-glutamate	CAS No 51981-21-6	<15	Acute Tox. 4 / H332	<u>(i)</u>	
-L-glutamate	EC No 257-573-7			~	
Sodium hydroxide	CAS No 1310-73-2	<2	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318		
	EC No 215-185-5		Lye Dam. 1711316	\	

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed


Risk of blindness, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

Australia (en) Page 3 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 16



acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



SECTION 7: Handling and storage

Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES
AU	sodium hydroxide	1310-73-2	WES			2		WES

Notation

Ceiling value is a limit value above which exposure should not occur Ceiling-C

STEL

Inhalable fraction
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA**

Australia (en) Page 5 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Silicic acid, sodium salt	1344-09-8	DNEL	5.61 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Silicic acid, sodium salt	1344-09-8	DNEL	1.59 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Tetrasodium N,N- bis(carboxylato- methyl)-L-glutam- ate	51981-21-6	DNEL	7.3 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Tetrasodium N,N- bis(carboxylato- methyl)-L-glutam- ate	51981-21-6	DNEL	15,000 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Silicic acid, sodium salt	1344-09-8	PNEC	7.5 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Silicic acid, sodium salt	1344-09-8	PNEC	1 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Silicic acid, sodium salt	1344-09-8	PNEC	348 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Silicic acid, sodium salt	1344-09-8	PNEC	7.5 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Tetrasodium N,N- bis(carboxylato- methyl)-L-glutam- ate	51981-21-6	PNEC	67 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Tetrasodium N,N- bis(carboxylato- methyl)-L-glutam- ate	51981-21-6	PNEC	9.45 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Tetrasodium N,N- bis(carboxylato- methyl)-L-glutam- ate	51981-21-6	PNEC	0.945 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Tetrasodium N,N- bis(carboxylato- methyl)-L-glutam- ate	51981-21-6	PNEC	41.2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Tetrasodium N,N- bis(carboxylato- methyl)-L-glutam- ate	51981-21-6	PNEC	0.5 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

Australia (en) Page 6 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

0,3 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 7 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid
Colour white

Odour faintly perceptible
Melting point/freezing point not determined
Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) 11 (in aqueous solution: 3 ^g/_l, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility (soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density not determined

Relative vapour density information on this property is not available

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes acc. to GHS classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

Australia (en) Page 8 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong acid

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Toxic if inhaled.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Silicic acid, sodium salt	1344-09-8	inhalation: vapour	>2.06 ^{mg} / _l /4h
Silicic acid, sodium salt	1344-09-8	inhalation: dust/mist	0.5 ^{mg} / _l /4h
Tetrasodium N,N-bis(carboxylatomethyl)-L- glutamate	51981-21-6	inhalation: dust/mist	>4.2 ^{mg} / _I /4h

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sodium carbonate	497-19-8	oral	LD50	2,800 ^{mg} / _{kg}	rat
Sodium carbonate	497-19-8	dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit
Silicic acid, sodium salt	1344-09-8	oral	LD50	3,400 ^{mg} / _{kg}	rat

Australia (en) Page 9 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Silicic acid, sodium salt	1344-09-8	inhalation: va- pour	LC50	>2.06 ^{mg} / _l /4h	rat
Silicic acid, sodium salt	1344-09-8	dermal	LD50	>5,000 ^{mg} / _{kg}	rat
Tetrasodium N,N-bis(carboxylato- methyl)-L-glutamate	51981-21-6	oral	LD50	>2,000 ^{mg} / _{kg}	rat
Tetrasodium N,N-bis(carboxylato- methyl)-L-glutamate	51981-21-6	inhalation: dust/mist	LC50	>4.2 ^{mg} / _l /4h	rat
Tetrasodium N,N-bis(carboxylato- methyl)-L-glutamate	51981-21-6	dermal	LD50	>2,000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

If inhaled

Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes skin irritation

Australia (en) Page 10 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components Exposure Name of sub-**CAS No Endpoint Value Species** time stance Sodium carbonate 497-19-8 LC50 300 mg/_I fish 96 h Sodium carbonate 497-19-8 EC50 227 mg/I aquatic invertebrates 48 h Silicic acid, sodium salt 1344-09-8 LC50 310 ^{mg}/_l 96 h Silicic acid, sodium salt 1,700 mg/_I 1344-09-8 EC50 aquatic invertebrates 48 h >345.4 ^{mg}/_I Silicic acid, sodium salt 1344-09-8 ErC50 72 h algae >100 ^{mg}/_I Tetrasodium N,N-51981-21-6 LC50 fish 96 h bis(carboxylatomethyl) -L-glutamate Tetrasodium N,N-51981-21-6 >100 ^{mg}/_I 48 h EC50 aquatic invertebrates bis(carboxylatomethyl) -L-glutamate <180 ^{mg}/_l Sodium hydroxide 1310-73-2 LC50 fish 96 h Sodium hydroxide 1310-73-2 EC50 40.4 mg/_I aquatic invertebrates 48 h

Aquatic toxicity (chronic) of components										
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time					
Tetrasodium N,N- bis(carboxylatomethyl) -L-glutamate	51981-21-6	EC50	396.2 ^{mg} / _l	aquatic invertebrates	21 d					
Sodium hydroxide	1310-73-2	EC50	22 ^{mg} / _l	microorganisms	15 min					

12.2 Persistence and degradability

Degradabilit	Degradability of components										
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source					
Tetrasodium N,N- bis(carboxylato methyl)-L- glutamate	51981-21-6	oxygen deple- tion	96 %	28 d		ECHA					

Australia (en) Page 11 / 16



acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Tetrasodium N,N- bis(carboxylato methyl)-L- glutamate	51981-21-6	carbon dioxide generation	32 %	28 d		ECHA
Tetrasodium N,N- bis(carboxylato methyl)-L- glutamate	51981-21-6	DOC removal	23 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Tetrasodium N,N-bis(carboxylato- methyl)-L-glutamate	51981-21-6		<0 (pH value: 7, 27 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous


H11 Toxic (Delayed or chronic)

Australia (en) Page 12 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information not assigned

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information not assigned

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed

Page 13 / 16 Australia (en)



acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF, Laboratory cleaning agent

article number: HNY8



Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC Australian Inventory of Industrial Chemicals CICR CSCL-ENCS DSL ECSI

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) IECSC INSQ

INSULATION OF CHEMICAL SUBSTRACES

INVENTORY OF Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory

NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. Taiwan Chemical Substances

Taiwan Chemical Substances

Taiwan Chemical Substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Australia (en) Page 14 / 16

acc. to Safe Work Australia - Code of Practice

RBS® A 285 SOLID pF , Laboratory cleaning agent

article number: **HNY8**



Ceiling-C COD	Acute Toxicity Acute Toxicity Estimate Bioconcentration factor Biochemical Oxygen Demand emical Abstracts Service (service that maintains the most comprehensive list of chemical substances) Ceiling value Chemical oxygen demand Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level
BCF BOD CAS Che Ceiling-C COD	Bioconcentration factor Biochemical Oxygen Demand emical Abstracts Service (service that maintains the most comprehensive list of chemical substances) Ceiling value Chemical oxygen demand Dangerous Goods Regulations (see IATA/DGR)
BOD CAS Che Ceiling-C COD	Biochemical Oxygen Demand emical Abstracts Service (service that maintains the most comprehensive list of chemical substances) Ceiling value Chemical oxygen demand Dangerous Goods Regulations (see IATA/DGR)
CAS Che Ceiling-C COD	Ceiling value Chemical oxygen demand Dangerous Goods Regulations (see IATA/DGR)
Ceiling-C	Ceiling value Chemical oxygen demand Dangerous Goods Regulations (see IATA/DGR)
COD	Chemical oxygen demand Dangerous Goods Regulations (see IATA/DGR)
	Dangerous Goods Regulations (see IATA/DGR)
DCD	
DGR	Derived No-Effect Level
DNEL	
EC50 Effe	ective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No The I	EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50 ≡ E	C50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS "Glo	obally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50 Letha	al Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50 Leth	nal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit

Australia (en) Page 15 / 16

acc. to Safe Work Australia - Code of Practice



article number: HNY8



Abbr.	Descriptions of used abbreviations
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 16 / 16