Safe Work Australia - Code of Practice

Sodium sulphite

® Foth

date of compilation: 2020-03-16

Revision: 2024-03-03

article number: **HPL0** Version: **GHS 2.0 en** Replaces version of: 2020-03-16 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substanceSodium sulphiteArticle numberHPL0Registration number (REACH)This information is not available.EC number231-821-4CAS number7757-83-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified ເ	uses:
--------------	-------

laboratory chemical laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

supplier

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Manufacturer

Dostmann Electronic GmbH Waldenbergweg 3B 97877 Wertheim

1.4 Emergency telephone number

Name	Street	Postal code/ city	Telephone	Website
NSW Poisons Informa- tion Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

Emergency information service

Poison Centre Munich: +49/(0)89 19240

Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Classification acc. to GHS						
Section Hazard class		Hazard class and cat- egory	Hazard state- ment			
3.2	skin corrosion/irritation	(Skin Irrit. 2)	H315			
3.3	serious eye damage/eye irritation	(Eye Irrit. 2A)	H319			

Supplemental hazard information

Code	Supplemental hazard information
AUH031	contact with acids liberates toxic gas

2.2 Label elements

Labelling GHS

Signal word Warning

Pictograms



Hazard statements

H315	Causes skin irritation
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves.

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
P321 P332+P313 P337+P313	lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Supplemental hazard information

AUH031	Contact with acids liberates toxic gas.
--------	---

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning





Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

Symbol(s)



H319	Causes serious eye irritation.
P280 P305+P351+P338	Wear protective gloves. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
AUH031	Contact with acids liberates toxic gas.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Sodium sulphite
EC number	231-821-4
CAS number	7757-83-7
Molecular formula	Na ₂ O ₃ S
Molar mass	126 ^g / _{mol}

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation
- **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: sulphur oxides (SOx)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust. Avoid contact with skin, eyes and clothes.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

SECTION 7: Handling and storage

Precautions for safe handling 7.1

No special measures are necessary.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Nota- tion	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Source
AU	nuisance dusts		i	WES	10				WES

Notation

Ceiling value is a limit value above which exposure should not occur Ceiling-C Inhalable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	298 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects



Safe Work Australia - Code of Practice



Sodium sulphite

article number: HPL0

environmental values						
Endpoint Threshold level		Environmental compartment	Exposure time			
PNEC	1.33 ^{mg} / _l	freshwater	short-term (single instance)			
PNEC	0.13 ^{mg} / _l	marine water	short-term (single instance)			
PNEC	99.9 ^{mg} / _l	sewage treatment plant (STP)	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Colour Odour Odour threshold Other physical and chemical parameters pH (value) Melting point/freezing point Initial boiling point and boiling range Flash point **Evaporation rate** Flammability (solid, gas) **Explosive limits** lower explosion limit (LEL) upper explosion limit (UEL) Explosion limits of dust clouds Vapour pressure Density Vapour density Bulk density **Relative density** Solubility(ies) Water solubility Partition coefficient n-octanol/water (log KOW) Auto-ignition temperature Decomposition temperature Viscosity **Explosive properties** Oxidising properties Other information

There is no additional information.

solid (powder, crystalline) white odourless no data available

8.8 – 10 (in aqueous solution: 50 ^g/_l, 20 °C) 911 °C this information is not available not applicable no data available these information are not available

this information is not available this information is not available these information are not available this information is not available 2.63 ^g/_{cm³} this information is not available 1,480 ^{kg}/_{m³} this information is not available

307,000 ^{mg}/_l at 25 °C

-4 (25 °C) (OECD 107) Information on this property is not available. >500 °C not relevant (solid matter)

Shall not be classified as explosive.

9.2



Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions Violent reaction with: Strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >500 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>2,000 ^{mg} / _{kg}	rat	ECHA
inhalation: dust/mist	LC50	>5.5 ^{mg} / _l /4h	rat	ECHA
dermal	LD50	>2,000 ^{mg} / _{kg}	rat	ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0



Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

data are not available

• If in eyes

Causes serious eye irritation

• If inhaled

data are not available

• If on skin

causes skin irritation

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	<464 ^{mg} / _l	fish	ECHA	96 h
EC50	89 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	43.8 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	410 ^{mg} / _l	microorganisms	ECHA	17 h
NOEC	≥316 ^{mg} / _l	fish	ECHA	34 d
growth (EbCx) 10%	153 ^{mg} / _l	microorganisms	ECHA	17 h

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

-4 (25 °C)

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms. n-octanol/water (log KOW)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Other adverse effects

Data are not available.

Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number (not subject to transport regulations)
14.2 UN proper shipping name not relevant
14.3 Transport hazard class(es) not relevant
Class 14.4 Packing group not relevant
14.5 Environmental hazards

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Not subject to ADR, RID and ADN.

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

• International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

Australia (en)



Safe Work Australia - Code of Practice

Sodium sulphite

article number: HPL0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
МХ	INSQ substance is listed	
NZ	NZIoC	substance is listed
PH	PICCS substance is listed	
TR	CICR substance is listed	
TW	TCSI substance is listed	
US	TSCA substance is listed (ACTIVE)	
VN	NCI substance is listed	

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)



Safe Work Australia - Code of Practice



Sodium sulphite

article number: HPL0

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Supplemental hazard information: change in the listing (table)	yes
2.2		Supplemental hazard information: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
8.1	Occupational exposure limit values (Workplace Exposure Limits): Data are not available.	Occupational exposure limit values (Workplace Exposure Limits)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
14.4	Packing group: not relevant not assigned to a packing group	Packing group: not relevant	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Wa-terways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")

Safe Work Australia - Code of Practice



Sodium sulphite

article number: HPL0

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good
- Dangerous Goods Regulations (DGR) for the air transport (IATA) International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	causes skin irritation
H319	causes serious eye irritation

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.