Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0 Version: 2.0 en Replaces version of: 2020-03-16 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

| Identification of the substance | Sodium sulphite |
|---------------------------------|---------------------------------|
| Article number | HPL0 |
| Registration number (REACH) | This information is not availal |
| EC number | 231-821-4 |
| CAS number | 7757-83-7 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified u | ses: |
|--------------|------|
|--------------|------|

Details of the supplier of the safety data sheet 1.3

supplier

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Manufacturer

Dostmann Electronic GmbH Waldenbergweg 3B 97877 Wertheim

1.4 **Emergency telephone number**

| Name | Street | Postal code/ city | Telephone | Website |
|------------------------------------------------------------|-----------|------------------------|--------------|---------|
| National Poisons Inform- ation Service City Hospital | Dudley Rd | B187QH Birm- ingham | 844 892 0111 | |

Emergency information service

+49/(0)89 19240



Revision: 2024-03-03

date of compilation: 2020-03-16

able.

//5/-83-/

laboratory chemical laboratory and analytical use

Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Classification acc. to GHS | | | | | | |
|----------------------------|-----------------------------------|--------------------------------|--------------------------|--|--|--|
| Section | Hazard class | Hazard class and cat- egory | Hazard state- ment | | | |
| 3.10 | acute toxicity (oral) | (Acute Tox. 4) | H302 | | | |
| 3.2 | skin corrosion/irritation | (Skin Irrit. 2) | H315 | | | |
| 3.3 | serious eye damage/eye irritation | (Eye Irrit. 2) | H319 | | | |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|----------------------------------------|
| EUH031 | contact with acids liberates toxic gas |

2.2 Label elements

Labelling GHS

| Signal word | Warning |
|-----------------------------------------------------------|---------------------------------------------------------------------------------|
| Pictograms | |
| GHS07 | |
| Hazard stateme | nts |
| H302 H315 H319 | Harmful if swallowed Causes skin irritation Causes serious eye irritation |
| Precautionary s | tatements |
| Precautionary s | tatements - prevention |
| P264 P280 | Wash hands thoroughly after handling. Wear protective gloves/eye protection. |
| Precautionary s | tatements - response |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| Supplemental h | azard information |
| EUH031 | Contact with acids liberates toxic gas. |
| Labelling of package Signal word: Warning Symbol(s) | es where the contents do not exceed 125 ml g |
| | |



Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

EUH031

Contact with acids liberates toxic gas.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Sodium sulphite |
|-------------------|-----------------------------------|
| EC number | 231-821-4 |
| CAS number | 7757-83-7 |
| Molecular formula | Na ₂ O ₃ S |
| Molar mass | 126 ^g / _{mol} |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed Vomiting, Irritation

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.



Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: sulphur oxides (SOx)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust. Avoid contact with skin, eyes and clothes.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntry | Name of agent | CAS No | Nota- tion | Identifi- er | TWA [mg/ m³] | STEL [mg/ m³] | Ceil- ing-C [ppm] | Ceil- ing-C [mg/ m³] | Source |
|-------------|---------------|--------|---------------|-----------------|--------------------|---------------------|-------------------------|-------------------------------|-----------|
| GB | dust | | i | WEL | 10 | | | | EH40/2005 |
| GB | dust | | r | WEL | 4 | | | | EH40/2005 |

Notation

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|----------|--------------------|------------------------------------|-------------------|----------------------------|
| DNEL | 298 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects |



Regulation (EC) No. 1907/2006 (REACH)



Sodium sulphite

article number: HPL0

| environmental values | | | | | |
|----------------------|-----------------------------------|------------------------------|------------------------------|--|--|
| Endpoint | Threshold level | Environmental compartment | Exposure time | | |
| PNEC | 1,33 ^{mg} / _l | freshwater | short-term (single instance) | | |
| PNEC | 0,13 ^{mg} / _l | marine water | short-term (single instance) | | |
| PNEC | 99,9 ^{mg} / _l | sewage treatment plant (STP) | short-term (single instance) | | |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Colour Odour Odour threshold Other physical and chemical parameters pH (value) Melting point/freezing point Initial boiling point and boiling range Flash point **Evaporation rate** Flammability (solid, gas) **Explosive limits** lower explosion limit (LEL) upper explosion limit (UEL) Explosion limits of dust clouds Vapour pressure Density Vapour density Bulk density **Relative density** Solubility(ies) Water solubility Partition coefficient n-octanol/water (log KOW) Auto-ignition temperature Decomposition temperature Viscosity **Explosive properties** Oxidising properties Other information

There is no additional information.

solid (powder, crystalline) white odourless no data available

8,8 – 10 (in aqueous solution: 50 ^g/_l, 20 °C) 911 °C this information is not available not applicable no data available these information are not available

this information is not available this information is not available these information are not available this information is not available 2,63 ^g/_{cm³} this information is not available 1.480 ^{kg}/_{m³} this information is not available

307.000 ^{mg}/_l at 25 °C

-4 (25 °C) (OECD 107) Information on this property is not available. >500 °C not relevant (solid matter) Shall not be classified as explosive.

none

9.2



Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

- **10.3 Possibility of hazardous reactions** Violent reaction with: Strong oxidiser
- 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >500 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Exposure route | Endpoint | Value | Species | Source |
|-----------------------|----------|---------------------------------------|---------|--------|
| oral | LD50 | >2.000 ^{mg} / _{kg} | rat | ECHA |
| inhalation: dust/mist | LC50 | >5,5 ^{mg} / _l /4h | rat | ECHA |
| dermal | LD50 | >2.000 ^{mg} / _{kg} | rat | ECHA |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0



Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

data are not available

• If in eyes

Causes serious eye irritation

• If inhaled

data are not available

• If on skin

causes skin irritation

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

| Endpoint | Value | Species | Source | Exposure time |
|----------|-----------------------------------|-----------------------|--------|------------------|
| LC50 | <464 ^{mg} / _l | fish | ECHA | 96 h |
| EC50 | 89 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | 43,8 ^{mg} / _l | algae | ECHA | 72 h |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|-------------------|-----------------------------------|----------------|--------|------------------|
| EC50 | 410 ^{mg} / _l | microorganisms | ECHA | 17 h |
| NOEC | ≥316 ^{mg} / _l | fish | ECHA | 34 d |
| growth (EbCx) 10% | 153 ^{mg} / _l | microorganisms | ECHA | 17 h |

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

-4 (25 °C)

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms. n-octanol/water (log KOW)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Other adverse effects

Data are not available.

Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number (not subject to transport regulations)
 14.2 UN proper shipping name not relevant
 14.3 Transport hazard class(es) not relevant
 Class 14.4 Packing group not relevant
 14.5 Environmental hazards

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Not subject to ADR, RID and ADN.

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

• International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.



Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Substance is listed in the following national inventories:

| Country | National inventories | Status |
|---------|----------------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| МХ | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| Legena | |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| DSL ECSI IECSC INSQ KECI NCI NZIOC PICCS REACH Reg. TCSI | Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory National Chemical Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH registered substances Taiwan Chemical Substance Inventory |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|----------------------------------------------------------------|--------------------------------|--------------------------|
| 14.4 | Packing group: not relevant not assigned to a packing group | Packing group: not relevant | yes |



Safety data sheet Regulation (EC) No. 1907/2006 (REACH)



Sodium sulphite

article number: HPL0

| Abbr. | Descriptions of used abbreviations | |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) | |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | |
| Ceiling-C | ceiling value | |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| DMEL | Derived Minimal Effect Level | |
| DNEL | Derived No-Effect Level | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval | |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| ELINCS | European List of Notified Chemical Substances | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | |
| ΙΑΤΑ | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| IMDG | International Maritime Dangerous Goods Code | |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval | |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval | |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") | |
| NLP | No-Longer Polymer | |
| NOEC | No Observed Effect Concentration | |
| PBT | Persistent, Bioaccumulative and Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| ppm | parts per million | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals | |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) | |
| STEL | short-term exposure limit | |
| TWA | time-weighted average | |
| vPvB | very Persistent and very Bioaccumulative | |
| WEL | workplace exposure limit | |

Regulation (EC) No. 1907/2006 (REACH)

Sodium sulphite

article number: HPL0

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|-------------------------------|
| H302 | harmful if swallowed |
| H315 | causes skin irritation |
| H319 | causes serious eye irritation |

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

