acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060 date of compilation: 2017-03-02 Version: 3.0 en

Revision: 2024-04-22

Replaces version of: 2022-04-12

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **DMT-Removal-DCE** for DNA synthesis

Article number K060

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

> with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

United Kingdom (en) Page 1 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS05, GHS07, GHS08, GHS09











Hazard statements

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H350	May cause cancer
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/eye protection

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

United Kingdom (en) Page 2 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Trichloroacetic acid, 1,2-Dichloroethane Hazardous ingredients for labelling:

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

Substances

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
1,2-Dichloroethane	CAS No 107-06-2 EC No 203-458-1 Index No 602-012-00-7	≥50	Flam. Liq. 2 / H225 Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 1B / H350 STOT SE 3 / H335 Asp. Tox. 1 / H304		GHS-HC IOELV
Trichloroacetic acid	CAS No 76-03-9 EC No 200-927-2 Index No 607-004-00-7	3-<5	Skin Corr. 1A / H314 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<u>***</u>	GHS-HC

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
1,2-Dichloroeth- ane	CAS No 107-06-2 EC No 203-458-1	-	-	670 ^{mg} / _{kg} 7,758 ^{mg} / _l /4h	oral inhalation: va- pour
Trichloroacetic acid	CAS No 76-03-9 EC No 200-927-2	STOT SE 3; H335: C ≥ 1 %	-	-	

United Kingdom (en) Page 3 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Substance of Very High Concern (SVHC)												
Name of substance	Name acc. to invent- ory	CAS No	EC No	Listed in	Remarks							
1,2-Dichloroethane	1,2-dichloroethane (EDC)	107-06-2	203-458-1	Annex XIV	Carc. 1B							

Legend

Annex XIV Carc. 1B List of substances subject to authorisation

Carcinogenic (category 1B)

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor. Observe aspiration hazard if vomiting occurs.

Most important symptoms and effects, both acute and delayed 4.2

Aspiration hazard, Vomiting, Risk of blindness, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

Indication of any immediate medical attention and special treatment needed 4.3

none

SECTION 5: Firefighting measures

5.1 **Extinguishing media**



United Kingdom (en) Page 4 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 5 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

United Kingdom (en) Page 6 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	ethylene dichloride	107-06-2	IOELV	2	8,2					Н	2019/ 130/EU
GB	1,2-dichloroethane (ethylene dichloride)	107-06-2	WEL	5	21						EH40/ 2005

Notation

Ceiling-C

H STEL

Ceiling value is a limit value above which exposure should not occur
Absorbed through the skin
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8
hours time-weighted average (unless otherwise specified) **TWA**

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Trichloroacetic acid	76-03-9	DNEL	1,41 mg/kg	human, dermal	worker (industry)	acute - local ef- fects
Trichloroacetic acid	76-03-9	DNEL	124,3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Trichloroacetic acid	76-03-9	DNEL	124,3 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Trichloroacetic acid	76-03-9	DNEL	1,41 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Trichloroacetic acid	76-03-9	DNEL	1,41 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components

	•					
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
1,2-Dichloroethane	107-06-2	PNEC	1,1 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
1,2-Dichloroethane	107-06-2	PNEC	0,11 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
1,2-Dichloroethane	107-06-2	PNEC	27,8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
1,2-Dichloroethane	107-06-2	PNEC	11,1 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
1,2-Dichloroethane	107-06-2	PNEC	1,11 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
1,2-Dichloroethane	107-06-2	PNEC	1,8 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Trichloroacetic acid	76-03-9	PNEC	0,000014 mg/ _{cm³}	unknown	marine sediment	intermittent re- lease

United Kingdom (en) Page 7 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



instance)

${\bf DMT\text{-}Removal\text{-}DCE}$ for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Relevant PNECs of components											
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time					
Trichloroacetic acid	76-03-9	PNEC	0,000017 mg/ _{cm³}	unknown	marine water	intermittent re- lease					
Trichloroacetic acid	76-03-9	PNEC	0,0027 ^{mg} / cm³	unknown	air	intermittent re- lease					
Trichloroacetic acid	76-03-9	PNEC	0,00014 mg/ _{cm³}	unknown	freshwater sedi- ment	intermittent re- lease					
Trichloroacetic acid	76-03-9	PNEC	0,00017 mg/ _{cm³}	unknown	freshwater	intermittent re- lease					
Trichloroacetic acid	76-03-9	PNEC	100 ^{mg} / _{cm³}	unknown	sewage treatment plant (STP)	intermittent re- lease					
Trichloroacetic acid	76-03-9	PNEC	0,0046 ^{mg} / cm³	unknown	soil	intermittent re- lease					
Trichloroacetic acid	76-03-9	PNEC	2,7 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease					
Trichloroacetic acid	76-03-9	PNEC	0,17 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)					
Trichloroacetic acid	76-03-9	PNEC	0,017 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)					
Trichloroacetic acid	76-03-9	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)					
Trichloroacetic acid	76-03-9	PNEC	0,143 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)					
Trichloroacetic acid	76-03-9	PNEC	0,014 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)					
Trichloroacetic acid	76-03-9	PNEC	20 ^{μg} / _{ka}	terrestrial organ-	soil	short-term (single					

isms

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





United Kingdom (en) Page 8 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

• type of material

FKM (fluoro rubber)

material thickness

0,4 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

Physical state liquid

Colour colourless

Odour characteristic

Odour threshold 3 ppm Melting point/freezing point -35,5 °C

Boiling point or initial boiling point and boiling

range

84 °C

Flammability flammable liquid in accordance with GHS criteria

250 g/m³ (LEL) - 660 g/m³ (UEL) / 6 vol% (LEL) - 15,9 vol% (UEL) Lower and upper explosion limit

Flash point 13 °C 440 °C Auto-ignition temperature

Page 9 / 23 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Decomposition temperature not relevant

pH (value) not determined Kinematic viscosity $0.64 \, ^{\text{mm}^2} / _{\text{s}}$ at 20 °C

Dynamic viscosity 0,8 mPa s at 20 °C

Solubility(ies)

Water solubility 8 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 87 hPa at 20 °C

Density and/or relative density

Density 1,25 g/cm³

Relative vapour density 3,4 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

There is no additional information.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali metals, Alkaline earth metal, Metal powder, Nitric acid, Nitrogen oxides (NOx)

United Kingdom (en) Page 10 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct light irradiation. Protect from moisture.

10.5 Incompatible materials

aluminium, iron, different Light metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
1,2-Dichloroethane	107-06-2	oral	670 ^{mg} / _{kg}
1,2-Dichloroethane	107-06-2	inhalation: vapour	7,758 ^{mg} / _l /4h

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
1,2-Dichloroethane	107-06-2	inhalation: va- pour	LC50	7.758 ^{mg} / _{m³} / 4h	rat
1,2-Dichloroethane	107-06-2	oral	LD50	670 ^{mg} / _{kg}	rat
1,2-Dichloroethane	107-06-2	dermal	LD50	2.800 ^{mg} / _{kg}	rabbit
Trichloroacetic acid	76-03-9	oral	LD50	3.320 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

United Kingdom (en) Page 11 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, aspiration hazard

If in eyes

Causes serious eye damage, risk of blindness

If inhaled

vertigo, headache, Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes skin irritation

Other information

Other adverse effects: Liver and kidney damage, Cardiovascular system, Central nervous system

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
1,2-Dichloroethane	107-06-2	LC50	136 ^{mg} / _l	fish	96 h			
1,2-Dichloroethane	107-06-2	EC50	160 ^{mg} / _l	aquatic invertebrates	48 h			
Trichloroacetic acid	76-03-9	EC50	2.000 ^{mg} / _l	daphnia magna	48 h			
Trichloroacetic acid	76-03-9	LC50	>1.000 ^{mg} / _l	orfe (Leuciscus idus)	48 h			
Trichloroacetic acid	76-03-9	LC50	2.000 ^{mg} / _l	Pimephales promelas	96 h			

United Kingdom (en) Page 12 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

12.2 Persistence and degradability

0,787 ^{mg}/_{mg}

Degrad	lahility	of con	nponents
Deulau	Iaviiilv	OI COII	IDOHELIES

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Trichloroacetic acid	76-03-9	biotic/abiotic	59 %	20 d		

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
1,2-Dichloroethane	107-06-2	2	1,45 (pH value: ~7,4, 20 °C)	
Trichloroacetic acid	76-03-9		1,33	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

United Kingdom (en) Page 13 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Properties of waste which render it hazardous

HP3 flammable

HP 4 irritant - skin irritation and eye damage

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 6 acute toxicity HP 7 carcinogenic HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 2924
IMDG-Code UN 2924
ICAO-TI UN 2924

14.2 UN proper shipping name

ADRRID FLAMMABLE LIQUID, CORROSIVE, N.O.S. IMDG-Code FLAMMABLE LIQUID, CORROSIVE, N.O.S.

1,2-Dichloroethane, Trichloroacetic acid

ICAO-TI Flammable liquid, corrosive, n.o.s.

14.3 Transport hazard class(es)

Technical name (hazardous ingredients)

ADRRID 3 (8)
IMDG-Code 3 (8)
ICAO-TI 3 (8)

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic environment):

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

United Kingdom (en) Page 14 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Particulars in the transport document UN2924, FLAMMABLE LIQUID, CORROSIVE,

N.O.S., (contains: 1,2-Dichloroethane, Trichloroacetic acid), 3 (8), II, (D/E), environmentally haz-

ardous

Classification code FC

Danger label(s) 3+8, "Fish and tree"







Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) D/E

Hazard identification No 338

Emergency Action Code 3WE

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code FC

Danger label(s) 3+8, "Fish and tree"







Environmental hazards Yes

Hazardous to water

Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Hazard identification No 338

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Particulars in the shipper's declaration UN2924, FLAMMABLE LIQUID, CORROSIVE,

N.O.S., (contains: 1,2-Dichloroethane, Trichloro-acetic acid), 3 (8), II, 13°C c.c., MARINE POLLUT-

ANT

Marine pollutant yes (hazardous to the aquatic environment), (Trichloroacetic

acid)

United Kingdom (en) Page 15 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Danger label(s) 3+8, "Fish and tree"

Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-C

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, corrosive, n.o.s.

Particulars in the shipper's declaration UN2924, Flammable liquid, corrosive, n.o.s., (con-

tains: 1,2-Dichloroethane, Trichloroacetic acid), 3

(8), II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3+8



Special provisions (SP) A3
Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements					
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200 500	57)				

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	100 %

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	100 70

United Kingdom (en) Page 16 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)						
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)			
1,2-Dichloroethane	107-06-2		1 000			

Water Framework Directive (WFD)

List of pollutants (WFD)						
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks		
1,2-Dichloroethane	1,2-dichloroethane	107-06-2	b)			
1,2-Dichloroethane	1,2-dichloroethane	107-06-2	c)			
1,2-Dichloroethane	Organohalogen compounds and substances which may form such compounds in the aquatic environment		a)			
1,2-Dichloroethane	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)			
Trichloroacetic acid	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)			
Trichloroacetic acid	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)			

Legend

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

United Kingdom (en) Page 17 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
1,2-Dichloroethane	1,2-dichloroethane (ethylene dichloride)	107-06-2	97	p(1) p(2) i(2)	b b
1,2-Dichloroethane	ethylene dichloride (EDC)	107-06-2	97	р	

Legend

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation

i(2)

Sub-category: i(2) - industrial chemical for public use
Category: p - pesticides
Sub-category: p(1) - pesticide in the group of plant protection products
Sub-category: p(2) - other pesticide including biocides p(1)

p(2)

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
1,2-Dichloroethane	107-06-2	Annex XIV	Carc. A57a

Legend

Annex XIV List of substances subject to authorisation Carc. A57a Carcinogenic (Article 57a)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
DMT-Removal-DCE	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
1,2-Dichloroethane	carcinogenic		28
1,2-Dichloroethane	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

United Kingdom (en) Page 18 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR

CSCL-ENCS

DSL ECSI IECSC

INSQ ISHA-ENCS KECI

List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances NZIoC

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

United Kingdom (en) Page 19 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



${\bf DMT\text{-}Removal\text{-}DCE}$ for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Trichloroacetic acid, 1,2-Dichloroethane		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 3	Classification code: FC	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list		yes
15.1		Substance of Very High Concern (SVHC): change in the listing (table)	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list	yes
15.1		Substance of Very High Concern (SVHC) acc. to GB REACH and HSE: change in the listing (table)	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

United Kingdom (en) Page 20 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



${\bf DMT\text{-}Removal\text{-}DCE}$ for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: **K060**

Abbr.	Descriptions of used abbreviations	
2019/130/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work	
Acute Tox.	Acute toxicity	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
Asp. Tox.	Aspiration hazard	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
Carc.	Carcinogenicity	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Liq.	Flammable liquid	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
HSE	Health and Safety Executive	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	

United Kingdom (en) Page 21 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United Kingdom (en) Page 22 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



$\label{lem:decomposition} \mbox{DMT-Removal-DCE for DNA-synthesis with PolyGen} \mbox{\ Synthesizer for DNA synthesis}$

article number: K060

List of relevant phrases (code and full text as stated in section 2 and 3)

	•
Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 23 / 23