
according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



article number: **K060** Version: **3.0 en** Replaces version of: 2022-04-12 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

DMT-Removal-DCE for DNA synthesis

K060

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|---------------|---------------------|-----------------|-----------------------------|
| National Poisons Information Centre Beaumont Hospital | Beaumont Road | Dublin 9 | +353 1 809 2166 | https:// www.poisons.ie/ |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---------------------------|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |



date of compilation: 2017-03-02 Revision: 2024-04-22

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.6 | Carcinogenicity | 1B | Carc. 1B | H350 |
| 3.8R | Specific target organ toxicity - single exposure (respirat- ory tract irritation) | 3 | STOT SE 3 | H335 |
| 3.10 | Aspiration hazard | 1 | Asp. Tox. 1 | H304 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 2 | Aquatic Chronic 2 | H411 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS09



Hazard statements

| H225 | Highly flammable liquid and vapour |
|------|---|
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |
| H350 | May cause cancer |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P280 Wear protective gloves/eye protection

Precautionary statements - response

| P301+P312 P303+P361+P353 | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] |
|-----------------------------|--|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P308+P313 | IF exposed or concerned: Get medical advice/attention |



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

For professional users only

Hazardous ingredients for labelling:

Trichloroacetic acid, 1,2-Dichloroethane

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



| H304 H318 H335 H350 | May be fatal if swallowed and enters airways. Causes serious eye damage. May cause respiratory irritation. May cause cancer. |
|------------------------------|---|
| P280 P305+P351+P338 | Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| contains: | Trichloroacetic acid, 1,2-Dichloroethane |

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \ge 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|------------------------|--|------|---|------------|-----------------|
| 1,2-Dichloroethane | CAS No 107-06-2 EC No 203-458-1 Index No 602-012-00-7 | ≥ 50 | Flam. Liq. 2 / H225 Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 1B / H350 STOT SE 3 / H335 Asp. Tox. 1 / H304 | | GHS-HC IOELV |
| Trichloroacetic acid | CAS No 76-03-9 EC No 200-927-2 Index No 607-004-00-7 | 3-<5 | Skin Corr. 1A / H314 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | | GHS-HC |

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen}$ \circledast Synthesizer for DNA synthesis

article number: **K060**

| Name of sub- stance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-------------------------|-----------------------------|--------------------------|------------------|---|---------------------------------|
| 1,2-Dichloroeth- ane | CAS No 107-06-2 EC No | - | - | 670 ^{mg} / _{kg} 7,758 ^{mg} / _l /4h | oral inhalation: va- pour |
| | 203-458-1 | | | | |
| | Index No 602-012-00-7 | | | | |
| Trichloroacetic acid | CAS No 76-03-9 | STOT SE 3; H335: C ≥ 1 % | - | - | |
| | EC No 200-927-2 | | | | |
| | Index No 607-004-00-7 | | | | |

Substance of Very High Concern (SVHC)

| Name of substance | Name acc. to invent- ory | CAS No | EC No | Listed in | Remarks |
|--------------------|-----------------------------|----------|-----------|-----------|----------|
| 1,2-Dichloroethane | 1,2-dichloroethane (EDC) | 107-06-2 | 203-458-1 | Annex XIV | Carc. 1B |

Legend

Annex XIV Carc. 1B

XIV List of substances subject to authorisation B Carcinogenic (category 1B)

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor. Observe aspiration hazard if vomiting occurs.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen} \circledast$ Synthesizer for DNA synthesis

article number: K060

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Vomiting, Risk of blindness, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|----------------------|----------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------------------|
| EU | ethylene dichloride | 107-06-2 | IOELV | 2 | 8,2 | | | | | Н | 2019/ 130/EU |
| IE | ethylene dichloride | 107-06-2 | OELV | 2 | 8,2 | | | | | Н | S.I. No. 619 of 2001 |
| IE | trichloroacetic acid | 76-03-9 | OELV | 0,5 | | | | | | | S.I. No. 619 of 2001 |

Notation

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Ceiling-C

H STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components

| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time |
|------------------------|---------|---------------|-----------------------------|--|-------------------|-------------------------------|
| Trichloroacetic acid | 76-03-9 | DNEL | 1,41 mg/kg | human, dermal | worker (industry) | acute - local ef- fects |
| Trichloroacetic acid | 76-03-9 | DNEL | 124,3 mg/ m ³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| Trichloroacetic acid | 76-03-9 | DNEL | 124,3 mg/ m ³ | human, inhalat- ory | worker (industry) | acute - systemic effects |
| Trichloroacetic acid | 76-03-9 | DNEL | 1,41 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Trichloroacetic acid | 76-03-9 | DNEL | 1,41 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Relevant PNECs of components

| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time |
|------------------------|----------|---------------|-----------------------------------|------------------------|---------------------------|---------------------------------|
| 1,2-Dichloroethane | 107-06-2 | PNEC | 1,1 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) |
| 1,2-Dichloroethane | 107-06-2 | PNEC | 0,11 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen}$ ${\ensuremath{\mathbb{B}}}$ Synthesizer for DNA synthesis

article number: K060

| Relevant PNECs | of compone | ents | | | | |
|------------------------|------------|---------------|---|----------------------------|---------------------------------|---------------------------------|
| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time |
| 1,2-Dichloroethane | 107-06-2 | PNEC | 27,8 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) |
| 1,2-Dichloroethane | 107-06-2 | PNEC | 11,1 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) |
| 1,2-Dichloroethane | 107-06-2 | PNEC | 1,11 ^{mg} / _{kg} | aquatic organ- isms | marine sediment | short-term (single instance) |
| 1,2-Dichloroethane | 107-06-2 | PNEC | 1,8 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,000014 ^{mg} / _{cm³} | unknown | marine sediment | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,000017 ^{mg} / _{cm³} | unknown | marine water | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,0027 ^{mg} / cm ³ | unknown | air | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,00014 ^{mg} / _{cm³} | unknown | freshwater sedi- ment | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,00017 ^{mg} / _{cm³} | unknown | freshwater | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 100 ^{mg} / _{cm³} | unknown | sewage treatment plant (STP) | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,0046 ^{mg} / cm ³ | unknown | soil | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 2,7 ^{µg} / _l | aquatic organ- isms | water | intermittent re- lease |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,17 ^{µg} / _l | aquatic organ- isms | freshwater | short-term (single instance) |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,017 ^{µg} / _l | aquatic organ- isms | marine water | short-term (single instance) |
| Trichloroacetic acid | 76-03-9 | PNEC | 100 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,143 ^{µg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) |
| Trichloroacetic acid | 76-03-9 | PNEC | 0,014 ^{µg} / _{kg} | aquatic organ- isms | marine sediment | short-term (single instance) |
| Trichloroacetic acid | 76-03-9 | PNEC | 20 ^{µg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM (fluoro rubber)

• material thickness

0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | liquid |
|------------------------------|----------------|
| Colour | colourless |
| Odour | characteristic |
| Odour threshold | 3 ppm |
| Melting point/freezing point | -35,5 °C |



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen}$ \circledast Synthesizer for DNA synthesis

article number: K060

| | Boiling point or initial boiling point and boiling range | 84 °C |
|---|--|--|
| | Flammability | flammable liquid in accordance with GHS criteria |
| | Lower and upper explosion limit | 250 g/m³ (LEL) - 660 g/m³ (UEL) / 6 vol% (LEL) - 15,9 vol% (UEL) |
| | Flash point | 13 °C |
| | Auto-ignition temperature | 440 °C |
| | Decomposition temperature | not relevant |
| | pH (value) | not determined |
| | Kinematic viscosity | 0,64 ^{mm²} / _s at 20 °C |
| | Dynamic viscosity | 0,8 mPa s at 20 °C |
| | Solubility(ies) | |
| | Water solubility | 8 ^g / _l at 20 °C |
| | Partition coefficient | |
| | Partition coefficient n-octanol/water (log value): | this information is not available |
| | Vapour pressure | 87 hPa at 20 °C |
| | Density and/or relative density | |
| | Density | 1,25 ^g / _{cm³} |
| | Relative vapour density | 3,4 (air = 1) |
| | Particle characteristics | not relevant (liquid) |
| | Other safety parameters | |
| | Oxidising properties | none |
| 2 | Other information | |
| | Information with regard to physical hazard classes: | There is no additional information. |
| | Other safety characteristics: | |
| | Temperature class (EU, acc. to ATEX) | T2 Maximum permissible surface temperature on the equipment: 300°C |

9.2

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali metals, Alkaline earth metal, Metal powder, Nitric acid, Nitrogen oxides (NOx)

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct light irradiation. Protect from moisture.

10.5 Incompatible materials

aluminium, iron, different Light metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

| Acute toxicity estimate (ATE) of components | | | | |
|---|----------|--------------------|-----------------------------------|--|
| Name of substance | CAS No | Exposure route | ΑΤΕ | |
| 1,2-Dichloroethane | 107-06-2 | oral | 670 ^{mg} / _{kg} | |
| 1,2-Dichloroethane | 107-06-2 | inhalation: vapour | 4h/ _ا /4h | |

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|--------------------|----------|-------------------------|----------|---|---------|
| 1,2-Dichloroethane | 107-06-2 | inhalation: va- pour | LC50 | 7.758 ^{mg} / _{m³} / 4h | rat |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

| cute toxicity of components | | | | | |
|-----------------------------|----------|-------------------|----------|-------------------------------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| 1,2-Dichloroethane | 107-06-2 | oral | LD50 | 670 ^{mg} / _{kg} | rat |
| 1,2-Dichloroethane | 107-06-2 | dermal | LD50 | 2.800 ^{mg} / _{kg} | rabbit |
| Trichloroacetic acid | 76-03-9 | oral | LD50 | 3.320 ^{mg} / _{kg} | rat |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, aspiration hazard

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

vertigo, headache, Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes skin irritation

Other information

Other adverse effects: Liver and kidney damage, Cardiovascular system, Central nervous system

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen} \circledast$ Synthesizer for DNA synthesis

article number: K060

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components | | | | | |
|--|----------|----------|-------------------------------------|-----------------------|------------------|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
| 1,2-Dichloroethane | 107-06-2 | LC50 | 136 ^{mg} / _l | fish | 96 h |
| 1,2-Dichloroethane | 107-06-2 | EC50 | 160 ^{mg} / _l | aquatic invertebrates | 48 h |
| Trichloroacetic acid | 76-03-9 | EC50 | 2.000 ^{mg} / _l | daphnia magna | 48 h |
| Trichloroacetic acid | 76-03-9 | LC50 | >1.000 ^{mg} / _l | orfe (Leuciscus idus) | 48 h |
| Trichloroacetic acid | 76-03-9 | LC50 | 2.000 ^{mg} / _l | Pimephales promelas | 96 h |

12.2 Persistence and degradability

0,787 ^{mg}/_{mg}

| Degradability of components | | | | | | |
|-----------------------------|---------|----------------|-----------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
| Trichloroacetic acid | 76-03-9 | biotic/abiotic | 59 % | 20 d | | |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components | | | | | |
|---|----------|-----|------------------------------|----------|--|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD | |
| 1,2-Dichloroethane | 107-06-2 | 2 | 1,45 (pH value: ~7,4, 20 °C) | | |
| Trichloroacetic acid | 76-03-9 | | 1,33 | | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \ge 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP7 carcinogenic
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | ADRRID | UN 2924 |
|------|--|--|
| | IMDG-Code | UN 2924 |
| | ICAO-TI | UN 2924 |
| 14.2 | UN proper shipping name | |
| | ADRRID | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
| | IMDG-Code | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
| | ICAO-TI | Flammable liquid, corrosive, n.o.s. |
| | Technical name (hazardous ingredients) | 1,2-Dichloroethane, Trichloroacetic acid |
| 14.3 | Transport hazard class(es) | |
| | ADRRID | 3 (8) |
| | IMDG-Code | 3 (8) |
| | | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen}$ ${\ensuremath{\mathbb{B}}}$ Synthesizer for DNA synthesis

article number: **K060**

| | ICAO-TI | 3 (8) |
|------|--|--------------------------------------|
| 14.4 | Packing group | |
| | ADRRID | II |
| | IMDG-Code | II |
| | ICAO-TI | II |
| 14.5 | Environmental hazards | hazardous to the aquatic environment |
| | Environmentally hazardous substance (aquatic environment): | Trichloroacetic acid |

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

| Proper shipping name | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
|--|---|
| Particulars in the transport document | UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: 1,2-Dichloroethane, Trichloro- acetic acid), 3 (8), II, (D/E), environmentally haz- ardous |
| Classification code | FC |
| Danger label(s) | 3+8, "Fish and tree" |
| | |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 338 |
| Regulations concerning the International Carrie information | age of Dangerous Goods by Rail (RID)Additional |
| Classification code | FC |
| Danger label(s) | 3+8, "Fish and tree" |
| | |

Environmental hazards

Yes Hazardous to water

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen}$ \circledast Synthesizer for DNA synthesis

article number: **K060**

| Special provisions (SP) | 274 |
|--|--|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Hazard identification No | 338 |
| International Maritime Dangerous Goods Co | de (IMDG) - Additional information |
| Proper shipping name | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
| Particulars in the shipper's declaration | UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: 1,2-Dichloroethane, Trichloro- acetic acid), 3 (8), II, 13°C c.c., MARINE POLLUT- ANT |
| Marine pollutant | yes (hazardous to the aquatic environment), (Trichloroacetic acid) |
| Danger label(s) | 3+8, "Fish and tree" |
| | |
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-C |
| Stowage category | В |
| International Civil Aviation Organization (ICA | AO-IATA/DGR) - Additional information |
| Proper shipping name | Flammable liquid, corrosive, n.o.s. |
| Particulars in the shipper's declaration | UN2924, Flammable liquid, corrosive, n.o.s., (con- tains: 1,2-Dichloroethane, Trichloroacetic acid), 3 (8), II |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Danger label(s) | 3+8 |
| | |
| Special provisions (SP) | A3 |
| Excepted quantities (EQ) | E2 |
| | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with | angerous substances with restrictions (REACH, Annex XVII) | | | | |
|---------------------------|--|--------|-------------|----|--|
| Name of substance | Name acc. to inventory | CAS No | Restriction | Νο | |
| DMT-Removal-DCE | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 | |
| 1,2-Dichloroethane | carcinogenic | | R28-30 | 28 | |
| 1,2-Dichloroethane | flammable / pyrophoric | | R40 | 40 | |
| 1,2-Dichloroethane | substances in tattoo inks and perman- ent make-up | | R75 | 75 | |
| Trichloroacetic acid | substances in tattoo inks and perman- ent make-up | | R75 | 75 | |

Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances - as constituents of other substances, or,

- in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and Without preparities to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
'Restricted to professional users'.
By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;
(c) the following function of the products:

(c) the following fuels and oil products:
- motor fuels which are covered by Directive 98/70/EC,
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Regulation (EC) No 1272/2008;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a data is practiced in appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745.

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, - tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and — present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-ments are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

R3



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Legend

R40

- Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 metallic glitter intended mainly for decoration,
 artificial snow and frost,
 'whoopee' cushions,
 silly string aerosols,
 imitation excrement,
- horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen}$ \circledast Synthesizer for DNA synthesis

article number: K060

| Legen | d |
|-------|--|
| R75 | 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such |
| | stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is are present in the following circumstances: |
| | (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen catego 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration |
| | equal to or greater than 0,00005 % by weight; |
| | (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxic category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight; |
| | (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser cat- egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight; |
| | (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat- |
| | egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than: (i) 0,1 % by weight, if the substance is used solely as a pH regulator; |
| | (ii) 0.01 % by weight, in all other cases: |
| | (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in th mixture in a concentration equal to or greater than 0,00005 % by weight; |
| | (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the |
| | mixture in a concentration equal to or greater than 0,00005 % by weight: |
| | (i) "Rinse-off products"; (ii) "Not to be used in products applied on mucous membranes"; |
| | (iii) "Not to be used in eye products"; |
| | (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for ι preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is presen |
| | the mixture in a concentration, or in some other way, that does not accord with the condition specified in that colu (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a conc |
| | tration equal to or greater than the concentration limit specified for that substance in that Appendix. |
| | For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the n ture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures com- |
| | monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the ai |
| | making a mark or design on his or her body. 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictes |
| | concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appen |
| | 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance. |
| | 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023: (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); |
| | (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6). |
| | 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such |
| | that it then falls within a different one of those points from the one within which it fell previously, and the date of a plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, pa |
| | graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated a |
| | taking effect on the date of application of that new or revised classification. 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the lis |
| | of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or |
| | such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry |
| | that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from t date falling 18 months after entry into force of the act by which that amendment was made. |
| | Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022 |
| | mixture is marked with the following information: (a) the statement "Mixture for use in tattoos or permanent make-up"; |
| | (b) a reference number to uniquely identify the batch; |
| | (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the |
| | IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" mean |
| | any substance added during the process of formulation and present in the mixture for use for tattooing purposes |
| | purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning o this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingr |
| | ent does not need to be marked in accordance with this Regulation; |
| | (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra |
| | tion limit specified in Appendix 13; (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) bel |
| | the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) |
| | 1272/2008. The information shall be clearly visible, easily legible and marked in a way that is indelible. |
| | The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on t |
| | market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for p |
| | (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing |
| | procedure with the information marked on the package or included in the instructions for use pursuant to this par |
| | graph. |



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)

| Name acc. to invent- ory | CAS No | Listed in | Remarks | Latest ap- plication date | Sunset date | Date of in- clusion |
|-----------------------------|--------------|-----------|----------|---------------------------------|----------------|------------------------|
| 1,2-dichloroethane (EDC) | 107-06- 2 | Annex XIV | Carc. 1B | 2016-05-22 | 2017-11-22 | |

Legend

Annex XIV Carc. 1B

XIV List of substances subject to authorisation

c. 1B Carcinogenic (category 1B)

Seveso Directive

| 2012/18/EU (Seveso III) | | | | | |
|-------------------------|---|---|-----|--|--|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | | | |
| E2 | environmental hazards (hazardous to the aquatic en- vironment, cat. 2) | 200 500 | 57) | | |

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

| VOC content | 100 % |
|-------------|-------|
|-------------|-------|

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|-------------|-------|
|-------------|-------|

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

| Pollutant release and transfer registers (PRTR) | | | |
|--|----------|--|-------|
| Name of substance CAS No Remarks Threshold for releases to a (kg/year) | | | |
| 1,2-Dichloroethane | 107-06-2 | | 1 000 |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

| of pollutants (WFD) | | | | |
|----------------------|--|----------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| 1,2-Dichloroethane | 1,2-dichloroethane | 107-06-2 | b) | |
| 1,2-Dichloroethane | 1,2-dichloroethane | 107-06-2 | c) | |
| 1,2-Dichloroethane | Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment | | a) | |
| 1,2-Dichloroethane | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |
| Trichloroacetic acid | Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment | | a) | |
| Trichloroacetic acid | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |

Legend

Indicative list of the main pollutants

a) b) c) List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

| Name of substance | Name acc. to inventory | CAS No | Wt% | Category / subcat- egory | Use limita- tion |
|--------------------|---|----------|-----|--------------------------------|---------------------|
| 1,2-Dichloroethane | 1,2-dichloroethane (ethylene dichloride) | 107-06-2 | 97 | p(1) p(2) i(2) | b b b |
| 1,2-Dichloroethane | ethylene dichloride (EDC) | 107-06-2 | 97 | р | |

Legend b

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

| Legend | |
|--------------|---|
| i(2) | Sub-category: i(2) - industrial chemical for public use |
| р | Category: p - pesticides |
| p(1) p(2) | Sub-category: p(1) - pesticide in the group of plant protection products Sub-category: p(2) - other pesticide including biocides |

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|-------------------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| РН | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |
| VN | NCI | all ingredients are listed |

Legend

| AIIC | | Australian Inventory of Industrial Chemicals |
|------|---------|---|
| CICR | | Chemical Inventory and Control Regulation |
| CSCL | -ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | | Domestic Substances List (DSL) |
| ECSI | | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECS | С | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSC |) | National Inventory of Chemical Substances |
| ISHA | -ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | | Korea Existing Chemicals Inventory |
| NCI | | National Chemical Inventory |
| NZIc | C | New Zealand Inventory of Chemicals |
| PICC | S | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REAC | CH Reg. | REACH registered substances |
| TCSI | | Taiwan Chemical Substance Inventory |
| TSCA | | Toxic Substance Control Act |
| | | |

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of \ge 0,1%. | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.8 | Classification code: 3 | Classification code: FC | yes |
| 15.1 | | Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table) | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |
| 15.2 | Chemical Safety Assessment: Chemical safety assessments for substances in this mixture were not carried out. | Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| 2019/130/EU | Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work |
| Acute Tox. | Acute toxicity |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| Asp. Tox. | Aspiration hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| Carc. | Carcinogenicity |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



$\mathsf{DMT}\text{-}\mathsf{Removal}\text{-}\mathsf{DCE}$ for DNA-synthesis with $\mathsf{PolyGen}$ \circledast Synthesizer for DNA synthesis

article number: K060

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: **K060**

| Abbr. | Descriptions of used abbreviations |
|-------------------------|---|
| S.I. No. 619 of 2001 | Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| STOT SE | Specific target organ toxicity - single exposure |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H350 | May cause cancer. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |



DMT-Removal-DCE for DNA-synthesis with PolyGen® Synthesizer for DNA synthesis

article number: K060

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.