acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305 date of compilation: 2017-02-08 Version: GHS 4.0 en Revision: 2024-03-02

Replaces version of: 2022-07-11

Version: (GHS 3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Sodium azide** ≥99 %, p.a.

Article number K305

CAS number 26628-22-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	2	Acute Tox. 2	H300
3.1D	Acute toxicity (dermal)	1	Acute Tox. 1	H310
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

Page 1 / 15 Australia (en)

acc. to Safe Work Australia - Code of Practice



article number: K305



Supplemental hazard information

Code	Supplemental hazard information
AUH032	contact with acids liberates very toxic gas

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08



Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled

H373 May cause damage to organs (brain) through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P262 Do not get in eyes, on skin, or on clothing P280 Wear protective gloves/protective clothing

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Supplemental hazard information

AUH032 Contact with acids liberates very toxic gas.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

Australia (en) Page 2 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Sodium azide

Molecular formula N₃Na

Molar mass 65.01 g/_{mol}

CAS No 26628-22-8

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider. Symptoms can occur only after several hours.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Call a physician in any case.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Nausea, Vomiting, Headache, Vertigo, Unconsciousness, Circulatory collapse, Acute respiratory distress

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings dry extinguishing powder, D-powder, dry sand

Unsuitable extinguishing media

water, foam, carbon dioxide (CO₂)

Australia (en) Page 3 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Australia (en) Page 4 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



Protect against external exposure, such as

humidity

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES
AU	sodium azide	26628-22-8	WES			0.3		WES

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels Endpoint Threshold Protection goal, **Used** in **Exposure time** route of exposure level DNEL 0.164 mg/m³ human, inhalatory worker (industry) chronic - systemic effects DNEL 46.7 µg/kg human, dermal worker (industry) chronic - systemic effects

Environmental values

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0.35 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)		
PNEC	30 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	16.7 ^{µg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		

Australia (en) Page 5 / 15

acc. to Safe Work Australia - Code of Practice



article number: K305



Relevant	Relevant PNECs and other threshold levels			
End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0.72 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

≥0,3 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 6 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline

Colour colourless - white

Odour odourless
Melting point/freezing point ~370 °C

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature 309 °C (ECHA)

Decomposition temperature >370 °C

pH (value) ~10 (in aqueous solution: 10 ^g/_l, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility $\sim 400 \, ^{9}/_{1}$ at 20 $^{\circ}$ C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Soil organic carbon/water (log KOC) 2.729 (ECHA)

Vapour pressure not determined

Density and/or relative density

Density $1.846 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

Australia (en) Page 7 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Potassium nitrate, Lead, Copper, Bromine, Water, Dimethyl sulphate, Dichloromethane, Acids, Nitric acid, Carbon disulfide, Sulphuric acid, Heavy metals, => Explosive properties

10.4 Conditions to avoid

Humidity. Keep away from heat. Decompostion takes place from temperatures above: >370 °C.

10.5 Incompatible materials

aluminium, lead, copper, Heavy metals

Release of toxic materials with

Acids.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
inhalation: dust/ mist	LC50	>0.054 – <0.52 ^{mg} / _I /4h	rat		ECHA
oral	LD50	27 ^{mg} / _{kg}	rat		TOXNET
dermal	LD50	20 ^{mg} / _{kg}	rat		TOXNET

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Australia (en) Page 8 / 15

acc. to Safe Work Australia - Code of Practice



article number: K305



Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (brain) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	brain	if exposed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Data are not available.

If inhaled

irritant effects, breathing difficulties, Dyspnoea

• If on skin

risk of absorption via the skin

Other information

Other adverse effects: Cardiovascular system, Headache, Vertigo, Spasms, Circulatory collapse, Unconsciousness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	2.75 ^{mg} / _l	fish	ECHA	96 h
EC50	0.35 ^{mg} / _l	algae	ECHA	96 h

Australia (en) Page 9 / 15

acc. to Safe Work Australia - Code of Practice



article number: K305



Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	79.3 ^{mg} / _l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	2.729 (ECHA)
--	--------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H6.1 Poisonous (Acute)

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 10 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



SECTION 14: Transport information

14.1 UN number

UN 1687
IMDG-Code UN 1687
ICAO-TI UN 1687

14.2 UN proper shipping name

UN RTDGSODIUM AZIDEIMDG-CodeSODIUM AZIDEICAO-TISodium azide

14.3 Transport hazard class(es)

UN RTDG 6.1
IMDG-Code 6.1
ICAO-TI 6.1

14.4 Packing group

UN RTDG II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1687
Class 6.1
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group II

Danger label(s) 6.1

Fish and tree



Special provisions (SP)

UN RTDG

Excepted quantities (EQ) E4

UN RTDG

Australia (en) Page 11 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305

Limited quantities (LQ)500 g
UN RTDG

Emergency Action Code 2XE

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name SODIUM AZIDE

Particulars in the shipper's declaration UN1687, SODIUM AZIDE, 6.1, II, MARINE POLLUT-

ANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"

Special provisions (SP)

Excepted quantities (EQ) E4
Limited quantities (LQ) 500 g
EmS F-A, S-A

Stowage category A

Segregation group 17 - Azides

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Sodium azide

Particulars in the shipper's declaration UN1687, Sodium azide, 6.1, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1

Excepted quantities (EQ) E4
Limited quantities (LQ) 1 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Australia (en) Page 12 / 15



acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China
INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Supplemental hazard information: change in the listing (table)	yes
2.2		Supplemental hazard information	yes
2.2		Supplemental hazard information: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2XE	yes

Australia (en) Page 13 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

Australia (en) Page 14 / 15

acc. to Safe Work Australia - Code of Practice

Sodium azide ≥99 %, p.a.

article number: K305



UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H373	May cause damage to organs (brain) through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 15 / 15