according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880 date of compilation: 17.11.2016 Version: **2.0 en** Revision: 12.08.2021

Replaces version of: 17.11.2016

Version: (1)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Roti®-Nanoquant 5x concentrate

Article number K880

Registration number (REACH) not relevant (mixture)

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid		Flam. Liq. 3	H226
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

Page 1 / 22 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS02, GHS05, GHS07







#### **Hazard statements**

H226	Flammable liquid and vapour
H290	May be corrosive to metals
H302	Harmful if swallowed

H314 Causes severe skin burns and eye damage

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking

P280 Wear protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

**Hazardous ingredients for labelling:** Ortho-Phosphoric acid

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







H314 Causes severe skin burns and eye damage.

P280 Wear protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

contains: Ortho-Phosphoric acid

Malta (en) Page 2 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



#### **Roti®-Nanoquant 5x concentrate**

article number: K880

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes		
ortho-Phosphoric acid	CAS No 7664-38-2	42 - 86	Met. Corr. 1 / H290 Acute Tox. 4 / H302		B(a) GHS-HC IOELV		
	EC No 231-633-2				Skin Corr. 1B / H314 Eye Dam. 1 / H318		IOELV
	Index No 015-011-00-6						
	REACH Reg. No 01-2119485924- 24-xxxx						
Ethanol	CAS No 64-17-5	10 - < 25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	<u>(4)</u>	GHS-HC IARC: 1		
	EC No 200-578-6						
	Index No 603-002-00-5						
	REACH Reg. No 01-2119457610- 43-xxxx						

#### Notes

The classification refers to an aqueous solution B(a):

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
ortho-Phosphor- ic acid	CAS No 7664-38-2 EC No 231-633-2 Index No 015-011-00-6	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	-	>300 <sup>mg</sup> / <sub>kg</sub>	oral

For full text of abbreviations: see SECTION 16

Malta (en) Page 3 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880



#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

## 4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, pain, choking, and breathing difficulties, Following skin contact: Causes severe burns, Causes poorly healing wounds, After eye contact: Causes burns, Risk of serious damage to eyes, Risk of blindness, Following ingestion: Vomiting, Corrosion, Gastric perforation

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Malta (en) Page 4 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880



#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Phosphorus oxides (PxOy), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

Malta (en) Page 5 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

#### **Roti®-Nanoquant 5x concentrate**

article number: K880

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Keep in a cool place. Hygroscopic.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Protect against external exposure, such as

humidity

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	orthophosphoric acid	7664-38- 2	IOELV		1		2				2000/39/ EC
MT	orthophosphoric acid	7664-38- 2	OELV		1		2				CAP. 424

#### Notation

Ceiling-C STEL Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

#### Relevant DNFI's of components of the mixture

Relevant Diviles of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Ethanol	64-17-5	DNEL	1.900 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects			
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects			
Ethanol	64-17-5	DNEL	950 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			

Malta (en) Page 6 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880



#### Relevant PNECs of components of the mixture Name of sub-**CAS No** End-**Threshol Exposure time Organism Environmental** point d level stance compartment Ethanol 64-17-5 **PNEC** 0,79 mg/cm3 unknown marine water intermittent release 2,75 mg/cm3 Ethanol 64-17-5 **PNEC** intermittent reunknown air lease 3,6 <sup>mg</sup>/<sub>cm³</sub> Ethanol 64-17-5 **PNEC** unknown freshwater sediintermittent release ment 580 <sup>mg</sup>/<sub>cm<sup>3</sup></sub> Ethanol 64-17-5 **PNEC** unknown sewage treatment intermittent replant (STP) lease 0,63 <sup>mg</sup>/<sub>cm<sup>3</sup></sub> Ethanol 64-17-5 **PNEC** unknown soil intermittent release Ethanol 64-17-5 **PNEC** 0,96 mg/cm3 unknown freshwater intermittent release

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

material thickness

>0,3 mm 0,7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

Malta (en) Page 7 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour dark red

Odour like: - alcohol

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point 36 °C

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density  $1,37 \, {}^{9}/_{\text{cm}^3}$  at 20  ${}^{\circ}\text{C}$ 

Relative vapour density information on this property is not available

Malta (en) Page 8 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Roti®-Nanoquant 5x concentrate

article number: K880

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Substance or mixture corrosive to metals.

#### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Alkali (lye),

**Dangerous/dangerous reactions with:** Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium),

=> Explosive properties

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

different metals

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Harmful if swallowed.

Malta (en) Page 9 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



#### Roti®-Nanoquant 5x concentrate

article number: K880

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
ortho-Phosphoric acid	7664-38-2	oral	>300 <sup>mg</sup> / <sub>kg</sub>

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
ortho-Phosphoric acid	7664-38-2	oral	LD50	>300 – 2.000 <sup>mg</sup> / <sub>kg</sub>	rat
ortho-Phosphoric acid	7664-38-2	oral	LD50	1.530 <sup>mg</sup> / <sub>kg</sub>	rat
ortho-Phosphoric acid	7664-38-2	dermal	LD50	2.740 <sup>mg</sup> / <sub>kg</sub>	rabbit
Ethanol	64-17-5	inhalation: va- pour	LC50	95,6 <sup>mg</sup> / <sub>l</sub> /4h	rat
Ethanol	64-17-5	oral	LD50	7.060 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

## Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

## • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### If inhaled

cough, pain, choking, and breathing difficulties

Malta (en) Page 10 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



#### **Roti®-Nanoquant 5x concentrate**

article number: K880

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

## 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
ortho-Phosphoric acid	7664-38-2	EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h			
ortho-Phosphoric acid	7664-38-2	ErC50	>100 <sup>mg</sup> / <sub>l</sub>	algae	72 h			
Ethanol	64-17-5	LC50	8.140 <sup>mg</sup> / <sub>l</sub>	orfe (Leuciscus idus)	96 h			
Ethanol	64-17-5	EC50	9.000 – 14.000 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h			

Aquatic toxicity (c	hronic) of comp	onents of the n	nixture		
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
ortho-Phosphoric acid	7664-38-2	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

#### **Biodegradation**

Data are not available.

## 12.2 Process of degradability

Degradability of components of the mixture										
Name of CAS No Process Degrada- Time Method Sour tion rate										
Ethanol	64-17-5	biotic/abiotic	94 %	d						

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential	ioaccumulative potential of components of the mixture										
Name of substance	CAS No	BCF	Log KOW	BOD5/COD							
Ethanol	64-17-5		-0,31								

Malta (en) Page 11 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Roti®-Nanoquant 5x concentrate

article number: K880

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID/ADN UN 2920 IMDG-Code UN 2920 UN 2920 UN 2920 UN 2920

#### 14.2 UN proper shipping name

ADR/RID/ADN CORROSIVE LIQUID, FLAMMABLE, N.O.S. IMDG-Code CORROSIVE LIQUID, FLAMMABLE, N.O.S.

ICAO-TI Corrosive liquid, flammable, n.o.s.

Technical name (hazardous ingredients) Ortho-Phosphoric acid, Ethanol

#### 14.3 Transport hazard class(es)

ADR/RID/ADN 8 (3)
IMDG-Code 8 (3)

Malta (en) Page 12 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### **Roti®-Nanoquant 5x concentrate**

article number	:	K88U
----------------	---	------

	ICAO-TI	8 (3)
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S.
Particulars in the transport document	UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (contains: ortho-Phosphoric acid, Ethanol), 8 (3), II, (D/E)
Classification code	CF1
Danger label(s)	8+3
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	83
International Maritime Dangerous Goods Code (	IMDG) - Additional information

International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S.
Particulars in the shipper's declaration	UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (contains: ortho-Phosphoric acid, Ethanol), 8 (3), II, 36°C c.c.
Marine pollutant	-
Danger label(s)	8+3
Charial provisions (CD)	274

Special provisions (SP)	274
Excepted quantities (EQ)	E2

Malta (en) Page 13 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880

Limited quantities (LQ) 1 L

**EmS** F-E, S-C

Stowage category C

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Corrosive liquid, flammable, n.o.s. Proper shipping name

UN2920, Corrosive liquid, flammable, n.o.s., (con-Particulars in the shipper's declaration

tains: ortho-Phosphoric acid, Ethanol), 8 (3), II

Danger label(s) 8+3





E2 Excepted quantities (EQ) Limited quantities (LQ) 0,5 L

# SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

#### Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Roti®-Nanoquant	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Ethanol	flammable / pyrophoric		R40	40
ortho-Phosphoric acid	substances in tattoo inks and perman- ent make-up		R75	75

#### Legend

1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

- or both, if they:

   can be used as fuel in decorative oil lamps for supply to the general public, and

   present an aspiration hazard and are labelled with H304.

  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).

  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packbefore the placing on the market, that the following require aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

or even sucking the wick of lamps – may lead to life-threatening lung damage";

(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

Page 14 / 22 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



#### Roti®-Nanoquant 5x concentrate

article number: K880

#### Legend

R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

   metallic glitter intended mainly for decoration,
- artificial snow and frost,

- whoopee' cushions,
   silly string aerosols,
   imitation excrement,
   horns for parties,
   decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

  "For professional users only."
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Malta (en) Page 15 / 22

according to Regulation (EC) No. 1907/2006 (REACH)

#### Roti®-Nanoquant 5x concentrate

article number: K880

#### Legend

**R75** 

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category

1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator

(ií) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the

mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-

(n) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

as also falls within one of more of points (a) to (g) of paragraph 1, the concentration limit faid down in point (ii) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that now or revised classification in fifty the date referred to in paragraph 1 or as the case may be paragraph. plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the

amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

tion limit specified in Appendix 13

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below

the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for

tattooing purposes.

Page 16 / 22 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Roti®-Nanoquant 5x concentrate

article number: K880

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20  $^{\circ}$ C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50  $^{\circ}$ C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

#### **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	angerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

#### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	12,7 % 271,7 <sup>g</sup> / <sub>l</sub>
	, ,

#### **Industrial Emissions Directive (IED)**

VOC content	12,7 %
VOC content Water content was discounted	271,7 <sup>9</sup> / <sub>I</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)		

Legend

A) Indicative list of the main pollutants

Malta (en) Page 17 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



#### **Roti®-Nanoquant 5x concentrate**

article number: K880

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS Australian Inventory of Chemical Substances

CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Malta (en) Page 18 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



article number: K880



# **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)

Malta (en) Page 19 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



article number: K880



ATE  BCF  BOD  CAP. 424  CAS  Ceiling-C  CLP  R  COD  DGR  DNEL  EC50  Effe	reements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)  Acute Toxicity Estimate  Bioconcentration factor  Biochemical Oxygen Demand  Occupational Health and Safety Authority Act (CAP. 424)  emical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  Ceiling value  Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  Chemical oxygen demand  Dangerous Goods Regulations (see IATA/DGR)
BCF BOD  CAP. 424  CAS Che Ceiling-C  CLP R COD DGR DNEL EC50 Effe	Bioconcentration factor  Biochemical Oxygen Demand  Occupational Health and Safety Authority Act (CAP. 424)  emical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  Ceiling value  Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  Chemical oxygen demand
BOD  CAP. 424  CAS  Ceiling-C  CLP  R  COD  DGR  DNEL  EC50  Effe	Biochemical Oxygen Demand Occupational Health and Safety Authority Act (CAP. 424) emical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  Ceiling value Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  Chemical oxygen demand
CAP. 424  CAS Che Ceiling-C  CLP R  COD  DGR  DNEL  EC50 Effe	Occupational Health and Safety Authority Act (CAP. 424)  emical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  Ceiling value  Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  Chemical oxygen demand
CAS Che Ceiling-C CLP R COD DGR DNEL EC50 Effe	emical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  Ceiling value  Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  Chemical oxygen demand
Ceiling-C  CLP R  COD  DGR  DNEL  EC50 Effe	Ceiling value  Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  Chemical oxygen demand
CLP R COD DGR DNEL EC50 Effe	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  Chemical oxygen demand
COD DGR DNEL EC50 Effe	Chemical oxygen demand
DGR DNEL EC50 Effe	NT.
DNEL EC50 Effe	Dangerous Goods Regulations (see IATA/DGR)
EC50 Effe	
	Derived No-Effect Level
EC No The	ective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
	EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50 ≡ E	EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS "Glo	lobally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No Th	ne Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50 Leth	nal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

Malta (en) Page 20 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



article number: K880



Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Malta (en) Page 21 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



## **Roti®-Nanoquant 5x concentrate**

article number: K880

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 22 / 22