according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 1/11



Akasolv Aqua Care

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

Akasolv Aqua Care

Article No.:

1719

1.2 Polov	ant identified uses of the substance or mixture and uses advised
against	and identified uses of the substance of mixture and uses advised
-	substance/mixture:
Konservieru	
	ment chemicals
Relevant id	entified uses:
	Life cycle stage [LCS]
PW:	Widespread use by professional workers
SL:	Service life
	Sector of uses [SU]
SU 4:	Manufacture of food products
	Product Categories [PC]
PC 37:	Water treatment chemicals
	Process categories [PROC]
PROC 5:	Mixing or blending in batch processes
PROC 7:	Industrial spraying
PROC 8a:	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC 8b:	Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC 9:	Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC 11:	Non industrial spraying
PROC 19:	Manual activities involving hand contact
PROC 28:	Manual maintenance (cleaning and repair) of machinery
	Environmental release categories [ERC]
ERC 2:	Formulation into mixture (mixtures)
ERC 4:	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC 8a:	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC 8d:	Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
	Is of the supplier of the safety data sheet
	anufacturer/importer/only representative/downstream user/distributor):
Akadia Che Innstraße 1	
68199 Man	
Deutschlan	
Telephone	: (+49) 621 / 789 63 65
-	-49) 621 / 789 70 38
E-mail: info	o@akadia.de
Website: v	vww.akadia.de
E-mail (co	mpetent person): info@akadia.de
1.4. Emer	gency telephone number
	24h: (+49) 172 - 630 87 97, (+49) 621 / 789 63 65 (Only available during office hours.)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 2/11

*

Akasolv Aqua Care

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories		Classification pro- cedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS07 Exclamation mark

Signal word: Warning

hazard statements for health hazards

H319 Causes serious eye irritation.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Supplemental Hazard information (EU): -

Precautionary statements Prevention		
P264	Wash hands thoroughly after handling.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
.		

Precautionary statements Response			
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P337 + P313	If eye irritation persists: Get medical advice/attention.		

Precautionary statements Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Description:

Mixture of hereinafter listed substances and non-hazardous materials



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 3/11

Akasolv Aqua Care

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CL P]	Concen- tration
CAS No.: 67-63-0 EC No.: 200-661-7 REACH No.: 01-2119457558-25-0000	[149] 2-Propanol Eye Irrit. 2, Flam. Liq. 2, STOT SE 3	0 - ≤ 5 Wt %
CAS No.: 25988-97-0	[254] Dimethyl amine-epichlorohydrin copolymerAcute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1() () () Danger H302-H400-H410	0 - ≤ 1 Wt %
CAS No.: 1802181-67-4	 [253] Polyhexamethylene biguanide hydrochloride (PHMB 20% Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Eye Dam. 1, STOT SE 3 ♦ ① ④ Danger H318-H332-H335-H400-H410 M-factor: 10 	0 - ≤ 1 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Take off immediately all contaminated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get immediate medical advice/ attention. Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

none known

5.2. Special hazards arising from the substance or mixture The product itself does not burn.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 4/11

Akasolv Aqua Care

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Dispose of in accordance with local regulations. Inform local authorities in case of non-containable amounts

For cleaning up: Use water.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Ensure adequate ventilation by air exchange/ exhaust ventilation. Avoid fomation of aerosols.

Measures to prevent aerosol and dust generation:

Individually depending on the application method.

Environmental precautions:

Avoid release to the environment.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Protect container from dirt. Use original lid! Keep away from heat sources, store cool and protect from light. Never return taken out amounts of product to the original container. Do not store below melting point.Keep container tightly closed in a cool, well-ventilated place.



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 5/11

Akasolv Aqua Care

Packaging materials:

Suitable materials are: container made of polyethylene (HDPE, LDPE), polypropylene, PVC, glass, stainless steel.

Unsuitable are: container from all kinds of metals except stainless steel.

Requirements for storage rooms and vessels:

Use original container and original lid for storage exclusively. Store product in a well ventilated, appropriate storage room suited for chemicals.

Hints on storage assembly:

none

Storage class: 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions: Hygiene measures: Keep away from food, drink and animal feed. Do not eat, drink and smoke during work. Wash hands before breaks and after work. Remove contaminated clothing immediately.

7.3. Specific end use(s)

Recommendation:

Water treatment chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value ty pe (country of origin)	Substance name	 long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
WEL (GB)	[149] 2-Propanol CAS No.: 67-63-0	 400 ppm (999 mg/m³) 500 ppm (1,250 mg/m³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374

Suitable material: butyl rubber, neoprene rubber, polychloroprene.

FKM (fluoro rubber)

Obtain permeation time (max. wearing period) from manufacturer.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Observe skin-protection plan.

Respiratory protection:

No respiratory protection necessary if used according to intention. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable filter: NO-P3.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 6/11

Akasolv Aqua Care

Thermal hazards:

none known

Other protection measures: none

8.2.3. Environmental exposure controls

Avoid release to the environment. See section 13.

8.3. Additional information

not applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Odour: characteristic Colour: blue

Safety relevant basis data

parameter		at °C	Method	Remark
pН	6.6	20 °C		
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	≈ 100 °C			
Decomposition temperature (°C):	not determined			
Flash point	not applicable			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Relative density	≈ 1	20 °C		
Bulk density	not applicable			
Water solubility	0 - 100 %	20 °C		
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known if stored and handled appropriately. The product itself does not burn.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

none known

10.4. Conditions to avoid

none known

10.5. Incompatible materials

Oxidizing agent

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 7/11

Akasolv Aqua Care

10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

Further information

none

*

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
67-63-0	[149] 2-Propanol	LD ₅₀ oral: 5,480 mg/kg (Rat)
		LC ₅₀ inhalative: >25 mg/l (Rat)
		LD ₅₀ dermal: 13,900 mg/kg (Rabbit)
25988-97-0	[254] Dimethyl amine-epichlorohydrin copolymer	LD ₅₀ oral: 1,672 mg/kg (Rat) OECD 401
		LD₅₀ dermal: ≥2,001 mg/kg (Rat) OECD 402
180218	[253] Polyhexamethylene biguanide hydrochlorid	LD ₅₀ oral: >2,000 mg/kg (Rat)
1-67-4	e (PHMB 20%	LD ₅₀ dermal: >2,000 mg/kg (Rat)
		LC ₅₀ inhalative: 1.61 mg/l Calculation method.

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met. **Carcinogenicity:**

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met. **STOT-single exposure:**

Based on available data, the classification criteria are not met. **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met. Additional information:

No data available



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 8/11

Akasolv Aqua Care

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
67-63-0	[149] 2-Propanol	LC ₅₀ : 9,640 mg/l 4 d (Pimephales promelas (fath ead minnow)) LC ₅₀ : 9,714 mg/l 2 d (Daphnia magna (Big wate r flea)) EC ₅₀ : >100 mg/l 3 d (Scenedesmus subspicatus)
25988-97-0	[254] Dimethyl amine-epichlorohydrin copolymer	LC ₅₀ : 0.077 mg/l 4 d (Onchorhynchus mykiss) OE CD 203 EC ₅₀ : 0.084 mg/l 2 d (Daphnia magna) OECD 202 EC ₅₀ : 0.09 mg/l 3 d (Desmodesmus subspicatus) OECD 201
180218 1-67-4	[253] Polyhexamethylene biguanide hydrochlorid e (PHMB 20%	 EC₅₀: 0.78 mg/l 2 d (Daphnia magna (Big water flea)) OECD 202 EC₅₀: 0.1 mg/l 3 d (Selenastrum capricarnutum) OECD 201 LC₅₀: 1.6 mg/l 4 d (Oncorhynchus mykiss (Rainb ow trout))

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
67-63-0	[149] 2-Propanol	Yes, rapidly	No data for mobility in soil.
25988-97-0	[254] Dimethyl amine-epichlorohydrin copolymer	No	
180218 1-67-4	[253] Polyhexamethylene biguanide hydrochloride (PHMB 20%	No	Removal by adsorption on activated sludge. No bioaccumulation. Not PBT / vPvB.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
67-63-0	[149] 2-Propanol	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
25988-97-0	[254] Dimethyl amine-epichlorohydrin copolymer	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
180218 1-67-4	[253] Polyhexamethylene biguanide hydrochloride (PHMB 20%	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Observe local regulations for waste disposal.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 9/11

Akasolv Aqua Care

Waste code product:

20 01 29 * Detergents containing hazardous substances

16 10 03 * aqueous concentrates containing hazardous substances

*: Evidence for disposal must be provided.

Remark:

none

Waste code packaging:

15 01 10 packaging containing residues of or contaminated by dangerous substances

Remark:

List of proposed waste codes/waste designations in accordance with AAV:

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

Other disposal recommendations:

none

13.2. Additional information

No additional regulations concerning waste..

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Currently no authorisation mandatory.

Restrictions on use:

Suitable for professional/industrial use only.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 10/11

Akasolv Aqua Care

Other regulations (EU):

Classification and labeling of the product according to CLP-VO (VO (EG) 1272/2008). The compounds are preregistered according to REACh (VO (EG) 1907/2008) if required.

15.1.2. National regulations

IGB] National regulations

Other regulations, restrictions and prohibition regulations none

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

15.3. Additional information

none

SECTION 16: Other information

16.1. Indication of changes

2.1. Classification of the substance or mixture

2.2. Label elements

11.1. Information on toxicological effects

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

This MSDS was generated using information provided by supplier MSDS for the individual compounds as well as information obtained through the gestis-material database (http://gestis.itrust.de) maintained by the german social accident insurance DGUV.

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories		Classification pro- cedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment <i>(Aquatic Chronic 3)</i>	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6. Training advice

Appropriate training prior to using this product is necessary as well as an anual training for the general handling of hazardous materials, targeting spezific workplace issues.



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 08-Nov-2018 Print date: 13-Nov-2018 Version: 3

Page 11/11

Akasolv Aqua Care

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version



