

# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Nitrite 2 Page: 1/10 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

## SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier** 

> REF 985068

Product name NANOCOLOR Nitrite 2

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration. 20 x 12 mg Nitrite 2, lyophilizied (R0)

1 x 5 mL Nitrite (R2) UFI: 3YHU-J3X6-W204-JFQF

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 **Emergency telephone number**

Lieferant | Supp Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. Callenstr. 3.5

DE: Gemeinsames Giftinformationszentrum (GGIZ)
99089 Erfurt tel. +49 361 730 730 <a href="https://www.callenstr.com/services/bases/b 85 Karlsruhe, Germany

You find our current versions of SDS in Internet:

<a href="http://www.mn-net.com/\$D\$>">http://www.mn-net.com/\$D\$>"> 49 721 5606 0 sicherheit@cartroth.de

### **SECTION 2: Hazard identification**

#### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS07

Signal word WARNING

Hazard identification Hazard classes/categories

H319 Eye Irrit. 2 H335 STOT SE 3

#### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

12 mg Nitrite 2, lyophilizied (R0)

Do not need labelling as hazardous

Signal word

No hazard class



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985068
 NANOCOLOR Nitrite 2
 Page: 2/10

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

5 mL Nitrite (R2)



Signal word WARNING

Hazard identificationHazard classes/categoriesH319Eye Irrit. 2

STOT SE 3

List of H phrases: see section 16.2

H335

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

### 12 mg Nitrite 2, lyophilizied (R0)

Do not need labelling as hazardous Signal word: -

5 mL Nitrite (R2)



GHS0

Signal word: WARNING

## Label elements of the complete product



Signal word: WARNING

### 2.3 Other hazards

### Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant.

### Information pertaining to particular risks to human and possible symptoms

Cause after inhalation of vapours/dust, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects

no data available

## **SECTION 3: Composition / information on ingredients**

### 3.1 Substances or 3.2 Mixtures

12 mg Nitrite 2, lyophilizied (R0)



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985068
 NANOCOLOR Nitrite 2
 Page: 3/10

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

Substance name: sulfanilamide
CAS No.: 63-74-1

Substance rating: No criteria for classification or naming of chemical not required.

Formula: C<sub>6</sub>H<sub>8</sub>N<sub>2</sub>O<sub>2</sub>S

Pseudonym (de): 4-Aminobenzolsulfonamid

EC No.: 200-563-4 Concentration: 10 - <30 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Substance name: N-(1-naphthyl)-ethylendiamine dihydrochloride

CAS No.: 1465-25-4

Substance rating: H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula:  $C_{12}$  H  $_{16}$  Cl  $_{2}$  N  $_{2}$  EC No.: 215-981-2 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

5 mL Nitrite (R2)

Substance name: citric acid CAS No.: 77-92-9

Substance rating: H319, Eye Irrit. 2, H335, STOT SE 3

Formula: C 6 H 8 O 7 Pseudonym (de): Zitronensäure

REACH Reg. No.: 01-2119457026-42-xxxx

EC No.: 201-069-1 Concentration: 20 - <40 %

acc. CLP (GHS): H319, Eye Irrit. 2, H335, STOT SE 3

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

### 4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

## 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

### 4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

## 4.2 Most important symptoms and effects, both acute and delayed

## 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGE



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Nitrite 2 Page: 4/10 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

#### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

#### 5.4 Additional information

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

#### 6.2 **Environmental precautions**

not necessary

#### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. Collect small amounts of leaked liquid and flush with water into drains.

#### 6.4 Reference to other sections

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

#### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): Water hazard class (DE): 3

#### Requirements for stock rooms and containers 7.2.1

Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.

## **SECTION 8: Exposure controls /personal protection**

### 8.1 Control parameters

12 mg Nitrite 2, lyophilizied (R0)

CAS No.: 63-74-1 Chemical: sulfanilamide Chemical: N-(1-naphthyl)-ethylendiamine dihydrochloride CAS No.: 1465-25-4

5 mL Nitrite (R2)

Chemical: citric acid CAS No.: 77-92-9

PNEC (fresh water): 440 mg/L PNEC = Predicted No Effected Concentration TRGS 900 (DE): 2 E mg/m<sup>3</sup>



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.0.28.156

DE Tel.: +49 24 21 969-0 info@mn-net.com



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985068
 NANOCOLOR Nitrite 2
 Page: 5/10

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

E/e respirable

Short-term exposure factor: 2 (I) Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

### 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

### 8.2.4 Skin protection

Not necessary.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

### 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

### 12 mg Nitrite 2, lyophilizied (R0)

a) State of aggregation: b) Colour: colourless c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 5-7 I) Kinematic viscosity: no data available m) Solubility in water: 0-100 % n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available r) Particle size: no data available

### 5 mL Nitrite (R2)

a) State of aggregation: liquid b) Colour: colourless c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 2-3 I) Kinematic viscosity: no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985068
 NANOCOLOR Nitrite 2
 Page: 6/10

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

m) Solubility in water:
n) Dispersion coefficient (o/w):
n) Vapour pressure (20°C):
p) Specific gravity:
q) Relative vapour density (air=1):
r) Particle size:

0-100 %
no data available
no data available
no data available

### 9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups** 

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

no known instability.

## 10.3 Possibility of hazardous reactions

No further data available.

### 10.4 Conditions to avoid

Observe the storage temperature printed on it.

## 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

### 12 mg Nitrite 2, lyophilizied (R0)

Chemical: sulfanilamide CAS No.: 63-74-1

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-01188 LD50 orl rat: 3900 mg/kg

Chemical: N-(1-naphthyl)-ethylendiamine dihydrochloride CAS No.: 1465-25-4

TSCA Inventory: listed Korea Exist.Chem.Inventory: not listed

### 5 mL Nitrite (R2)

Chemical: citric acid CAS No.: 77-92-9

TSCA Inventory: listed

Korea Exist.Chem.Inventory: KE-20831

LD50 orl rat: > 3000 mg/kg

LC50 ihl rat: 5,800 mg/L

LD50 orl mus: 5400 mg/kg

LD50 scu rat: 5500 mg/kg

Acute Effects: Cause after inhalation of vapours/dust, impairments of health when ingested in small quantities.



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

## CHEREY-NAGE



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985068 NANOCOLOR Nitrite 2 Page: 7/10 Printing date: 12.01.2023 Version: 2.2.2.10 Date of issue: 12.01.2023

#### 11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

## **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

Following information is valid for pure substances.

12 mg Nitrite 2, lyophilizied (R0)

sulfanilamide CAS No.: 63-74-1

Water hazard class (DE): WGK No.: n.n.

Storage class (VCI): 12-13

Chemical: N-(1-naphthyl)-ethylendiamine dihydrochloride CAS No.: 1465-25-4

Water hazard class (DE): Storage class (VCI): 13

5 mL Nitrite (R2)

Chemical: citric acid CAS No.: 77-92-9

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 440 mg/L

LC50 leuciscus idus/96h: 440-760 mg/L EC50 daphnia/48h: 1535 <sub>24h</sub> mg/L 7d: 425-640 mg/L IC50 scenedesmus quadricauda/72h: EC10 pseudomonas putita/16h: Water hazard class (DE): EC0: >10 g/L WĞK No.: 0057

Dispersion coefficient (o/w): -172 Storage class (VCI): 12-13

#### 12.2 Persistence and degradability

not necessary

#### 12.3 Bioaccumulative potential

not necessary

#### 12.4 Mobility in soil

not necessary

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

#### 12.6 **Endocrine disrupting properties**

no data available

#### 12.7 Other adverse effects

no additional data available

## **SECTION 13: Disposal considerations**

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

#### 13.1 Waste treatment methods

Not necessary, see above.



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985068 NANOCOLOR Nitrite 2 Page: 8/10 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

### **SECTION 14: Transport information**

14.1 - 14.4: No dangerous goods according the transport regulations

#### 14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

#### 14.6 Special precautions for user

not necessary

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

#### 15.2 Chemical safety assessment

not necessary for these small amounts

## **SECTION 16: Other information**

#### 16.1 Changes compared to the last version

Between versions 2.2.2.10 and 2.2.2.2 following changes were applied: - 8 substance data corrected

#### 16.2 List of H and P phrases

16.2.1 List of relevant H phrases

> Causes serious eye irritation. May cause respiratory irritation.

16.2.2 List of relevant P phrases

#### 16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

### revisions/updates



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985068 NANOCOLOR Nitrite 2 Page: 9/10 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

#### 16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

acc: according

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

carcinogen Carc:

CAS: Chemical Abstracts Service

Classification, Labelling and Packaging regulation CLP:

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)

derm: dermal dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

European Community FC:

EC-Nr Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

EU: **European Union** fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: ICAO:

International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous intraperitonaeal int.

ishi · Industrial Safety and Health Law (Jp) LC50: letale concentration 50%

LD50: letale dosis 50% leuciscus idus: fisch, ide, orfe MAK: maximum workplace concentration

Metall Met: mus: mouse mutagen Muta:

NIOSH: National Institute for Occupational Safety and Health (US)

Non-rapidly degradable s mykiss: fish, rainbow trout NRD:

onchorhynchus mykiss:

orl: oral OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed persistent, bioaccumulating, toxic substance PBT:

pH value :Ha

pimephales promelas: fish fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use'

Law for PRTR and Promotion of Chemical Management (Jp) PRTR:

PVC: polyvinyl chloride



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985068
 NANOCOLOR Nitrite 2
 Page: 10/10

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

quail: bird, quail rat: rat rbt: rabbit

RD: rapidly degradable

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number

Reg.No.: rRegistration number harmful to reproduction

Resp: respiratory

RIP: REACH Implementations Projects

scu: sub cutan
SDS: safety data sheet
Sens: sensitisation

STEL: short term exposure limit
STOT: Specific Target Organ Toxicity
SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)
Tox: toxic
TSCA: The Toxic Substances Control Act (US)
TWA: time weighted average

TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com