

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090	NANOCOLOR Sulfite 100	Page: 1/13
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.2.16

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier REF Product name	985090 NANOCOLOR Sulfite 100
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude 19 x 1 mL Sulfite 100 (R0 2 x 11 mL Sulfite 100 (R1)
	1 x 9 mL Sulfite 100 (R2)	UFI: 159U-H343-1203-CDPK
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against n according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 ated into sections 1-16.
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Valencienner Str. 11, 52355 Düren Phone: +49 2421 969 0	KG
1.4	Emergency telephone numbe Outside Germany (DE): Call your r DE: Gemeinsames Giftinformations 99089 Erfurt tel. +49 361 7 You find our current versions of SDS in Inte	egional Poisons Information Service or call local Life Saving Service Penetry Germany szentrum (GGIZ) 30 730, <https: www.ggiz-erfurt.de=""> 76185 Karlsruhe, Germany 76185 Karlsruhe, Germany 76185 carlsruhe, Germany</https:>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

	GHS05
Signal word	DANGER
Hazard identification	Hazard classes/categories
H314	Skin Corr. 1B

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1 mL Sulfite 100 (R0)

	Do not need labelling as hazardous
Signal word	-
No hazard class	



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090	NANOCOLOR Sulfite 100	Page: 2/13
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.2.16
11 mL Sulfite 100 (R1)		
	Do not need labelling as hazardous	
Signal word	-	
No hazard class		
9 mL Sulfite 100 (R2)		
	GHS05	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H314	Skin Corr. 1B	

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

1 mL Sulfite 100 (R0)

Do not need labelling as hazardous Signal word: -

11 mL Sulfite 100 (R1) Do not need labelling as hazardous Signal word: -

9 mL Sulfite 100 (R2)



Signal word: DANGER H314 Causes severe skin burns and eye damage. P260sh, P280sh, P303+361+353, P305+351+338, P310 Do not breathe dust/vapours.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

Label elements of the complete product



Signal word: DANGER H314 Causes severe skin burns and eye damage. P260sh, P280sh, P303+361+353, P305+351+338, P310 Do not breathe dust/vapours.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090	NANOCOLOR Sulfite 100	Page: 3/13
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.2.16

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment. PBT: not applicable vPvB: not applicable

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

9 mL Sulfite 100 (R2)

Ifite 100 (R2) Substance name: CAS No.:	sulfuric acid 7664-93-9	
Substance rating: Formula: REACH Reg. No.: EC No.: Specific concentratio 1A; H314 $c \ge 15\%$ Concentration: acc. CLP (GHS):	H314, Skin Corr. 1B H ₂ SO ₄ (•H ₂ O) D1-2119458838-20-xxxx 231-639-5 Indice No.: 016-020-00-8 limit: Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr 30 - <51 % H314, Skin Corr. 1B	
lfite 100 (R0) Substance name: CAS No.:	ammonia solution 1336-21-6	
Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H314, Skin Corr. 1B, H335, STOT SE 3, H400, Aquatic Acute 1 NH ₃ •H ₂ O Salmiakgeist 01-2119488876-14-xxxx, 01-2119982985-14-XXXX 215-647-6 Indice No.: 007-001-01-2 0,1 - <1 % The criteria for classification are not fulfilled.	
ulfite 100 (R1) Substance name: CAS No.:	ammonia solution 1336-21-6	
Substance rating: Formula:	H314, Skin Corr. 1B, H335, STOT SE 3, H400, Aquatic Acute 1 NH ₃ •H ₂ O	

Salmiakgeist Pseudonym (de): REACH Reg. No.: 01-2119488876-14-xxxx, 01-2119982985-14-XXXX EC No .: 215-647-6 Indice No.: 007-001-01-2 Concentration: 0,1 - <1 % acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090	NANOCOLOR Sulfite 100	Page: 4/13
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.2.16

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



REF: 9	985090	NANOCOLOR Sulfi	te 100	Page: 5/13
Printin	g date: 12.01.2023	Date of issue: 26.09).2022	Version: 2.2.2.16
6.2	Environmental p Avoid contact of subsi PBT: vPvB:	tance/mixture to environment. not applicable not applicable		
6.3	Bind any escaping liq Clean any contaminat	Iterial for containment and cleaning uid with inert absorbent. And dispose in accorda ed equipment and floors with plenty of water. of leaked liquid and flush with water into drains	ance to local regulations for the dispo	sal of hazardous chemicals.
6.4	Reference to other sections see information in section 5.4,7,8 and 13			
SEC	TION 7: Handling	and storage		
7.1	Precautions for s Handling in accordance	safe handling ce with the test instruction, that comes with the p	product. Use a safety bottle when sha	aking test tubes.
7.2		afe storage, including any incompate Inteed in the original packaging . Storage class (5.1B DE): 2		oter 12.1
.2.1	Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.			
7.3	Specific end use Product for analytical			
SEC	TION 8: Exposur	e controls /personal protectio	n	
3.1	Control paramet	ers		
	DNEL: DNEL = Der	(R2) Ifuric acid [inh] 50 μg/m ³ ived No-Effect Level (for workers) : 2.5 μg/L dicted No Effected Concentration 0.1 e mg/m ³ 0.1 E mg/m ³ E/e respirable	CAS No.: 76	64-93-9
	skin resorpti SUVA(CH) MAK NIOSH	NTP Report on Carcinogens (RoC)	I ist Yes (Known to be a human card	cinogen) [.] [TWA] 1 mg/m³
	[TWA] Time OSHA:	weighted average to a reference period of 8 hours, [STEL] ([TWA] 1 mg/m ³	Short-term exposure limit related to a 15-minu	te period
	DNEL:	(R0) nmonia solution [inh] 14 mg/m³ ived No-Effect Level (for workers)	CAS No.: 13	336-21-6
	PNEC (fresh water)	: 0.0011 mg/L dicted No Effected Concentration		
	EU value: TRGS 900 (DE):	20 ppm / 14 mg/m³ 20 ppm / 14 mg/m³ E/e respirable		
	skin resorpti	ve (H), respiratory sensitizable (Sa), skin sensitizable (Sh),	teratogenic (Z) not securely excluded / (Y) ce	rtainly excluded

SUVA(CH) MAK value: 20 ppm / 14 mg/m³ [TWA] 25 ppm / 18 mg/m³ NIOSH:

NIOSH STEL: 35 ppm / 27 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period OSHA: Yes (TQ = 15000 lbs) - n/a; [TWA] 50 ppm / 35 mg/m³



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090 Printing date: 12.01.2023		NANOCOLOR SL	NANOCOLOR Sulfite 100	
		Date of issue: 26.	09.2022	Version: 2.2.2.16
Chemical: DNEL:	ite 100 (R1) ammonia solu L = Derived No-Effec	[inh] 14 mg/m³	CAS No.	: 1336-21-6
PNEC _{(fresh} PNE	water): C = Predicted No Effe	0.0011 mg/L acted Concentration		
EU value: TRGS 900		20 ppm / 14 mg/m³ 20 ppm / 14 mg/m³ E/e respirable		
	exposure factor: resorptive (H), respir		h), teratogenic (Z) not securely excluded / (Y	 certainly excluded
NIOSH: NIC	MAK value: SH STEL: \] Time-weighted ave	20 ppm / 14 mg/m ³ [TWA] 25 ppm / 18 mg/m ³ 35 ppm / 27 mg/m ³ rage to a reference period of 8 hours, [STE	L] Short-term exposure limit related to a 15-	minute period
OSHA:		Yes (TQ = 15000 lbs) - n/a; [TWA	\] 50 ppm / 35 mg/m³	
8.2 Exposure c	ontrols			
		ystem in the room, floor resistant to tained at the workplace.	o chemicals with floor drainage and	I washing facilities. The highest
	Respiratory protection No additional recommendations.			
Yes, gloves	Skin protection / Hand protection Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.			
2	Eye / Face Protection Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.			
	Skin protection Recommended to avoid clothing damage, and to avoid contamination with these hazards.			
Eating, drin with the ski	Personal hygiene Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.			
	Thermal hazards no data available			
	nd monitorin	g of environmental expos	ure	
	ا میما م			
SECTION 9: Phys	ical and cl	nemical properties		

9.1 Information on basic physical and chemical properties

9 mL Sulfite 100 (R2)	
a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	0
I) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,36 g/cm³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090	NANOCOLOR Sulfite 100	Page: 7/13	
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.2.16	
1 mL Sulfite 100 (R0)			
a) State of aggregation:	liquid		
b) Colour:	colourless		
c) Odor:	aminic		
d) Melting point:	no data available		
e) Boiling point:	no data available		
f) Flammability:	no data available		
g) Explosive limits (lower / upper):	no data available		
h) Flash point:	no data available		
i) Flashing temperature:	no data available		
j) Decomposition temperature:	no data available		
k) pH value:	11		
 Kinematic viscosity: 	no data available		
m) Solubility in water:	0-100 %		
n) Dispersion coefficient (o/w) :	no data available		
o) Vapour pressure (20°C):	no data available		
p) Specific gravity:	no data available		
q) Relative vapour density _(air=1) :	no data available		
r) Particle size:	no data available		
11 mL Sulfite 100 (R1)	line and		
a) State of aggregation:	liquid		
b) Colour: c) Odor:	colourless aminic		
d) Melting point:	no data available		
e) Boiling point:	no data available		
f) Flammability:	no data available		
g) Explosive limits (lower / upper):	no data available		
h) Flash point:	no data available		
i) Flashing temperature:	no data available		
j) Decomposition temperature:	no data available		
k) pH value:	11		
I) Kinematic viscosity:	no data available		
m) Solubility in water:	0-100 %		
n) Dispersion coefficient (o/w):	no data available		
o) Vapour pressure (20°C):	no data available		
p) Specific gravity:	no data available		
q) Relative vapour density _(air=1) :	no data available		
r) Particle size:	no data available		

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. Properties relevant to substance groups Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1	Reactivity
	Strong CORROSIVE, no further data available.
10.2	Chemical stability
	no known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

10.5 Incompatible materials

no additional data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.0.28.156



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090	NANOCOLOR Sulfite 100	Page: 8/13
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.2.16

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

 owing information is valid i	or pure substances. Quanti	lative data on the toxicity of this product are not available.	
9 mL Sulfite 100 (R2)			
Chemical: sulfuri	c acid	CAS No.: 7664-93-9	
TSCA Inventory:	listed Califo	ornia Proposition 65 List: not listed	
ACGIH:	1 ppm		
Exposure Routes:	inhalation, ingestion, skin ar	nd/or eye contact	
Target Organs:	Eyes, skin, respiratory syste	em, teeth	
Symptoms:	irritation eyes, skin, nose, th	nroat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis	s;
dental erosion; eye, skin bur	ns; dermatitis		
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes	
Japan CSCL/PRTR:	not listed, Japan PDSCL: De	eleterious Substance	
Japan ISHL:	listed ≥1,0%/≥1,0%, Article \$	57-2 (SDS required)	
South Korea TCCA:	Accident Precaution Chemic	cal Yes	
Korea Exist.Chem.Inventory	KE-32570, >10% Toxic 97-1	1-405, Acc. Precaution Chem.	
LD50 orl rat :	2140 mg/kg		
LC50 ihl mus :	0,85 mg/L/4H		
TRGS 905 (DE):	Kat 4		
1 mL Sulfite 100 (R0)			
	nia solution	CAS No.: 1336-21-6	
TSCA Inventory:		ornia Proposition 65 List: not listed	
Exposure Routes:		on), skin and/or eye contact (solution/liquid)	
Target Organs:	Eyes, skin, respiratory syste		
Symptoms:		dyspnea (breathing difficulty), wheezing, chest pain; pulmonary edema:	
pink frothy sputum; skin burr		dyspiled (breathing dimedity), wheezing, chest pain, pumonary edema,	,
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes, Toxic Substances (Schedule 1) Yes	
(Item 53.)	not listed		
Japan CSCL/PRTR:	not listed, Japan PDSCL: De	eleterious Substance	
Japan ISHL:	listed ≥0,2%/≥0,1%, Article \$		
South Korea TCCA:	not listed		
	: KE-01688, >10% Toxic 97-1	1-184	
LD50 orl rat :	350 mg/kg		
LC_Low ihl hmn	5,000 mg/L		
LC50 ihl rat :	2000 ppm/4H		
	FF		
11 mL Sulfite 100 (R1)			
· · · · ·	nia solution	CAS No.: 1336-21-6	
TSCA Inventory:		ornia Proposition 65 List: not listed	
Exposure Routes:		n), skin and/or eye contact (solution/liquid)	
Target Organs:	Eyes, skin, respiratory syste		
Symptoms:		dyspnea (breathing difficulty), wheezing, chest pain; pulmonary edema:	
pink frothy sputum; skin burr		uyspilea (breathing uniculty), wheezing, chest pain, pullionary edenta,	,
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes, Toxic Substances (Schedule 1) Yes	
(Item 53.)	The listed	Canada CELA 1999. DOL Yes, Toxic Substances (Schedule 1) Tes	
Japan CSCL/PRTR:	not listed, Japan PDSCL: De	eleterious Substance	
Japan ISHL:	listed ≥0,2%/≥0,1%, Article \$		
South Korea TCCA:	not listed		
	: KE-01688, >10% Toxic 97-1	1-184	
LD50 orl rat :	350 mg/kg		
LC LOW ihl hmn :	5,000 mg/L		
LC50 ihl rat :	2000 ppm/4H		

11.2 Other hazards



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	Poppible and paring discurting a		
	Possible endocrine disrupting e no data available	ffects	
	Other information no additional data available		
SECTI	ION 12: Ecological inform	ation	
12.1	Toxicity Following information is valid for pu	re substances.	
	9 mL Sulfite 100 (R2) Chemical: sulfuric acid PNEC (fresh water) : PNEC = Predicted No Effected Concentrati		CAS No.: 7664-93-9
	LC50 fish/96h : EC50 daphnia/48h : EC10 pseudomonas putita/16h : Water hazard class (DE): Storage class (VCI):	[NOEC, 65d] 25 μg/L 100 mg/L [72h] 100 mg/L 1 WGK No.: 0182 8 Β	
	1 mL Sulfite 100 (R0) Chemical: ammonia sc PNEC (fresh water) : PNEC = Predicted No Effected Concentrati		CAS No.: 1336-21-6
	LC50 _{fish/96h} : EC50 _{daphnia/48h} : Water hazard class (DE): Storage class (VCI):	0,89 mg/L 101 mg/L 2 WGK No.: 0211 8 B	
	11 mL Sulfite 100 (R1) Chemical: <i>ammonia sc</i> PNEC (fresh water): PNEC = Predicted No Effected Concentrati	0.0011 mg/L	CAS No.: 1336-21-6
	LC50 _{fish/96h} : EC50 _{daphnia/48h} : Water hazard class (DE): Storage class (VCI):	0,89 mg/L 101 mg/L 2 WGK No.: 0211 8 B	
12.2	Persistence and degradability	y	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB ass This substance/mixture contains no cor and very bioaccumulative (vPvB) at lev	mponents considered to be either persistent, b	bioaccumulative and toxic (PBT) or very persistent
12.6	Endocrine disrupting propert no data available	lies	
12.7	Other adverse effects no additional data available		

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

			NANOCO	LOR Sulfite 100		Page: 10/13
inting date: 12.01.2023			Date of is	sue: 26.09.2022		Version: 2.2.2.1
ECTION 14: Trai	nspo	rt inf	ormation			
14.1. UN number:	3316					
14.2. UN proper shi		name:	Chemical Kit			
14.3. Class:	9		Packing group: II			
Road transport ADR	•					
Classification code:	M11		Tunnel restriction code:	E		
Limited Quantity:		DR 3.3	.1/251: see LQ in Alternative	-	ortation	
Air transport ICAO						
PAX:	960		max. weight PAX: 10 K	G		
CAO:	960		max. weight CAO: 10 K	G		
Maritime transport IM	1DG		-			
EmS:	F-A, S	-P	Storage category: A			
LINI No. (and holew)		II Eve		<pre>/E00 ml) = ADD/IATA</pre>		
UN No.: (see below) or 14.1 UN number: 14.3 Class: Pood transport ADP	class 8 3264 8	14.2		,	∖ E2 dic, inorganic, n.o.s. (sulfuric	acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code:	3264 8 C1	14.2	UN proper shipping name: Packing group: II	Corrosive liquid, aci		acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity:	3264 8 C1 1 L	14.2	UN proper shipping name:	Corrosive liquid, aci		acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity:	3264 8 C1	14.2	UN proper shipping name: Packing group: II	Corrosive liquid, aci		acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity:	3264 8 C1 1 L	14.2	UN proper shipping name: Packing group: II Tunnel restriction co	Corrosive liquid, aci		acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Air transport ICAO	3264 8 C1 1 L	14.2 14.4	UN proper shipping name: Packing group: II Tunnel restriction co	Corrosive liquid, aci		acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Air transport ICAO Limited Quantity: Excepted Quantity: Excepted Quantity: PAX:	3264 8 C1 1 L	14.2 14.4 LQ 22 E 2 851	UN proper shipping name: Packing group: II Tunnel restriction co	Corrosive liquid, aci		acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Air transport ICAO Limited Quantity: Excepted Quantity: PAX: CAO:	3264 8 C1 1 L E 2	14.2 14.4 LQ 22 E 2	UN proper shipping name: Packing group: II Tunnel restriction co	Corrosive liquid, aci o	dic, inorganic, n.o.s. (sulfuric	acid solution)
or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Air transport ICAO Limited Quantity: Excepted Quantity: Excepted Quantity: PAX:	3264 8 C1 1 L E 2	14.2 14.4 LQ 22 E 2 851 855	UN proper shipping name: Packing group: II Tunnel restriction co	Corrosive liquid, acion ode: E max. weight PAX:	dic, inorganic, n.o.s. (sulfuric 1 L	acid solution)

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

- 14.6 Special precautions for user not necessary
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

- Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung GefStoffV), Nov 2010, Stand: Mrz 2017
 - TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 - TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com

HEREY-NAGE



Safety Data Sheet

REF: 985090 Printing date: 12.01.2023		NANOCOLOR Sulfite 100 Date of issue: 26.09.2022	Page: 11/13 Version: 2.2.2.16
SECT	ION 16: Other inf	formation	
16.1	• •	ed to the last version 16 and 2.2.2.2 following changes were applied: - 14 substance data corrected	
16.2	List of H and P ph	rases	
16.2.1	List of relevant H H314	phrases Causes severe skin burns and eye damage.	
16.2.2	List of relevant P P260sh P280sh P303+361+353 P305+351+338 P310	 phrases Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse ski IF IN EYES: Rinse cautiously with water for several minutes. Remove contact I do. Continue rinsing. Immediately call a POISON CENTER/doctor. 	
16.3	Recommended re	striction on use	
	Look about employee re	er. estrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! estrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 1 f this product or test kit has a moderate hazardous potential.	1-13 MuSchG 2017)!
16.4	Directive 1999/92/EG M atmospheres SUVA .CH, limit values Regulation 790/2009/EL Regulation 453/2010/EL Regulation 487/2013/EL Regulation 1221/2015/E Regulation 776/2017/EL Regulation 669/2018/EL Regulation 521/2019/EL Regulation 521/2019/EL Regulation 217/2020/EL Regulation 217/2020/EL Regulation 1182/2020/EL Regulation 1182/2020/EL	Ita s on hazardous materials, 2021 inimum requirements to improve the safety and health protection of workers at risk in the air at work 2009, revised on 01/2009 J, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st A J, adaptation of the REACH regulation 1907/2006/EG J, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th A EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th J J, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th J J, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th J J, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th J J, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th J J, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th J J, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th J J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scient SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scient SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scient SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scient SU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical	ATP) TP) ATP) ATP) 11th ATP) ATP) ATP) entific progress (14th ATP) ientific progress (15th ATP) entific progress (16th ATP)
	20	014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if 014-04 adjustment according Regulation 487/2013/EU 016-03 adjustment according Regulation 1221/2015/EU	necessary
	0	017.11 adjustment according the ECHA registration despise	

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985090
 NANOCOLOR Sulfite 100
 Page: 12/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
	5 S
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
İSHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	s: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales pi	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	
	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	
	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
•	
RIP:	REACH Implementations Projects
SCU:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance
	very persistent, very bloacedinalating substance



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.

 Valencienner Str. 11
 CH
 Tel.

 52355 Düren · Germany
 FR
 Tel.

 www.mn-net.com
 US
 Tel.

 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985090	NANOCOLOR Sulfite 100	Page: 13/13
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.2.16

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com