

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**
Version: **1.0 en**

date of compilation: 18.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Diethylamine
Article number	KK00
Registration number (REACH)	01-2119475610-41-xxxx
Index No	612-003-00-X
EC number	203-716-3
CAS number	109-89-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.6	flammable liquid	(Flam. Liq. 2)	H225
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302
3.1D	acute toxicity (dermal)	(Acute Tox. 3)	H311
3.1I	acute toxicity (inhal.)	(Acute Tox. 4)	H332
3.2	skin corrosion/irritation	(Skin Corr. 1A)	H314
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	(STOT SE 3)	H335

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms



Hazard statements

H225	Highly flammable liquid and vapour.
H302+H332	Harmful if swallowed or if inhaled.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Diethylamine
Index No	612-003-00-X
Registration number (REACH)	01-2119475610-41-xxxx
EC number	203-716-3
CAS number	109-89-7
Molecular formula	$C_4 H_{11} N$
Molar mass	73,14 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Pulmonary oedema, Diarrhoea, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Beware of reignition. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.

Incompatible materials: see section 10. Disposal considerations: see section 13.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care.

- **Measures to prevent fire as well as aerosol and dust generation**



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Store locked up. Ground/bond container and receiving equipment.

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Source
EU	diethylamine	109-89-7		IOELV	5	15	10	30			2006/15/EC
MT	diethylamine	109-89-7		OELV	5	15	10	30			L.N. 227

Notation

Ceiling-C
STEL

Ceiling value is a limit value above which exposure should not occur
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	15 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	30 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

• environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	0,04 mg/l	freshwater	short-term (single instance)
PNEC	0,004 mg/l	marine water	short-term (single instance)
PNEC	100 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,48 mg/kg	freshwater sediment	short-term (single instance)
PNEC	0,048 mg/kg	marine sediment	short-term (single instance)
PNEC	0,072 mg/kg	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggle with side protection. Wear face protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

FKM (fluoro rubber)

• material thickness

0,7mm

• breakthrough times of the glove material

>120 minutes (permeation: level 4)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	like: amine
Odour threshold	0,02 - 37,5 ppm

Other physical and chemical parameters

pH (value)	13 (100 g/l, 20 °C)
Melting point/freezing point	-50 °C
Initial boiling point and boiling range	55,3 - 56,1 °C at 1.013 hPa
Flash point	-26 °C at 1.013 hPa (closed cup)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	1,7 vol% (50 g/m ³)
• upper explosion limit (UEL)	10,1 vol% (305 g/m ³)
Explosion limits of dust clouds	not relevant
Vapour pressure	316 hPa at 25 °C
Density	0,7 g/cm ³ at 20 °C
Vapour density	2,53 (air = 1)
Bulk density	Not applicable
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	815 g/l at 20 °C
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	0,58
Soil organic carbon/water (log KOC)	1,659 (ECHA)
Auto-ignition temperature	310 °C
Decomposition temperature	no data available
Viscosity	not determined

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

Explosive properties	Shall not be classified as explosive
Oxidising properties	none

9.2 Other information

Temperature class (EU, acc. to ATEX)	T2 (Maximum permissible surface temperature on the equipment: 300°C)
--------------------------------------	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Risk of ignition. Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Risk of ignition: Oxidisers,
Exothermic reaction with: Aldehydes, Alcohols, Ester, Halogenated hydrocarbons, Ketone, Nitrites, Phenols, Mercury, Strong acid

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

lead, iron, copper, Steel, zinc, tin

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
inhalation: vapour	LC50	12 mg/l/4h	rat	
oral	LD50	540 mg/kg	rat	
dermal	LD50	580 mg/kg	rabbit	

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

May cause respiratory irritation.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, nausea, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds

Other information

Other adverse effects: Liver and kidney damage, Pulmonary oedema

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	56 mg/l	daphnia magna		48 h
EC50	56 mg/l	Chlorella pyrenoidosa		96 h
LC50	25 - 182 mg/l	rainbow trout (Oncorhynchus mykiss)		96 h

12.2 Process of degradability

The substance is readily biodegradable.

Theoretical Oxygen Demand with nitrification: 3,5 mg/mg

Theoretical Oxygen Demand: 2,625 mg/mg

Theoretical Carbon Dioxide: 2,407 mg/mg

Process	Degradation rate	Time
biotic/abiotic	>70 %	28 d

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 0,58

12.4 Mobility in soil

Henry's law constant $2,97 \text{ Pa m}^3/\text{mol}$ at 25 °C

The Organic Carbon normalised adsorption coefficient 1,659

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	1154
14.2	UN proper shipping name	DIETHYLAMINE
	Hazardous ingredients	Diethylamine
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	1154
Proper shipping name	DIETHYLAMINE
Particulars in the transport document	UN1154, DIETHYLAMINE, 3 (8), II, (D/E)
Class	3
Classification code	FC
Packing group	II
Danger label(s)	3+8



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	338

• International Maritime Dangerous Goods Code (IMDG)

UN number	1154
Proper shipping name	DIETHYLAMINE
Particulars in the shipper's declaration	UN1154, DIETHYLAMINE, 3 (8), II, -26°C c.c.
Class	3
Subsidiary risk(s)	8
Packing group	II
Danger label(s)	3+8



Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	E

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU




Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	1154
Proper shipping name	Diethylamine
Particulars in the shipper's declaration	UN1154, Diethylamine, 3 (8), II
Class	3
Subsidiary risk(s)	8
Packing group	II
	3+8



Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

• Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

Not listed.

• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

• Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

Name of substance	Wt%	Type of registration	Conditions of restriction	No
Diethylamine	100	1907/2006/EC annex XVII	R3	3
Diethylamine	100	1907/2006/EC annex XVII	R40	40

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

Legend

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

• List of substances subject to authorisation (REACH, Annex XIV)

not listed

• Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 100 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
L.N. 227	Occupational Health and Safety Authority Act (CAP. 424)
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Diethylamine $\geq 99,5\%$, for synthesis

article number: **KK00**

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H302	harmful if swallowed
H311	toxic in contact with skin
H314	causes severe skin burns and eye damage
H318	causes serious eye damage
H332	harmful if inhaled
H335	may cause respiratory irritation

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.