acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01 Version: GHS 4.0 en

Replaces version of: 2022-12-15

Version: (GHS 3)



#### **Product identifier** 1.1

Identification of the substance **Chlorobenzene** ≥99,5 %, for synthesis

Article number **KK01** 

CAS number 108-90-7

Alternative name(s) Benzolchlorid

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 16



date of compilation: 2016-08-18

Revision: 2024-03-01

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

### Labelling

Signal word Warning

### **Pictograms**

GHS02, GHS07



#### **Hazard statements**

H226 Flammable liquid and vapour H315 Causes skin irritation

H332 Harmful if inhaled

#### **Precautionary statements**

### **Precautionary statements - prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves

### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

#### Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

#### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

Australia (en) Page 2 / 16

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Chlorobenzene

Molecular formula C<sub>6</sub>H<sub>5</sub>Cl

Molar mass  $112.6 \, \mathrm{g/_{mol}}$ 

CAS No 108-90-7

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Headaches and dizziness may occur, proceeding to fainting or unconsciousness, Narcotic effects,

Following skin contact: Localised redness, oedema, pruritis and/or pain,

After eye contact: Irritation,

Following ingestion: Gastrointestinal complaints, Vomiting, Malaise

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

Australia (en) Page 3 / 16

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl), Hydrogen halides (HX)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 16

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



## SECTION 7: Handling and storage

### Precautions for safe handling

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	chlorobenzene	108-90-7	WES	10	46						WES

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur

**TWA** 

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Australia (en) Page 5 / 16

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



acute - systemic effects

#### **Human health values**

Relevant DNI	Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	23 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	70 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects			
DNFI	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			

worker (industry)

human, dermal

#### **Environmental values**

15 mg/kg bw/

**DNEL** 

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0.032 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0.003 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
PNEC	1.4 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	0.922 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	0.092 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	0.166 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)		

#### 8.2 Exposure controls

Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection.

### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

Australia (en) Page 6 / 16

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

type of material

FKM: fluoro-elastomer

material thickness

0.7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

• type of material: NBR (Nitrile rubber)

• material thickness: 0,4 mm

• breakthrough times of the glove material: >10 minutes (permeation: level 1)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties 9.1

Physical state liquid Colour colourless Odour characteristic Odour threshold 0.09 - 59.8 ppm

Melting point/freezing point -46 °C (ECHA)

≥131 - ≤132 °C at 1,013 hPa (ECHA) Boiling point or initial boiling point and boiling

range

**Flammability** flammable liquid in accordance with GHS criteria

60 g/m³ (LEL) - 520 g/m³ (UEL) / Lower and upper explosion limit

1.3 vol% (LEL) - 11 vol% (ÙEL)

Flash point 28 °C (ECHA)

590 °C (ECHA) (auto-ignition temperature (liquids Auto-ignition temperature

and gases))

Decomposition temperature not relevant

pH (value) not determined (Neutral)

0.6811 mm<sup>2</sup>/<sub>s</sub> at 20 °C Kinematic viscosity

Dynamic viscosity 0.756 mPa s

Australia (en) Page 7 / 16



acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

Solubility(ies)

Water solubility  $\sim 0.207 \, ^{9}/_{1}$  at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 2.855 (ECHA)
Soil organic carbon/water (log KOC) 2.4 (ECHA)

Vapour pressure 11.73 hPa at 20 °C

Density and/or relative density

Density  $\sim 1.11 \, {}^{\rm g}/{}_{\rm cm^3}$  at 20 °C (ECHA)

Relative vapour density 3.88 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Maximum explosion pressure 5.7 bar

Surface tension 33.86  $^{\text{mN}}$ / $_{\text{m}}$  (15 °C) (ECHA)

Refractive index 1.525

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

It's a reactive substance. Risk of ignition.

#### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Alkali metals, Alkaline earth metal, Nitric acid, Strong oxidiser, **Danger of explosion:** Sodium, Phosphorus trichloride, Perchlorate, Acid

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Australia (en) Page 8 / 16



acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Harmful if inhaled.

GHS of the United Nations, annex 4. May be harmful if swallowed.

#### **Acute toxicity Exposure route Endpoint Value Species** Method **Source** 15.5 mg/<sub>I</sub>/4h inhalation: vapour LC50 acute inhalation rat toxicity >2,000 <sup>mg</sup>/<sub>kg</sub> oral LD50 rat **ECHA**

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

nausea, vomiting, gastrointestinal complaints, loss of righting reflex, and ataxia, Liver and kidney damage

Australia (en) Page 9 / 16



### 10.5 Incompatible materials

Rubber articles, different plastics

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



slightly irritant but not relevant for classification

#### If inhaled

headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

#### If on skin

causes skin irritation, irritation and significant inflammation of the skin (dermatitis) due to the defatting properties of the product may be caused by repeated or prolonged exposure

#### Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	4.5 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
EC50	26 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	ECHA	48 h	
ErC50	11.4 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

#### **Aquatic toxicity (chronic) Endpoint Exposure** Value **Species** Source time EC50 10.3 mg/<sub>I</sub> 28 d fish **ECHA** EbC50 3.4 <sup>mg</sup>/<sub>I</sub> **ECHA** 16 d aquatic invertebrates

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,060 <sup>mg</sup>/<sub>g</sub> Theoretical Carbon Dioxide: 2.346 <sup>mg</sup>/<sub>mg</sub>

#### **Biodegradation**

Not readily biodegradable.

Process of degradability				
Process	Degradation rate	Time		
biotic/abiotic	15 %	28 d		
oxygen depletion	15 %	28 d		

#### 12.3 Bioaccumulative potential

Australia (en) Page 10 / 16



acc. to Safe Work Australia - Code of Practice



article number: KK01

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2.855 (ECHA)
BCF	3.9 – 23 (ECHA)

#### 12.4 Mobility in soil

Henry's law constant	315 <sup>Pa m³</sup> / <sub>mol</sub>
Predicted Environmental Concentration	2.35
The Organic Carbon normalised adsorption coefficient	2.4 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

### Properties of waste which render it hazardous

**H3** Flammable liquids

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 11 / 16



acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



## **SECTION 14: Transport information**

#### 14.1 UN number

UN 1134
IMDG-Code UN 1134
ICAO-TI UN 1134

14.2 UN proper shipping name

UN RTDGCHLOROBENZENEIMDG-CodeCHLOROBENZENEICAO-TIChlorobenzene

14.3 Transport hazard class(es)

UN RTDG 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1134
Class 3
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 3

Fish and tree



Special provisions (SP)

UN RTDG

Excepted quantities (EQ) E1

UN RTDG

Australia (en) Page 12 / 16

acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

Limited quantities (LQ) 5 L

**UN RTDG** 

Emergency Action Code 2Y

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CHLOROBENZENE

Particulars in the shipper's declaration UN1134, CHLOROBENZENE, 3, III, 28°C c.c., MAR-

**INE POLLUTANT** 

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 3, "Fish and tree"

3



Special provisions (SP)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-E, S-D

Stowage category A

Segregation group 10 - Liquid halogenated hydrocarbons

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Chlorobenzene

Particulars in the shipper's declaration UN1134, Chlorobenzene, 3, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3



Excepted quantities (EQ) E1
Limited quantities (LQ) 10 L

## **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Australia (en) Page 13 / 16



acc. to Safe Work Australia - Code of Practice

#### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Australia (en) Page 14 / 16

acc. to Safe Work Australia - Code of Practice

### **Chlorobenzene ≥99,5 %, for synthesis**

article number: KK01

# Abbreviations and acronyms



Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Australia (en) Page 15 / 16

acc. to Safe Work Australia - Code of Practice

### Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H332	Harmful if inhaled.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 16 / 16