according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: **KK01** Version: **5.0 en** Replaces version of: 2022-07-08 Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

KK01

602-033-00-1 203-628-5

Benzolchlorid

108-90-7

1.1 Product identifier

Identification of the substance

Article number Registration number (REACH)

Index number in CLP Annex VI

EC number

LC Humber

CAS number

Alternative name(s)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

01-2119432722-45-xxxx

Chlorobenzene ≥99,5 %, for synthesis

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

date of compilation: 2016-08-18 Revision: 2024-03-01

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: **KK01**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms

GHS02, GHS07, GHS09



Hazard statements

H226	Flammable liquid and vapour
H315	Causes skin irritation
H332	Harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P280	Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312	Call a POISON CENTRE/doctor if you feel unwell
P332+P313	If skin irritation occurs: Get medical advice/attention

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01



2.3 Other hazards

3.1

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	Chlorobenzene
Molecular formula	C ₆ H ₅ Cl
Molar mass	112,6 ^g / _{mol}
REACH Reg. No	01-2119432722-45-xxxx
CAS No	108-90-7
EC No	203-628-5
Index No	602-033-00-1

Substance, Specific Conc. Limits, M-factors, ATE					
Specific Conc. Limits M-Factors ATE Exposure route					
-	-	15,5 ^{mg} / _l /4h	inhalation: vapour		

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Headaches and dizziness may occur, proceeding to fainting or unconsciousness, Narcotic effects, Following skin contact: Localised redness, oedema, pruritis and/or pain, After eve contact: Irritation,

Following ingestion: Gastrointestinal complaints, Vomiting, Malaise

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	monochlorobenzene	108-90-7	IOELV	5	23	15	70				2006/15/ EC
IE	chlorobenzene	108-90-7	OELV	5	23	15	70				S.I. No. 619 of 2001

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TWA

Human health values

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	23 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	70 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	15 mg/kg bw/ day	human, dermal	worker (industry)	acute - systemic effects		

Environmental values

Relevant PNECs and other threshold levels								
End- point	Threshold level	Organism	Environmental com- partment	Exposure time				
PNEC	0,032 ^{mg} /l	aquatic organisms	freshwater	short-term (single instance)				
PNEC	0,003 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)				
PNEC	1,4 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)				
PNEC	0,922 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)				
PNEC	0,092 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)				
PNEC	0,166 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)				

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM: fluoro-elastomer

• material thickness

0,7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

- type of material: NBR (Nitrile rubber)
- material thickness: 0,4 mm
- breakthrough times of the glove material:

>10 minutes (permeation: level 1)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: **KK01**

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties			
	Physical state	liquid		
	Colour	colourless		
	Odour	characteristic		
	Odour threshold	0,09 – 59,8 ppm		
	Melting point/freezing point	-46 °C (ECHA)		
	Boiling point or initial boiling point and boiling range	≥131 – ≤132 °C at 1.013 hPa (ECHA)		
	Flammability	flammable liquid in accordance with GHS criteria		
	Lower and upper explosion limit	60 g/m³ (LEL) - 520 g/m³ (UEL) / 1,3 vol% (LEL) - 11 vol% (UEL)		
	Flash point	28 °C (ECHA)		
	Auto-ignition temperature	590 °C (ECHA) (auto-ignition temperature (liquids and gases))		
	Decomposition temperature	not relevant		
	pH (value)	not determined (Neutral)		
	Kinematic viscosity	0,6811 ^{mm²} / _s at 20 °C		
	Dynamic viscosity	0,756 mPa s		
	Solubility(ies)			
	Water solubility	~ 0,207 ^g / _l at 20 °C (ECHA)		
	Partition coefficient			
	Partition coefficient n-octanol/water (log value):	2,855 (ECHA)		
	Soil organic carbon/water (log KOC)	2,4 (ECHA)		
	Vapour pressure	11,73 hPa at 20 °C		
	Density and/or relative density			
	Density	~ 1,11 ^g / _{cm³} at 20 °C (ECHA)		
	Relative vapour density	3,88 (air = 1)		
	Particle characteristics	not relevant (liquid)		
	Other safety parameters			
	Oxidising properties	none		

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

9.2	2 Other information				
	Information with regard to physical hazard classes:	There is no additional information.			
	Other safety characteristics:				
	Maximum explosion pressure	5,7 bar			
	Surface tension	33,86 ^{mN} / _m (15 °C) (ECHA)			
	Refractive index	1,525			
	Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C			

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Alkaline earth metal, Nitric acid, Strong oxidiser, **Danger of explosion:** Sodium, Phosphorus trichloride, Perchlorate, Acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if inhaled.

Acute toxicity						
Exposure route	Endpoint	Value	Species	Method	Source	
inhalation: vapour	LC50	15,5 ^{mg} / _l /4h	rat	acute inhalation toxicity		
oral	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

nausea, vomiting, gastrointestinal complaints, loss of righting reflex, and ataxia, Liver and kidney damage

• If in eyes

slightly irritant but not relevant for classification

If inhaled

headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

If on skin

causes skin irritation, irritation and significant inflammation of the skin (dermatitis) due to the defatting properties of the product may be caused by repeated or prolonged exposure

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value Species Source		Exposure time		
LC50	4,5 ^{mg} / _l	fish	ECHA	96 h	
EC50	26 ^{mg} / _l	aquatic invertebrates	ECHA	48 h	
ErC50	11,4 ^{mg} / _l	algae	ECHA	72 h	

Aquatic toxicity (chronic)

Endpoint	Value	Value Species Source		Exposure time	
EC50	10,3 ^{mg} / _l	fish	ECHA	28 d	
EbC50	3,4 ^{mg} / _l	aquatic invertebrates	ECHA	16 d	

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2.060 ^{mg}/_g Theoretical Carbon Dioxide: 2,346 ^{mg}/_{mg}

Biodegradation

Not readily biodegradable.

Process of degradability				
Process	Degradation rate	Time		
biotic/abiotic	15 %	28 d		
oxygen depletion	15 %	28 d		

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2,855 (ECHA)
BCF	3,9 – 23 (ECHA)

12.4 Mobility in soil

Henry's law constant	315 ^{Pa m³} / _{mol}
Predicted Environmental Concentration	2,35
The Organic Carbon normalised adsorption coefficient	2,4 (ECHA)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 6 acute toxicity
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 1134
	IMDG-Code	UN 1134
	ICAO-TI	UN 1134
2	UN proper shipping name	
	ADRRID	CHLOROBENZENE
	IMDG-Code	CHLOROBENZENE
	ICAO-TI	Chlorobenzene
3	Transport hazard class(es)	
	ADRRID	3

14.2

14.3

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

14.5	Environmental hazards	hazardous to the aquatic environment
	ICAO-TI	III
	IMDG-Code	III
	ADRRID	III
14.4	Packing group	
	ICAO-TI	3
	IMDG-Code	3

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional
information

Proper shipping name	CHLOROBENZENE
Particulars in the transport document	UN1134, CHLOROBENZENE, 3, III, (D/E), environ- mentally hazardous
Classification code	F1
Danger label(s)	3, "Fish and tree"
Environmental hazards	Yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3, "Fish and tree"
Environmental hazards	Yes Hazardous to water
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

Hazard identification No	30
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	CHLOROBENZENE
Particulars in the shipper's declaration	UN1134, CHLOROBENZENE, 3, III, 28°C c.c., MAR- INE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
Segregation group	10 - Liquid halogenated hydrocarbons
International Civil Aviation Organization (ICAC	-IATA/DGR) - Additional information
Proper shipping name	Chlorobenzene
Particulars in the shipper's declaration	UN1134, Chlorobenzene, 3, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Chlorobenzene	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Chlorobenzene	flammable / pyrophoric		R40	40
Chlorobenzene	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in orna-

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

Legend

R40

mental lamps and ashtrays, - tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they
- can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-ments are met:

ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.'; 1. Shall not be used, as substance or as mixtures in account dispersent where these specerd dispersent dispersent where these specerd dispersent dispers

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,

- 'whoopee' cushions,
 silly string aerosols,
 imitation excrement,
- horns for parties,
- decorative flakes and foams, - artificial cobwebs,
- stink bombs

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).


4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: **KK01**



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: **KK01**

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200	500	57)

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	100 %
VOC content	1.110 ^g / _l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.110 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Chlorobenzene	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Chlorobenzene	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: **KK01**

Country	Inventory	Status
VN	NCI	substance is listed
CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NCI NZIOC PICCS	Domestic Substances List EC Substance Inventory (I Inventory of Existing Chen National Inventory of Che Korea Existing Chemicals National Chemical Invent New Zealand Inventory of	Control Regulation Chemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China emical Substances Inventory ory of Chemicals nemicals and Chemical Substances (PICCS) nees cce Inventory

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 100 % 1.110 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 1.110 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

® Roth

Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

Abbr.	Descriptions of used abbreviations	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Chlorobenzene ≥99,5 %, for synthesis

article number: KK01

Abbr.	Descriptions of used abbreviations
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.