acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03 date of compilation: 2018-10-05 Version: GHS 3.0 en Revision: 2024-03-02

Replaces version of: 2022-08-29

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

Article number **KK03**

CAS number 1305-62-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.8R | Specific target organ toxicity - single exposure (respirat- ory tract irritation) | 3 | STOT SE 3 | H335 |

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 13



acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



Labelling

Signal word **Danger**

Pictograms

GHS05, GHS07



Hazard statements

H315 Causes skin irritation H318 Causes serious eye damage May cause respiratory irritation H335

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

Substances 3.1

Name of substance Calcium hydroxide

Molecular formula $Ca(OH)_2$ Molar mass 74.09 ^g/_{mol} CAS No 1305-62-0

Australia (en) Page 2 / 13



2.2 Label elements

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



acute - local effects

SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Coun try | Name of agent | CAS No | Identifi- er | TWA [mg/ m³] | STEL [mg/ m³] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-------------|-------------------|-----------|-----------------|--------------------|---------------------|-------------------------------|---------------|--------|
| AU | nuisance dusts | | WES | 10 | | | i | WES |
| AU | calcium hydroxide | 1305-62-0 | WES | 5 | | | | WES |

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-. STEL

4 mg/m³

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA**

Human health values

Relevant DNELs and other threshold levels Threshold level **Endpoint** Protection goal, route of exposure **Used** in **Exposure time DNEL** 1 mg/m³ chronic - local effects human, inhalatory worker (industry)

worker (industry)

Environmental values

DNEL

Relevant PNECs and other threshold levels End-**Threshold Organism Environmental com-Exposure time**

human, inhalatory

| point | level | | partment | |
|-------|-------------------------------------|-----------------------|---------------------------------|------------------------------|
| PNEC | 0.49 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 0.32 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) |
| PNEC | 3 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 1,080 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) |

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

0,3 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Colour white - beige
Odour odourless

Melting point/freezing point >450 °C (ECHA)

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable

Australia (en) Page 6 / 13



acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03

Auto-ignition temperature >400 °C (ECHA)

Decomposition temperature >550 °C

pH (value) 12.6 (in aqueous solution: 1.7 g/l, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 1.845 g/1 at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $2.24 \, {}^{9}/_{\text{cm}^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density Information on this property is not available.

Bulk density ~400 kg/_{m³}

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes acc. to GHS classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Surface tension $72 \, ^{\text{mN}}/_{\text{m}} (20 \, ^{\circ}\text{C}) (ECHA)$

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Acids

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >550 °C.

Australia (en) Page 7 / 13



acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed, in contact with skin or if inhaled.

Acute toxicity Exposure route **Endpoint Value Species** Method Source >2,000 ^{mg}/_{kg} LD50 **ECHA** oral rat inhalation: dust/ LC50 >6.04 ^{mg}/_I/4h ECHA rat mist dermal LD50 >2,500 mg/kg rabbit **ECHA**

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

Australia (en) Page 8 / 13



10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



Causes serious eye damage, risk of blindness

If inhaled

Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

| Aquatic toxicity (acute) | | | | |
|--------------------------|------------------------------------|-----------------------|--------|------------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 50.6 ^{mg} / _l | fish | ECHA | 96 h |
| EC50 | 49.1 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | 184.6 ^{mg} / _l | algae | ECHA | 72 h |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|------------------------------------|-----------------------|--------|------------------|
| LC50 | 53.1 ^{mg} / _l | aquatic invertebrates | ECHA | 14 d |
| EC50 | 300.4 ^{mg} / _l | microorganisms | ECHA | 3 h |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 9 / 13



acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| 14.1 UN number not s | bject to transport regulations |
|-----------------------------|--------------------------------|
|-----------------------------|--------------------------------|

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

AIIC Australian Inventory of Industrial Chemicals

CICR CSCL-ENCS

DSL ECSI

Chemical Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

Vorce Spiriting Chemical Substances **IECSC**

INSQ

Korea Existing Chemicals Inventory National Chemical Inventory

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taken Chemical Substances

Taiwan Chemical Substance Inventory **TSCA Toxic Substance Control Act**

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|---|--------------------------|
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | |
|-----------|--|--|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | |
| Ceiling-C | Ceiling value | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| DNEL | Derived No-Effect Level | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval | |
| ED | Endocrine disruptor | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| ELINCS | European List of Notified Chemical Substances | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | |
| IATA | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| IMDG | International Maritime Dangerous Goods Code | |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval | |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval | |
| NLP | No-Longer Polymer | |
| PBT | Persistent, Bioaccumulative and Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| STEL | Short-term exposure limit | |
| TWA | Time-weighted average | |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good | |
| vPvB | Very Persistent and very Bioaccumulative | |
| WES | Safe Work Australia: Workplace exposure standards for airborne contaminants | |

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice

Calcium hydroxide ≥95 %, Ph.Eur., USP, BP

article number: KK03



Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|-----------------------------------|
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13