acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05 Version: GHS 3.0 en

Replaces version of: 2022-07-14

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Mercury(II) acetate ≥98 %, p.a., ACS

Article number KK05

CAS number 1600-27-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

2.1

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	2	Acute Tox. 2	H300
3.1D	Acute toxicity (dermal)	1	Acute Tox. 1	H310
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

Page 1 / 13 Australia (en)



date of compilation: 2019-10-17

Revision: 2024-03-03

acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08



Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P262 Do not get in eyes, on skin, or on clothing P280 Wear protective gloves/protective clothing

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Mercury(II) acetate

Molecular formula $C_4H_6HgO_4$ Molar mass $318.7 \, ^g/_{mol}$ CAS No 1600-27-7

Australia (en) Page 2 / 13



acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Diarrhoea, Gastrointestinal complaints, Irritability, Lack of coordination, Blood pressure drop, Circulatory collapse, Cardiac arrhythmias, Renal impairment, Effects on special senses (such as sight, hearing and sense of smell), Impaired memory function

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Mercury (Hg)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly. Measures to prevent aerosol and dust generation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

direct light irradiation, UV-radiation/sunlight

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES
AU	mercury compounds, divalent inorganic		WES	0.025			Hg	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Hg Calculated as Hg (mercury)

Inhalable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

Page 5 / 13 Australia (en)



acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White). Type: Hg-P3 (combined filters against mercury vapour and particles, colour code: Red/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour white

Odour faintly perceptible

Melting point/freezing point 179 – 182 °C (slow decomposition)

Boiling point or initial boiling point and boiling

range

not determined

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature >178 °C

pH (value) 4-5 (in aqueous solution: $10 \, {}^{9}/_{l}$, $20 \, {}^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 400 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): -1.28

Australia (en) Page 6 / 13



acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



Vapour pressure not determined

Density and/or relative density

Density $3.27 \, {}^{9}/_{cm^3}$

Relative vapour density Information on this property is not available.

Bulk density $\sim 1,000 \text{ kg/}_{\text{m}^3}$

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali metals, Ammonia (NH3), Nitro compound, Strong acid

10.4 Conditions to avoid

Direct light irradiation. UV-radiation/sunlight. Keep away from heat. Decompostion takes place from temperatures above: >178 °C.

10.5 Incompatible materials

Light metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Other adverse effects: Central nervous system, Liver and kidney damage, Nausea, Vomiting, Abdominal pain, Diarrhoea, Circulatory collapse, Blood pressure drop, Cardiac arrhythmias, Agitation, Irritability, Effects on special senses (such as sight, hearing and sense of smell), Impaired memory function

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Theoretical Oxygen Demand: $0.3514 \frac{mg}{mg}$ Theoretical Carbon Dioxide: $0.5524 \frac{mg}{mg}$

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H6.1 Poisonous (Acute)

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDGUN 1629IMDG-CodeUN 1629ICAO-TIUN 1629

14.2 UN proper shipping name

UN RTDGMERCURY ACETATEIMDG-CodeMERCURY ACETATEICAO-TIMercury acetate

Australia (en) Page 9 / 13



acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



14.3	Trans	port	hazard	class(e	es)
------	-------	------	--------	---------	-----

UN RTDG 6.1 **IMDG-Code** 6.1 ICAO-TI 6.1

14.4 Packing group

UN RTDG II IMDG-Code II ICAO-TI ΙΙ

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1629 Class 6.1 **Environmental hazards**

Hazardous to the aquatic environment

Packing group II Danger label(s) 6.1

Fish and tree



Special provisions (SP)

UN RTDG

Excepted quantities (EQ)

E4 UN RTDG

Limited quantities (LQ) 500 g UN RTDG

2X **Emergency Action Code**

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name **MERCURY ACETATE**

Particulars in the shipper's declaration UN1629, MERCURY ACETATE, 6.1, II, MARINE POL-

LUTANT

Marine pollutant yes (P) (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"



Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05

Special provisions (SP)

Excepted quantities (EQ) E4

Limited quantities (LQ) 500 g
EmS F-A, S-A

Stowage category A

Segregation group 7 - Heavy metals and their salts

11 - Mercury and mercury compounds

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Mercury acetate

Particulars in the shipper's declaration UN1629, Mercury acetate, 6.1, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1



Excepted quantities (EQ) E4
Limited quantities (LQ) 1 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed

Australia (en) Page 11 / 13



acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



Country	Inventory	Status
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC CSCL-ENCS

DSL ECSI IECSC INSQ

Australian Inventory of Industrial Chemicals
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice

Mercury(II) acetate ≥98 %, p.a., ACS

article number: KK05



Abbr.	Descriptions of used abbreviations	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants	

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13