according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Arsenazo III ≥85 %, p.a.

article number: **KK22** Version: **3.0 en** Replaces version of: 2022-02-16 Version: (2) date of compilation: 2016-11-16 Revision: 2024-03-02

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

**Arsenazo III** ≥85 %, p.a.

KK22

033-002-00-5

216-788-6

1668-00-4

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

Index number in CLP Annex VI

EC number

CAS number

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### **1.4** Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Arsenazo III ≥85 %, p.a.

article number: KK22

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word Danger

#### Pictograms

GHS06, GHS09



#### **Hazard statements**

H301+H331Toxic if swallowed or if inhaledH410Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P273 Avoid release to the environment

#### **Precautionary statements - response**

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)

H301+H331

Toxic if swallowed or if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Arsenazo III ≥85 %, p.a.

article number: **KK22** 

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Arsenazo III
Molecular formula	$C_{22}H_{18}As_2N_4O_{14}S_2$
Molar mass	774,4 <sup>g</sup> / <sub>mol</sub>
CAS No	1668-00-4
EC No	216-788-6
Index No	033-002-00-5

Substance, Specific Conc. Limits, I	M-factors, ATE		
Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	100 <sup>mg</sup> / <sub>kg</sub> >0,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Self-protection of the first aider.

#### **Following inhalation**

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Arsenazo III ≥85 %, p.a.

article number: KK22

# **4.3 Indication of any immediate medical attention and special treatment needed** none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur oxides (SOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Arsenazo III ≥85 %, p.a.

article number: KK22

#### 6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 **Precautions for safe handling**

Use extractor hood (laboratory). Avoid dust formation. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

Store locked up.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

STEL

Respirable fraction Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Arsenazo III ≥85 %, p.a.

® Roth

#### article number: KK22

#### Notation TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

PVC: polyvinyl chloride

material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Arsenazo III ≥85 %, p.a.

article number: KK22

## **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical pro	operties
	Physical state	solid
	Colour	dark brown
	Odour	odourless
	Melting point/freezing point	not determined
	Boiling point or initial boiling point and boiling range	not determined
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	not applicable
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	2,3 (20 °C)
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	(poorly soluble)
	Water solubility	
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	not determined
	Density and/or relative density	
	Density	not determined
	Relative vapour density	Information on this property is not available.
	Bulk density	~850 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Arsenazo III ≥85 %, p.a.

article number: KK22

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Toxic if swallowed. Toxic if inhaled.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Arsenazo III ≥85 %, p.a.

article number: KK22

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

toxic if swallowed

#### • If in eyes

slightly irritant but not relevant for classification

#### • If inhaled

toxic if inhaled

#### • If on skin

slightly irritant but not relevant for classification

#### Other information

none

#### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 0,8058  $^{mg}/_{mg}$ Theoretical Oxygen Demand (with nitrification): 0,9427  $^{mg}/_{mg}$ Theoretical Carbon Dioxide: 1,25  $^{mg}/_{mg}$ 

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

**12.5 Results of PBT and vPvB assessment** Data are not available.

# **12.6 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge$  0,1%.

### 12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Arsenazo III ≥85 %, p.a.

article number: KK22

### **SECTION 13: Disposal considerations**

#### Waste treatment methods 13.1



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 6 acute toxicity

HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 2811
	IMDG-Code	UN 2811
	ICAO-TI	UN 2811
14.2	UN proper shipping name	
	ADRRID	TOXIC SOLID, ORGANIC, N.O.S.
	IMDG-Code	TOXIC SOLID, ORGANIC, N.O.S.
	ICAO-TI	Toxic solid, organic, n.o.s.
	Technical name	Arsenazo III
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	III

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Arsenazo III ≥85 %, p.a.

article number: KK22

article	e number. <b>KKZZ</b>	
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be	complied within the premises.
14.7	Maritime transport in bulk according to IMO i	nstruments
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulat	ions
	Agreement concerning the International Carrinformation	iage of Dangerous Goods by Road (ADR)Additiona
	Proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
	Particulars in the transport document	UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Ar- senazo III), 6.1, III, (E), environmentally hazardou
	Classification code	T2
	Danger label(s)	6.1, "Fish and tree"
	Environmental hazards	<b>YES</b> (hazardous to the aquatic environment)
	Special provisions (SP)	274, 614, 802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
	Transport category (TC)	2
	Tunnel restriction code (TRC)	E
	Hazard identification No	60
	Regulations concerning the International Carr information	riage of Dangerous Goods by Rail (RID)Additional
	Classification code	Т2
	Danger label(s)	6.1, "Fish and tree"
	Environmental hazards	Yes Hazardous to water
	Special provisions (SP)	274, 614, 802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
	Transport category (TC)	2
	Hazard identification No	60

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Arsenazo III ≥85 %, p.a.

article number: KK22

International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Particulars in the shipper's declaration	UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Ar- senazo III), 6.1, III, MARINE POLLUTANT
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	6.1, "Fish and tree"
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-A
Stowage category	A
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Toxic solid, organic, n.o.s.
Particulars in the shipper's declaration	UN2811, Toxic solid, organic, n.o.s., (Arsenazo III), 6.1, III
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	6.1
Special provisions (SP)	A3, A5
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Relevant provisions of the European Union (EU)**

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with re	estrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Arsenazo III	arsenic compounds		R19	19

Legend

R19

1. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is inten-

- ded for use to prevent the fouling by micro-organisms, plants or animals of: the hulls of boats, cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,

- cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,
- any totally or partly submerged appliances or equipment.
2. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters, irrespective of their use.
3. Shall not be used in the preservation of wood. Furthermore, wood so treated shall not be placed on the market.
4. By way of derogation from paragraph 3:
(a) Relating to the substances and mixtures for the preservation of wood: these may only be used in industrial installations using vacuum or pressure to impregnate wood if they are solutions of inorganic compounds of the copper,

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Arsenazo III ≥85 %, p.a.

#### article number: KK22

#### Legend

- chromium, arsenic (CCA) type C and if they are authorised in accordance with Article 5(1) of Directive 98/8/EC. Wood so treated shall not be placed on the market before fixation of the preservative is completed. (b) Wood treated with CCA solution in accordance with point (a) may be placed on the market for professional and in-dustrial use provided that the structural integrity of the wood is required for human or livestock safety and skin con-tact by the general public during its service life is unlikely: as structural timber in public and agricultural buildings, office buildings, and industrial premises, in bridges and bridgework
- in bridges and bridgework,
   as constructional timber in freshwater areas and brackish waters, for example jetties and bridges,
- as noise barriers,
- in avalanche control, - in highway safety fencing and barriers,
- as debarked round conifer livestock fence posts,
- in earth retaining structures
- as electric power transmission and telecommunications poles,
   as underground railway sleepers.

- as underground railway sleepers.
(c) Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that all treated wood placed on the market is individually labelled 'For professional and industrial installation and use only, contains arsenic'. In addition, all wood placed on the market in packs shall also bear a label stating 'Wear gloves when handling this wood. Wear a dust mask and eye protection when cutting or otherwise crafting this wood. Waste from this wood shall be treated as hazardous by an authorised undertaking'.
(d) Treated wood referred to under point (a) shall not be used:
- in residential or domestic constructions, whatever the purpose,
- in any application where there is a risk of repeated skin contact,
- in marine waters.

- in marine waters

 - for agricultural purposes other than for livestock fence posts and structural uses in accordance with point (b),
 - in any application where the treated wood may come into contact with intermediate or finished products intended for human and/or animal consumption.

5. Wood treated with arsenic compounds that was in use in the Community before 30 September 2007, or that was placed on the market in accordance with paragraph 4 may remain in place and continue to be used until it reaches the end of its service life.

6. Wood treated with CCA type C that was in use in the Community before 30 September 2007, or that was placed on

 the market in accordance with paragraph 4:
 may be used or reused subject to the conditions pertaining to its use listed under points 4(b), (c) and (d),
 may be placed on the market subject to the conditions pertaining to its use listed under points 4(b), (c) and (d),
 Member States may allow wood treated with other types of CCA solutions that was in use in the Community before 30 September 2007:

- to be used or reused subject to the conditions pertaining to its use listed under points 4 (b), (c) and (d),

- to be placed on the market subject to the conditions pertaining to its use listed under points 4(b), (c) and (d).

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/	18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower a quiren		Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

#### **Deco-Paint Directive**

VOC content 0 %
-----------------

#### Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Arsenazo III ≥85 %, p.a.

#### article number: KK22

#### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Arsenazo III	Arsenic and its compounds		a)	

Legend

a)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Arsenazo III	arsenic compounds		100	p(2)	sr

Legend p(2) sr

Sub-category: p(2) - other pesticide including biocides Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend ECSI

IECSC KECI NCI

EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China Korea Existing Chemicals Inventory National Chemical Inventory

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Arsenazo III ≥85 %, p.a.

article number: KK22

### Legend

NZIOC New Zealand Inventory of Chemicals TCSI Taiwan Chemical Substance Inventory

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 6.1	Classification code: T2	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Arsenazo III ≥85 %, p.a.

#### article number: **KK22**

Abbr.	Descriptions of used abbreviations
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.