according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: **KK22** date of compilation: 16.11.2016

Version: **3.0 en**Revision: 02.03.2024
Replaces version of: 16.02.2022

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Arsenazo III ≥85 %, p.a.

Article number KK22

Registration number (REACH)

It is not required to list the identified uses be-

cause the substance is not subject to registration

according to REACH (< 1 t/a).

Index number in CLP Annex VI 033-002-00-5
EC number 216-788-6
CAS number 1668-00-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

the safety data Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400

Malta (en) Page 1 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS06, GHS09



Hazard statements

H301+H331 Toxic if swallowed or if inhaled

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P273 Avoid release to the environment

Precautionary statements - response

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





H301+H331

Toxic if swallowed or if inhaled.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

Malta (en) Page 2 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Arsenazo III

Molecular formula $C_{22}H_{18}As_2N_4O_{14}S_2$

Molar mass 774,4 g/_{mol}
CAS No 1668-00-4
EC No 216-788-6
Index No 033-002-00-5

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	100 ^{mg} / _{kg} >0,5 ^{mg} / _l /4h	oral inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Malta (en) Page 3 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Malta (en) Page 4 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



Malta (en) Page 5 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

PVC: polyvinyl chloride

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Colour dark brown Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) 2,3 (20 °C)

Malta (en) Page 6 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

Kinematic viscosity not relevant

Solubility(ies)

Water solubility (poorly soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density not determined

Relative vapour density Information on this property is not available.

Bulk density $\sim 850 \, \mathrm{kg/m^3}$

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

hazard classes acc. to GHS

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Malta (en) Page 7 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic if inhaled.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

toxic if swallowed

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

toxic if inhaled

• If on skin

slightly irritant but not relevant for classification

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

11.3 Information on other hazards

There is no additional information.

Malta (en) Page 8 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 0,8058 $^{\rm mg}$ / $_{\rm mg}$ Theoretical Oxygen Demand (with nitrification): 0,9427 $^{\rm mg}$ / $_{\rm mg}$ Theoretical Carbon Dioxide: 1,25 $^{\rm mg}$ / $_{\rm mg}$

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 6 acute toxicity **HP 14** ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Malta (en) Page 9 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

SECTION 14: Transport information

14.1 UN number or ID number

ADR UN 2811
IMDG-Code UN 2811
ICAO-TI UN 2811

14.2 UN proper shipping name

ADR TOXIC SOLID, ORGANIC, N.O.S. IMDG-Code TOXIC SOLID, ORGANIC, N.O.S.

ICAO-TI Toxic solid, organic, n.o.s.

Technical name Arsenazo III

14.3 Transport hazard class(es)

ADR 6.1 IMDG-Code 6.1 ICAO-TI 6.1

14.4 Packing group

ADR III IMDG-Code III ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S.

Particulars in the transport document UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Ar-

senazo III), 6.1, III, (E), environmentally hazardous

Classification code T2

Danger label(s) 6.1, "Fish and tree"



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 614, 802(ADN)

Excepted quantities (EQ) E1

Malta (en) Page 10 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

Limited quantities (LQ) 5 kg Transport category (TC) 2 Tunnel restriction code (TRC) Ε Hazard identification No

International Maritime Dangerous Goods Code (IMDG) - Additional information

TOXIC SOLID, ORGANIC, N.O.S. Proper shipping name

UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Arsenazo III), 6.1, III, MARINE POLLUTANT Particulars in the shipper's declaration

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg **EmS** F-A, S-A

Stowage category Α

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toxic solid, organic, n.o.s.

Particulars in the shipper's declaration UN2811, Toxic solid, organic, n.o.s., (Arsenazo III),

Environmental hazards **YES** (hazardous to the aquatic environment)

Danger label(s) 6.1



Special provisions (SP) A3, A5 E1 Excepted quantities (EQ) Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Malta (en) Page 11 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Arsenazo III	arsenic compounds		R19	19

Legend

R19 1. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use to prevent the fouling by micro-organisms, plants or animals of:

- the hulls of boats,

- cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,

- any totally or partly submerged appliances or equipment.

Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters, irrespective of their use.
 Shall not be used in the preservation of wood. Furthermore, wood so treated shall not be placed on the market.

4. By way of derogation from paragraph 3:
(a) Relating to the substances and mixtures for the preservation of wood: these may only be used in industrial install-(a) Relating to the substances and mixtures for the preservation of wood: these may only be used in industrial installations using vacuum or pressure to impregnate wood if they are solutions of inorganic compounds of the copper, chromium, arsenic (CCA) type C and if they are authorised in accordance with Article 5(1) of Directive 98/8/EC. Wood so treated shall not be placed on the market before fixation of the preservative is completed.

(b) Wood treated with CCA solution in accordance with point (a) may be placed on the market for professional and industrial use provided that the structural integrity of the wood is required for human or livestock safety and skin contact by the general public during its service life is unlikely:

- as structural timber in public and agricultural buildings, office buildings, and industrial premises, in bridges and bridgework.

- in bridges and bridgework,

- as constructional timber in freshwater areas and brackish waters, for example jetties and bridges,

- as noise barriers,

- in avalanche control,

- in highway safety fencing and barriers, - as debarked round conifer livestock fence posts,

in earth retaining structures,
 as electric power transmission and telecommunications poles,

- as underground railway sleepers.

(c) Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that all treated wood placed on the market is individually labelled 'For professional and industrial installation and use only, contains arsenic'. In addition, all wood placed on the market in packs shall also bear a label stating 'Wear gloves when handling this wood. Wear a dust mask and eye protection when cuttling' restated as based on the protection when cuttling' treated as hazardous by an authorised undertaking'

(d) Treated wood referred to under point (a) shall not be used:

- in residential or domestic constructions, whatever the purpose,
 in any application where there is a risk of repeated skin contact,
 in marine waters,

- for agricultural purposes other than for livestock fence posts and structural uses in accordance with point (b),
- in any application where the treated wood may come into contact with intermediate or finished products intended for human and/or animal consumption.
- 5. Wood treated with arsenic compounds that was in use in the Community before 30 September 2007, or that was placed on the market in accordance with paragraph 4 may remain in place and continue to be used until it reaches the

end of its service life.

6. Wood treated with CCA type C that was in use in the Community before 30 September 2007, or that was placed on the market in accordance with paragraph 4:

- may be used or reused subject to the conditions pertaining to its use listed under points 4(b), (c) and (d),

- may be placed on the market subject to the conditions pertaining to its use listed under points 4(b), (c) and (d).

7. Member States may allow wood treated with other types of CCA solutions that was in use in the Community before

30 September 2007:

- to be used or reused subject to the conditions pertaining to its use listed under points 4 (b), (c) and (d), - to be placed on the market subject to the conditions pertaining to its use listed under points 4(b), (c) and (d).

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire	(tonnes) for the ap- and upper-tier re- ments	Notes	
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)	

Notation

- Category 2, all exposure routes - category 3, inhalation exposure route

Page 12 / 15 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Arsenazo III	Arsenic and its compounds		a)	

Legend

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Arsenazo III	arsenic compounds		100	p(2)	sr

Legend

p(2)

Sub-category: p(2) - other pesticide including biocides Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Page 13 / 15 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

National inventories

Country	Inventory	Status
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
Korea Existing Chemicals Inventory
National Chemical Inventory
New Zealand Inventory of Chemicals
Taiwan Chemical Substance Inventory ECSI IECSC KECI NCI NZIoC TCSI

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances

Malta (en) Page 14 / 15

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Arsenazo III ≥85 %, p.a.

article number: KK22

Abbr.	Descriptions of used abbreviations
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 15 / 15