acc. to Safe Work Australia - Code of Practice



RBS® T 305 , Laboratory cleaning agent

article number: **KT39** Version: **GHS 3.0 en** Replaces version of: 2022-10-13 Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

RBS® T 305, Laboratory cleaning agent

KT39

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use Cleaning agent

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class		Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

date of compilation: 2020-07-03 Revision: 2023-11-09

acc. to Safe Work Australia - Code of Practice



RBS® T 305 , Laboratory cleaning agent

article number: **KT39**

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07



Hazard statements

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dusts or mists
P280	Wear eye protection/face protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P390 Absorb spillage to prevent material damage

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

Hazardous ingredients for labelling:

Ortho-Phosphoric acid ... %, Isotridecanol, eth-oxylated

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \ge 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice



RBS® T 305 , Laboratory cleaning agent

article number: KT39

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
ortho-Phosphoric acid %	CAS No 7664-38-2 EC No 231-633-2	> 30	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1 / H314 Eye Dam. 1 / H318		
Isotridecanol, eth- oxylated	CAS No 69011-36-5 EC No 500-241-6	< 15	Skin Irrit. 2 / H315 Eye Dam. 1 / H318		

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, pain, choking, and breathing difficulties, Following skin contact: Causes severe burns, Causes poorly healing wounds, After eye contact: Causes burns, Risk of serious damage to eyes, Risk of blindness, Following ingestion: Vomiting, Corrosion, Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Safe Work Australia - Code of Practice

® Roth

RBS® T 305 , Laboratory cleaning agent

article number: **KT39**

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Phosphorus oxides (PxOy)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice



RBS® T 305, Laboratory cleaning agent

article number: KT39

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle and open container with care. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Hygroscopic.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

humidity

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	phosphoric acid (or- thophosphoric acid)	7664-38- 2	WES		1		3				WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components

	•		-			
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Isotridecanol, eth- oxylated	69011-36-5	DNEL	294 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Isotridecanol, eth- oxylated	69011-36-5	DNEL	2,080 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

acc. to Safe Work Australia - Code of Practice

RBS® T 305 , Laboratory cleaning agent



article number: KT39

Relevant PNECs	of compone	nts				
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Isotridecanol, eth- oxylated	69011-36-5	PNEC	0.015 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Isotridecanol, eth- oxylated	69011-36-5	PNEC	0.074 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Isotridecanol, eth- oxylated	69011-36-5	PNEC	0.007 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Isotridecanol, eth- oxylated	69011-36-5	PNEC	1.4 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Isotridecanol, eth- oxylated	69011-36-5	PNEC	0.604 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Isotridecanol, eth- oxylated	69011-36-5	PNEC	0.06 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Isotridecanol, eth- oxylated	69011-36-5	PNEC	0.1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

- >0,3 mm
- breakthrough times of the glove material
- >480 minutes (permeation: level 6)

acc. to Safe Work Australia - Code of Practice

RBS® T 305 , Laboratory cleaning agent

article number: KT39

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	1 (20 °C)
Kinematic viscosity	20.07 ^{mm²} / _s at 20 °C
Dynamic viscosity	28.1 mPa s at 20 °C
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined
Density and/or relative density	
Density	1.4 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available

acc. to Safe Work Australia - Code of Practice

RBS® T 305 , Laboratory cleaning agent

article number: KT39



	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	
	Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali (lye),

Dangerous/dangerous reactions with: Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium), => Explosive properties

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

acc. to Safe Work Australia - Code of Practice



rabbit

rat

rabbit

2,740 ^{mg}/_{ka}

>2,000 ^{mg}/_{kg}

5,960 ^{mg}/_{kg}

LD50

LD50

LD50

RBS® T 305 , Laboratory cleaning agent

article number: KT39

cute toxicity estimate (ATE) of components									
Name of substance		CAS No			Exposure rout	e	ΑΤΕ		
ortho-Phosphoric acid %	7664	64-38-2 oral				>300 ^{mg} / _{kg}			
cute toxicity of components									
Name of substance	CAS	lo	Exposi route		Endpoint	Value	е	Species	
ortho-Phosphoric acid %	7664-3	8-2	oral		LD50	>300 – 2, ^{mg} / _{kg}	000 J	rat	
ortho-Phosphoric acid %	7664-3	8-2	oral		LD50	1,530 ^{mg}	9/ _{kg}	rat	

dermal

oral

dermal

Isotridecanol, ethoxylated 69011-36-5

Skin corrosion/irritation

ortho-Phosphoric acid ... %

Isotridecanol, ethoxylated

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

7664-38-2

69011-36-5

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, pain, choking, and breathing difficulties

acc. to Safe Work Australia - Code of Practice



RBS® T 305, Laboratory cleaning agent

article number: KT39

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components										
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time					
ortho-Phosphoric acid %	7664-38-2	EC50	>100 ^{mg} /l	aquatic invertebrates	48 h					
ortho-Phosphoric acid %	7664-38-2	ErC50	>100 ^{mg} / _l	algae	72 h					
Isotridecanol, eth- oxylated	69011-36-5	LL50	2.5 ^{mg} / _l	fish	96 h					
Isotridecanol, eth- oxylated	69011-36-5	EC50	1.5 ^{mg} / _l	aquatic invertebrates	48 h					

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
ortho-Phosphoric acid %	7664-38-2	EC50	>1,000 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Degradability of components						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Isotridecanol, ethoxylated	69011-36-5	DOC removal	82 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Isotridecanol, ethoxylated	69011-36-5	232.5	4.9	

12.4 Mobility in soil

Data are not available.

acc. to Safe Work Australia - Code of Practice



RBS® T 305, Laboratory cleaning agent

article number: KT39

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

	UN RTDG	UN 1805
	IMDG-Code	UN 1805
	ICAO-TI	UN 1805
.2	UN proper shipping name	
	UN RTDG	PHOSPHORIC ACID, SOLUTION
	IMDG-Code	PHOSPHORIC ACID, SOLUTION
	ICAO-TI	Phosphoric acid, solution
.3	Transport hazard class(es)	
	UN RTDG	8
	IMDG-Code	8

14.

14.

acc. to Safe Work Australia - Code of Practice

RBS® T 305 , Laboratory cleaning agent



article number: KT39

	ICAO-TI	8
14.4	Packing group	
	UN RTDG	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)				
UN number	1805			
Class	8			
Packing group	III			
Danger label(s)	8			
Special provisions (SP)	223 UN RTDG			
Excepted quantities (EQ)	E1 UN RTDG			
Limited quantities (LQ)	5 L UN RTDG			
Emergency Action Code	2R			
International Maritime Dangerous Goods Code	(IMDG) - Additional information			
Proper shipping name	PHOSPHORIC ACID, SOLUTION			
Particulars in the shipper's declaration	UN1805, PHOSPHORIC ACID, SOLUTION, 8, III			
Marine pollutant	-			
Danger label(s)	8			
Special provisions (SP)	223			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 L			
EmS	F-A, S-B			
Stowage category	A			

acc. to Safe Work Australia - Code of Practice

RBS® T 305, Laboratory cleaning agent



article number: KT39

Segregation group	1 - Acids
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Phosphoric acid, solution
Particulars in the shipper's declaration	UN1805, Phosphoric acid, solution, 8, III
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 There is no additional information.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend AIIC CICR

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) ČŠCL-ENCS DSL ECSI

Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

IECSC

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

INSQ

acc. to Safe Work Australia - Code of Practice

RBS® T 305 , Laboratory cleaning agent



article number: KT39

Legend	
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Isotridecanol, ethoxylated, Ortho-Phosphoric acid	Hazardous ingredients for labelling: Ortho-Phosphoric acid %, Isotridecanol, eth- oxylated	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2R	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor

acc. to Safe Work Australia - Code of Practice

® Roth

RBS® T 305 , Laboratory cleaning agent

article number: KT39

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Safe Work Australia - Code of Practice



RBS® T 305 , Laboratory cleaning agent

article number: KT39

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.