## MACHEREY-NAGEI



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

QUANTOFIX Peracetic acid 2000 Page: 1/8 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 **Product identifier**

REF 91342

no data available QUANTOFIX Peracetic acid 2000 REACH Registration number(s): see SECTION 3.1/3.2 or

A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 100 test strips

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 **Emergency telephone number**

Information not necessary.

You find our current versions of SDS in Internet:

Lieferant | Supplier: Roth GmbH + Co KG <a href="http://www.mn-net.com/sDs>emperienstr.3-5">http://www.mn-net.com/sDs>emperienstr.3-5</a>

. 76185 Karlsruhe, Germany +49 721 5606 0 sicherheit@carlroth.de

## **SECTION 2: Hazard identification**

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

100 test strips

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

### Label elements according regulation (EC) 1272/2008 2.2

100 test strips

Do not need labelling as hazardous Signal word: -

### Label elements of the complete product

Signal word: -



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGE



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91342 QUANTOFIX Peracetic acid 2000 Page: 2/8 Printing date: 22.11.2022 Date of issue: 24 10 2022 Version: 2.2.2.4

### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects

no data available

## **SECTION 3: Composition / information on ingredients**

### 3.1 Substances or 3.2 Mixtures

100 test strips

Substance name: cellulose paper CAS No .: 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.

Formula:  $(C_6H_{10}O_5)_n$ REACH Reg. No.: exempt, Annex IV 232-674-9 EC No.: Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled Substance name: chemicals/mixture until 1%

CAS No .:

Substance rating: No criteria for classification or naming of chemical not required. 0,1 - <1 %

Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled

Substance name: PVC foil (CAS 9002-86-2)

CAS No .:

Substance rating: No criteria for classification or naming of chemical not required 95 –  $<\!100\,\%$ 

Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 **After SKIN Contact** 

Remove dust with wetted tissue. Not necessary.

4.1.2 **After EYE Contact** 

Rub dust with teardrops from eyes Not necessary.

4.1.3 After INHALATION of vapours

Not necessary. After inhalation of dust fresh air should be inhaled. ---

4.1.4 After ORAL Intake

Not necessary

### 4.2 Most important symptoms and effects, both acute and delayed



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## MACHEREY-NAGEI



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91342 QUANTOFIX Peracetic acid 2000 Page: 3/8 Printing date: 22.11.2022 Date of issue: 24 10 2022 Version: 2.2.2.4

### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

None

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

### Additional information 5.4

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Not necessary.

### 6.2 **Environmental precautions**

not necessary

### 6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

Reference to other sections 64

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): 11

Water hazard class (DE):

### Requirements for stock rooms and containers 7.2.1

Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

## **SECTION 8: Exposure controls /personal protection**

### 8.1 **Control parameters**

100 test strips

cellulose paper CAS No.: 9004-34-6 Chemical:

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m<sup>3</sup> E/e respirable

SUVA(CH) MAK value:

NIOSH: TWA 10 (total) / 5 (resp) mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91342
 QUANTOFIX Peracetic acid 2000
 Page: 4/8

 Printing date: 22.11.2022
 Date of issue: 24.10.2022
 Version: 2.2.2.4

OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

Chemical: chemicals/mixture until 1% CAS No.: 
Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

## 8.2 Exposure controls

Not necessary.

8.2.1 Respiratory protection

Not necessary.

8.2.2 Skin protection / Hand protection

Not necessary.

8.2.3 Eye / Face Protection

Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

8.2.6 Thermal hazards no data available

8.3

Limitation and monitoring of environmental exposure Information not necessary.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

## 100 test strips

a) State of aggregation:

b) Colour: colourless c) Odor: red d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): h) Flash point: no data available no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: no data available I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available r) Particle size: no data available

### 9.2 Other information

Properties relevant to substance groups

---

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

None



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91342
 QUANTOFIX Peracetic acid 2000
 Page: 5/8

 Printing date: 22.11.2022
 Date of issue: 24.10.2022
 Version: 2.2.2.4

## 10.2 Chemical stability

no known instability.

## 10.3 Possibility of hazardous reactions

None.

### 10.4 Conditions to avoid

Not known.

## 10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

## 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 test strips

Chemical: cellulose paper CAS No.: 9004-34-6

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed south Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-05339 LD50 orl rat: > 5000 mg/kg LC50 ihl rat: > 5,800 mg/L/4H

Chemical: chemicals/mixture until 1% CAS No.: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

TSCA Inventory: listed

### 11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Following information is valid for pure substances.

100 test strips

Chemical: cellulose paper CAS No.: 9004-34-6

Water hazard class (DE): nwg Storage class (VCI): 11

Chemical: chemicals/mixture until 1% CAS No.: -

Water hazard class (DE): 1
Storage class (VCI): 12-13



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91342
 QUANTOFIX Peracetic acid 2000
 Page: 6/8

 Printing date: 22.11.2022
 Date of issue: 24.10.2022
 Version: 2.2.2.4

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

## **SECTION 13: Disposal considerations**

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

14.5 Environmental hazards

none

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

## 15.2 Chemical safety assessment

## **SECTION 16: Other information**

16.1 Changes compared to the last version

Between versions 2.2.2.4 and 2.2.2.2 following changes were applied: - 2 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

16.2.2 List of relevant P phrases



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGEL



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91342 QUANTOFIX Peracetic acid 2000 Page: 7/8 Printing date: 22.11.2022 Date of issue: 24 10 2022 Version: 2.2.2.4

### 16.3 Recommended restriction on use

### 16.4 Sources of key data

KÜHN, BIRETT leaflets on dangerous working materials

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET

Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019

Regulation 878/2020/EU

Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

### Revisions/Updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 Adjustment of Regulation 487/2013/EU 2016-03 Adjustment of Regulation 1221/2015/EU

2017-11 adaptation of the ECHA registration dossier 2022-11 Adjustment of Regulation 878/2020/EU

### 16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

according

Convention concerning the International Carriage of Dangerous Goods by Road ADR:

Act:

BAT: biological workplace tolerance value

Cargo Aircraft Only CAO:

carcinogen Carc:

Chemical Abstracts Service CAS:

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam:

DNEL: Derived No-Effect Level (for workers)

derm: dermal dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

EC: **European Community** 

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

EU: **European Union** fish (not spezified) fish:

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: ICAO: guinea pig

International Civil Aviation Organization ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

maximum workplace concentration

intrav: intravenous intraperitonaeal

İSHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50% LD50: letale dosis 50% fisch, ide, orfe leuciscus idus



MAK:

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGE



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91342 QUANTOFIX Peracetic acid 2000 Page: 8/8 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

Met: Metall mus: mouse Muta: mutagen

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable

fish, rainbow trout onchorhynchus mykiss:

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed persistent, bioaccumulating, toxic substance PBT:

pH: pH value

pimephales promelas: fish, fathead minnow PNEC: Predicted No Effected Concentration PROC 15: Process category 'for laboratory use'

PRTR: Law for PRTR and Promotion of Chemical Management (Jp)

PVC: polyvinyl chloride quail: bird, quail rat: rat rbt: rabbit

RD: rapidly degradable

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number

Reg.No.: rRegistration number Repr: harmful to reproduction

Resp: respiratory

RIP: **REACH Implementations Projects** 

sub cutan scu: SDS: safety data sheet Sens: sensitisation

short term exposure limit STEL: STOT: Specific Target Organ Toxicity Substance of Very High Concern SVHC:

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea) Tox:

TSCA: The Toxic Substances Control Act (US)

time weighted average TWA: TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com