acc. to Regulation (EC) No. 1907/2006 (REACH)

## ROTH

## 1-Methylimidazole ≥99 %, for synthesis

article number: **N353**Version: **4.0 en**date of compilation: 2016-05-13
Revision: 2024-03-04

Replaces version of: 2021-12-22

Version: (3)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **1-Methylimidazole** ≥99 %, for synthesis

Article number N353

 Index No (GB CLP)
 613-035-00-7

 EC number
 210-484-7

 CAS number
 616-47-7

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353



## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

## Labelling

Signal word Danger

## **Pictograms**

GHS05, GHS06



#### **Hazard statements**

H302 Harmful if swallowed H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage

#### **Precautionary statements**

## **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection

## **Precautionary statements - response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ®

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance 1-Methylimidazole

Molecular formula  ${\rm C_4H_6N_2}$  Molar mass  ${\rm 82,11~^g/_{mol}}$  CAS No  ${\rm 616-47-7}$  EC No  ${\rm 210-484-7}$ 

Substance Specific Conc Limits M-factors ATE

Substance, Specific conc. Limits, M-ractors, ATE				
Specific Conc. Limits	M-Factors	ATE	Exposure route	
-	-	1.144 <sup>mg</sup> / <sub>kg</sub> 400 <sup>mg</sup> / <sub>kg</sub>	oral dermal	

613-035-00-7

## **SECTION 4: First aid measures**

Index No (GB CLP)

## 4.1 Description of first aid measures



### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following skin contact**

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

## Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

## 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Corrosion, Nausea, Vomiting, Gastric perforation, Risk of blindness, Headache, Dyspnoea

### 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353



## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

## **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains.

## Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

## Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

## Advice on general occupational hygiene

Thorough skin-cleansing after handling the product.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

## 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

## **Human health values**

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	7,9 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	2,25 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

## **Environmental values**

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

## **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0,1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,01 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	589,6 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	4,43 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,443 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0,825 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## **Eye/face protection**





Use safety goggle with side protection. Wear face protection.

#### Skin protection





### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,7mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## ®

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

## **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour characteristic

Melting point/freezing point -2 °C

Boiling point or initial boiling point and boiling

range

198 °C at 1.013 hPa

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 2,7 vol% (LEL) - 15,7 vol% (UEL)

Flash point 92 °C (DIN 51758)

Auto-ignition temperature 488 °C at 1.019 hPa (ECHA)

Decomposition temperature not relevant

pH (value) 9,5 – 10,5 (in aqueous solution:  $50^{9}/_{1}$ ,  $20^{\circ}$ C)

Kinematic viscosity 1,83 mm<sup>2</sup>/<sub>s</sub> at 20 °C

Dynamic viscosity 1,89 mPa s at 20 °C

Solubility(ies)

Water solubility (soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): -0,19 (25 °C) (ECHA)

Soil organic carbon/water (log KOC) 2,907 (ECHA)

Vapour pressure 0,351 hPa at 20 °C

Density and/or relative density

Density  $1,035 \, {}^{\rm g}/{}_{\rm cm^3}$  at 20 °C (ECHA)

Relative vapour density 2,84 (air = 1)

United Kingdom (en) Page 7 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetic anhydride, Acids, Acid chlorides, inorganic

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

Rubber articles, different plastics

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

## **Acute toxicity**

Harmful if swallowed. Toxic in contact with skin.

## **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	1.144 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	400 – 640 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

United Kingdom (en) Page 8 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

## Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

vomiting, nausea, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### If inhaled

headache, irritant effects, cough, Dyspnoea, pulmonary oedema

#### • If on skin

causes severe burns, causes poorly healing wounds

### Other information

none

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## **Aquatic toxicity (acute)**

Endpoint	Value	Species	Source	Exposure time
LC50	<215 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	267,9 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	202,5 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

## **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
EC50	1.050 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	7 h

## 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,559  $^{\rm mg}/_{\rm mg}$  Theoretical Oxygen Demand (with nitrification): 2,387  $^{\rm mg}/_{\rm mg}$  Theoretical Carbon Dioxide: 2,144  $^{\rm mg}/_{\rm mg}$ 

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,19 (25 °C) (ECHA)
in a seem to the transfer (tog) the try	-, -, (== -, (== -,,

## 12.4 Mobility in soil

Henry's law constant	8,12 Pa m³/ <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	2,907 (ECHA)

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

### 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 10 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353



## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## Properties of waste which render it hazardous

**HP 6** acute toxicity

HP 8 corrosive

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID	UN 2922
IMDG-Code	UN 2922
ICAO-TI	UN 2922

## 14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, TOXIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, TOXIC, N.O.S.

ICAO-TI Corrosive liquid, toxic, n.o.s.

Technical name 1-Methylimidazole

#### 14.3 Transport hazard class(es)

ADRRID	8 (6.1)
IMDG-Code	8 (6.1)
ICAO-TI	8 (6.1)

## 14.4 Packing group

ADRRID	II
IMDG-Code	II

United Kingdom (en) Page 11 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## ©

## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

ICAO-TI II

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

## Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S.

Particulars in the transport document UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (1-

Methylimidazole), 8 (6.1), II, (E)

Classification code CT1

Danger label(s) 8+6.1



Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 86
Emergency Action Code 2X

## Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code CT1

Danger label(s) 8+6.1





Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 86

United Kingdom (en) Page 12 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S.

Particulars in the shipper's declaration UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (1-

Methylimidazole), 8 (6.1), II

Marine pollutant -

Danger label(s) 8+6.1



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category B

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, toxic, n.o.s.

Particulars in the shipper's declaration UN2922, Corrosive liquid, toxic, n.o.s., (1-Methyl-

imidazole), 8 (6.1), II

Danger label(s) 8+6.1





Special provisions (SP)

A3, A4

Excepted quantities (EQ)

Limited quantities (LQ)

0,5 L

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

## **Deco-Paint Directive**

United Kingdom (en) Page 13 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

VOC content	100 %
VOC content	1.035 <sup>g</sup> / <sub>l</sub>

### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	1.035 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

## Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
1-Methylimidazole	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 14 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS DSL ECSI IECSC INSQ

CSCL-ENCS
DSL
Domestic Substances List (DSL)
ECSI
ECSI
ECSI
Inventory of Existing Chemical Substances Produced or Imported in China
INSQ
INVENTIGATION
INVEN

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## **Indication of changes (revised safety data sheet)**

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: CT1	yes
14.8		Danger label(s): 8+6.1	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 274, 802(ADN)	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 86	yes
14.8	Special provisions (SP): A3	Special provisions (SP): A3, A4	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 100 % , 1.035 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes
15.1		VOC content: 1.035 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methylimidazole ≥99 %, for synthesis

article number: N353

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18