

Potassium sorbate ROTICHROM® Working Standard

article number: **NC09** Version: **3.0 en** Replaces version of: 2020-06-18 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Potassium sorbate ROTICHROM® Working Standard

NC09

019-003-00-3

246-376-1

24634-61-5

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

Index number in CLP Annex VI

EC number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

date of compilation: 2020-05-07 Revision: 2021-08-27

according to Regulation (EC) No. 1907/2006 (REACH)



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Warning
Pictograms	^
GHS07	
Hazard statements	
H319	Causes serious eye irritation
Precautionary state	ements
Precautionary state	ements - prevention
P280	Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

3.1

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	Potassium sorbate
Molecular formula	C ₆ H ₇ KO ₂
Molar mass	150,2 ^g / _{mol}
CAS No	24634-61-5
EC No	246-376-1
Index No	019-003-00-3

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Potassium sorbate ROTICHROM® Working Standard



article number: NC09

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

Specific designs for storage rooms or vessels Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	17,63 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	40 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	3,6 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	0,36 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	1,67 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Safety data sheet according to Regulation (EC) No. 1907/2006 (REACH)

Potassium sorbate ROTICHROM® Working Standard



article number: NC09

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	white
Odour	odourless
Melting point/freezing point	205 – 270 °C (slow decomposition)
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined

according to Regulation (EC) No. 1907/2006 (REACH)

Potassium sorbate ROTICHROM® Working Standard



article number: NC09

	Flash point	not applicable
	Auto-ignition temperature	178 °C (ECHA)
	Decomposition temperature	≥205 °C (ECHA)
	pH (value)	8 – 11 (20 °C) (aqueous solution of the substance)
	Kinematic viscosity	not relevant
	Solubility/ioc)	
	Solubility(ies)	
	Water solubility	≤543 ^g / _l at 20 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	1,32 (pH value: 2,5) (ECHA)
	Soil organic carbon/water (log KOC)	-1,82 (ECHA)
	Vapour pressure	<0 hPa at 20 °C
	Density	1,36 ^g / _{cm³}
	Relative vapour density	information on this property is not available
	Bulk density	370 – 670 ^{kg} / _{m³}
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	
	Surface tension	72,6 ^{mN} / _m (20 °C) (ECHA)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: \geq 205 °C.

- **10.5 Incompatible materials** There is no additional information.
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	10.500 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

Potassium sorbate ROTICHROM® Working Standard

article number: NC09

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)						
Endpoint	Value	Species	Source	Exposure time		
LC50	>500 ^{mg} / _l	fish	ECHA	96 h		
EC50	982 ^{mg} /l	aquatic invertebrates	ECHA	48 h		
EbC50	221 ^{mg} / _l	algae	ECHA	72 h		
ErC50	1.223 ^{mg} / _l	algae	ECHA	72 h		

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	>50 ^{mg} /l	aquatic invertebrates	ECHA	21 d
EC50	>50 ^{mg} / _l	aquatic invertebrates	ECHA	21 d

Biodegradation

The substance is readily biodegradable.

12.2 Process of degradability

Theoretical Oxygen Demand: 1,385 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,758 ^{mg}/_{mg}

Process of degradability

Process Degradation rate		Time
biotic/abiotic	>95 %	8 d
oxygen depletion	74,9 %	28 d

according to Regulation (EC) No. 1907/2006 (REACH)



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,32 (pH value: 2,5) (ECHA)
BCF	2,6 (ECHA)

12.4 Mobility in soil

Henry's law constant	0 ^{Pa m³} / _{mol} (ECHA)
The Organic Carbon normalised adsorption coefficient	-1,82 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

- **14.6** Special precautions for user There is no additional information.
- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture


Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Potassium sorbate	substances in tattoo inks and perman- ent make-up		R75	75
stances shall not be used for tatt are present in the following circu (a) in the case of a substance cla: 1A, 1B or 2, or germ cell mutage equal to or greater than 0,00005 (b) in the case of a substance cla category 1A, 1B or 2, the substar weight; (c) in the case of a substance cla egory 1, 1A or 1B, the substance weight; (d) in the case of a substance cla egory 1, 1A, 1B or 1C or skin irrit substance is present in the mixtu (i) 0, 1 % by weight, if the substar (ii) 0,01 % by weight, in all other (e) in the case of a substance for (Product type, Body parts) of the mixture in a concentration equal (i) "Rinse-off products"; (ii) "Not to be used in products a (iii) "Not to be used in products a (iii) "Not to be used in eye produ (g) in the case of a substance for preparation) or column i (Other) the mixture in a concentration, c (h) in the case of a substance list tration equal to or greater than 1 2. For the purposes of this entry ture into a person's skin, mucou monly referred to as permanent making a mark or design on his 3. If a substance not listed in App concentration limit laid down in	ssified in Part 3 of Annex VI to Regulation n category 1A, 1B or 2, the substance is p % by weight; ssified in Part 3 of Annex VI to Regulation nce is present in the mixture in a concentr ssified in Part 3 of Annex VI to Regulation is present in the mixture in a concentrati ssified in Part 3 of Annex VI to Regulation ant category 2, or as serious eye damage ure in a concentration equal to or greater to a serious eye damage to or greater than 0,00005 % by weight; which a condition of one or more of the f table in Annex IV to Regulation (EC) No 1223. I to or greater than 0,00005 % by weight; which a condition is specified in column 1 of the table in Annex IV to Regulation (EC) No 1 to or greater than 0,00005 % by weight: pplied on mucous membranes"; cts"; which a condition is specified in column 1 of the table in Annex IV to Regulation (EC) or in some other way, that does not accorr ed in Appendix 13 to this Annex, the subs the concentration limit specified for that s use of a mixture "for tattooing purposes" s membrane or eyeball, by any process or make-up, cosmetic tattooing, micro-blad	he substance of (EC) No 1272/ resent in the n (EC) No 1272/ ration equal to (EC) No 1272/ on equal to or (EC) No 1272/ on equal to or (EC) No 1272/ category 1 or than: /2009 (*1), the ollowing kinds 223/2009, the h (Maximum cc) No 1223/200 d with the con- stance is prese substance in the means injection of means injection opints (a) to (g) of substance. If a	or substances in ques 2008 as carcinogen of nixture in a concentr 2008 as reproductive or greater than 0,00 2008 as skin sensitise greater than 0,001 % 2008 as skin corrosiv eye irritant category substance is presen is specified in colum substance is present oncentration in read 9, the substance is p dition specified in that nt in the mixture in a bat Appendix. on or introduction of coluding procedures of pigmentation), with of paragraph 1, the s	tion is or ategory ation toxicant of toxicant of toxic

Potassium sorbate ROTICHROM® Working Standard

article number: NC09



List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

Deco-Paint Directive

VOC content

0 %





Potassium sorbate ROTICHROM® Working Standard

article number: NC09

Industrial Emissions Directive (IED)	
VOC content	0 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Potassium sorbate	Metals and their compounds		A)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed

according to Regulation (EC) No. 1907/2006 (REACH)



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

Country	Inventory	Inventory Status		
PH	PICCS	PICCS substance is listed		
TR	CICR	substance is listed		
TW	TCSI	substance is listed		
US	TSCA	TSCA substance is listed		
DSL ECSI IECSC INSQ KECI NZIoC PICCS	Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation CS List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) eg. REACH registered substances Taiwan Chemical Substance Inventory Toxic Substance Control Act			

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)

according to Regulation (EC) No. 1907/2006 (REACH)



Potassium sorbate ROTICHROM® Working Standard

article number: **NC09**

Abbr.	Descriptions of used abbreviations	
DNEL	Derived No-Effect Level	
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
SVHC	Substance of Very High Concern	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H319	Causes serious eye irritation.



Potassium sorbate ROTICHROM® Working Standard

article number: NC09

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.