according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: **NC10** Version: **3.0 en** Replaces version of: 2021-11-16 Version: (2)

date of compilation: 2016-01-14 Revision: 2024-03-02

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

# 1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

EC number

CAS number

## **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

CHROM® Working standard

according to REACH (< 1 t/a).

NC10

202-785-7

99-76-3

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

4-Hydroxybenzoic acid methyl ester ROTI-

It is not required to list the identified uses be-

cause the substance is not subject to registration

# 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

# sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

For full text of abbreviations: see SECTION 16

**The most important adverse physicochemical, human health and environmental effects** Spillage and fire water can cause pollution of watercourses.

# 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Not required

**Pictograms** 

GHS09



#### **Hazard statements**

H411 Toxic to aquatic life with long lasting effects

# Precautionary statements

#### **Precautionary statements - prevention**

P273 Avoid release to the environment

## **Precautionary statements - response**

P391 Collect spillage

## **Precautionary statements - disposal**

P501 Dispose of contents/container to an authorized waste treatment facility

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Not required.

Symbol(s)



## 2.3 Other hazards

# Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

The substance has an endocrine disrupting potential.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

# **SECTION 3: Composition/information on ingredients**

3.1	Substances	
	Name of substance	4-Hydroxybenzoic acid methyl ester
	Molecular formula	$C_8H_8O_3$
	Molar mass	152,2 <sup>g</sup> / <sub>mol</sub>
	CAS No	99-76-3
	EC No	202-785-7

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



# **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air.

## Following skin contact

Rinse skin with water/shower.

# Following eye contact

Rinse cautiously with water for several minutes.

## **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# **4.3 Indication of any immediate medical attention and special treatment needed** none

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

# Unsuitable extinguishing media

water jet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

# 5.2 Special hazards arising from the substance or mixture

Combustible.

## Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Avoid dust formation.

## Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

# Incompatible substances or mixtures

Observe hints for combined storage.

# Consideration of other advice:

## **Ventilation requirements**

Use local and general ventilation.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

 

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

Relevant DN	Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
DNEL	176,3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects				
DNEL	29,41 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental com- partment	Exposure time				
PNEC	0,112 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release				
PNEC	2,4 <sup>µg</sup> /I	aquatic organisms	freshwater	short-term (single instance)				



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

Relevant	Relevant PNECs and other threshold levels							
End- point	Threshold level	d Organism Environmental com- partment		Exposure time				
PNEC	0,24 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)				
PNEC	2 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)				
PNEC	63,2 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)				
PNEC	6,32 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)				
PNEC	11,5 <sup>µg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)				

# 8.2 Exposure controls

# Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

## **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



article number: NC10

## **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder, crystalline
Colour	white
Odour	odourless
Melting point/freezing point	125 °C (ECHA)
Boiling point or initial boiling point and boiling range	270 – 280 °C at 1.013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	>403 °C (ECHA) (relative self-ignition temperat- ure for solids)
Decomposition temperature	>270 °C
pH (value)	7 (in aqueous solution: 1 <sup>g</sup> / <sub>l</sub> , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	1,88 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)
2	
Partition coefficient	
Partition coefficient n-octanol/water (log value):	1,98 (OECD-107)
Vapour pressure	0 hPa at 20 °C
Density and/or relative density	
Density	1,38 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)
Relative vapour density	Information on this property is not available.
Bulk density	~ 600 – 900 <sup>kg</sup> / <sub>m³</sub>



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

9.2

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >270 °C.

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

## Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	2.100 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

## article number: NC10

# Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Carcinogenicity

Shall not be classified as carcinogenic.

# **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

# **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

## • If swallowed

Data are not available.

• If in eyes

Data are not available.

## • If inhaled

Data are not available.

## • If on skin

Data are not available.

## • Other information

Health effects are not known.

# 11.2 Endocrine disrupting properties

This substance is known as an "endocrine disruptor".

## **Endocrine disrupting chemicals (EDC)**

Name of substance	CAS No	Combined cat- egory	Human health category	Wildlife cat- egory
4-Hydroxybenzoic acid methyl ester	99-76-3	CAT1	CAT1	CAT3b

#### Legend

CAT1 CAT3b Category 1 - evidence of endocrine disruption in at least one species using intact animals Category 3b - no evidence of endocrine disruption or no data available

# 11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

## article number: NC10

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

# Aquatic toxicity (acute)

Aquatic toxicity (act							
Endpoint	Value	Species	Source	Exposure time			
LC50	59,5 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h			
ErC50	91 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h			

# Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	0,89 <sup>mg</sup> /l	aquatic invertebrates	ECHA	21 d

## 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,788 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,314 <sup>mg</sup>/<sub>mg</sub>

# **Biodegradation**

The substance is readily biodegradable.

Process of degradability			
Process	Degradation rate	Time	
biotic/abiotic	89 %	28 d	
carbon dioxide generation	89 %	28 d	

# 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,98 (OECD-107)
---------------------------	-----------------

# 12.4 Mobility in soil

Data are not available.

# 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

This substance is known as an "endocrine disruptor".

# Endocrine disrupting chemicals (EDC)

	-			
Name of substance	CAS No	Combined cat- egory	Human health category	Wildlife cat- egory
4-Hydroxybenzoic acid methyl ester	99-76-3	CAT1	CAT1	CAT3b

Legend CAT1

Category 1 - evidence of endocrine disruption in at least one species using intact animals

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

#### article number: NC10

#### Legend

CAT3b Category 3b - no evidence of endocrine disruption or no data available

## 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# Properties of waste which render it hazardous

HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADRRID	UN 3077
	IMDG-Code	UN 3077
	ICAO-TI	UN 3077
14.2	UN proper shipping name	
	ADRRID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
	Technical name	4-Hydroxybenzoic acid methyl ester

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

14.3	Transport hazard class(es)	
	ADRRID	9
	IMDG-Code	9
	ICAO-TI	9
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment

# 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Particulars in the transport document	UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (4-Hydroxybenzoic acid methyl ester), 9, III, (-)
Classification code	M7
Danger label(s)	9, "Fish and tree"
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional
Classification code	M7
Danger label(s)	9, "Fish and tree"

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

Environmental hazards	Yes Hazardous to water
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Hazard identification No	90
International Maritime Dangerous Goods Co	ode (IMDG) - Additional information
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Particulars in the shipper's declaration	UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (4-Hydroxybenzoic acid methyl ester), 9, III
Marine pollutant	<b>YES</b> (hazardous to the aquatic environment), (4-Hydroxyben- zoic acid methyl ester)
Danger label(s)	9, "Fish and tree"
Special provisions (SP)	274, 335, 966, 967, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-F
Stowage category	A
International Civil Aviation Organization (IC	CAO-IATA/DGR) - Additional information
Proper shipping name	Environmentally hazardous substance, solid, n.o.s.
Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (4-Hydroxybenzoic acid methyl ester 9, III
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	9, "Fish and tree"
Special provisions (SP)	A97, A158, A179, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

# article number: NC10

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

# **Restrictions according to REACH, Annex XVII**

not listed

**List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list** Not listed.

## **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200	500	57)

#### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

# **Deco-Paint Directive**

VOC content	0 %
VOC content	0 <sup>g</sup> /l

## Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Γ

## Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
4-Hydroxybenzoic acid methyl es- ter	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend a)

Indicative list of the main pollutants

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

#### article number: NC10

# Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

## Regulation on substances that deplete the ozone layer (ODS)

not listed

## **Regulation concerning the export and import of hazardous chemicals (PIC)**

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

## **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed
Legend		·

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

article number: NC10

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: M7	yes
14.8		Danger label(s): 9, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 274, 335, 375, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 90	yes
15.1	VOC content: 0 % , 0 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes
15.1		VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

## article number: **NC10**

Abbr.	Descriptions of used abbreviations	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001	
STEL	Short-term exposure limit	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

# Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# 4-Hydroxybenzoic acid methyl ester ROTICHROM® Working standard

#### article number: NC10

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H411	Toxic to aquatic life with long lasting effects.

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.