

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: **NC17**  
Version: **GHS 3.0 en**  
Replaces version of: 2021-12-20  
Version: (GHS 2)

date of compilation: 2020-12-10  
Revision: 2024-03-02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>DL-<math>\alpha</math>-Tocopherol acetate</b> ROTICHROM® Working Standard
Article number	NC17
CAS number	7695-91-2
Alternative name(s)	Vitamin E acetate

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

### 2.2 Label elements

#### Labelling

not required

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: NC17

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	DL- $\alpha$ -Tocopherol acetate
Molecular formula	$C_{31}H_{52}O_3$
Molar mass	472.8 g/mol
CAS No	7695-91-2

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

No special measures are necessary.

#### Following inhalation

Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



##### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

##### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



##### For non-emergency personnel

No special measures are necessary.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

##### Advice on how to contain a spill

Covering of drains.

##### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: NC17

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. May cause decomposition by long-term light influence. Keep in a cool place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Protect against external exposure, such as

direct light irradiation, UV-radiation/sunlight

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

##### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	73.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	416.6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

##### Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.27 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.027 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	212,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: NC17

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	21,200 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	74,800 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggles with side protection.

##### Skin protection



- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

##### Environmental exposure controls

Keep away from drains, surface and ground water.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: NC17

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light yellow - light green
Odour	odourless
Melting point/freezing point	-27.5 °C
Boiling point or initial boiling point and boiling range	>300 °C at 1,013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	210 °C (c.c.)
Auto-ignition temperature	303 °C
Decomposition temperature	>300 °C
pH (value)	not determined
Kinematic viscosity	5,706 mm <sup>2</sup> /s at 20 °C
Dynamic viscosity	5,478 cP at 20 °C
<u>Solubility(ies)</u>	
Water solubility	(insoluble (< 1 mg/l))
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	12.26 (calc. TOXNET)
Soil organic carbon/water (log KOC)	7.144 (ECHA)
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	0.96 g/cm <sup>3</sup> at 20 °C
Relative vapour density	Information on this property is not available.
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

#### 9.2 Other information

Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	There is no additional information.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: NC17

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

##### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

May cause decomposition by long-term light influence.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >300 °C. Direct light irradiation. UV-radiation/sunlight.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Classification acc. to GHS

This substance does not meet the criteria for classification.

##### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>10,000 mg/kg	rat		ECHA
dermal	LD50	>3,000 mg/kg	rat		ECHA

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: NC17

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### • Other information

Health effects are not known. This information is based upon the present state of our knowledge.

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	$>11 \text{ mg/l}$	fish	ECHA	96 h
EC50	$>20.6 \text{ mg/l}$	aquatic invertebrates	ECHA	48 h
ErC50	$>27.8 \text{ mg/l}$	algae	ECHA	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	$>10,000 \text{ mg/l}$	microorganisms	ECHA	30 min

### 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $2.877 \text{ mg/mg}$



# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: **NC17**

Theoretical Carbon Dioxide: 2.886 mg/mg

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	30 – 40 %	39 d

### 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	12.26 (Calc. TOXNET)
---------------------------	----------------------

### 12.4 Mobility in soil

Henry's law constant	41.65 Pa m <sup>3</sup> /mol at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	7.144 (ECHA)

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: NC17

### SECTION 14: Transport information

- 14.1 UN number** not subject to transport regulations
- 14.2 UN proper shipping name** not assigned
- 14.3 Transport hazard class(es)** not assigned
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations**
- Transport information**  
National regulations: Not subject to transport regulations. UN RTDG  
Additional information (UN RTDG):
- International Maritime Dangerous Goods Code (IMDG) - Additional information**  
Not subject to IMDG.
- International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**  
Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
There is no additional information.
- National regulations (Australia)**
- Australian Inventory of Chemical Substances (AICS)**  
Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: **NC17**

Country	Inventory	Status
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	$\equiv$ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## DL- $\alpha$ -Tocopherol acetate ROTICHROM® Working Standard

article number: **NC17**

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.